



# Professional Screwdrivers


Overwhelming Selections

Quality and Power





## "Power Grip" Screwdrivers



12

### Slotted Screwdrivers:

Model	Blade Diameter x Length
T32700	3.0mm x 60mm (1/8" x 2-3/8")
T32704	4.0mm x 80mm (5/32" x 3-1/8")
T32708	5.5mm x 80mm (7/32" x 3-1/8")
T32709	5.5mm x 100mm (7/32" x 4")
T32710	5.5mm x 125mm (7/32" x 5")
T32715	6.5mm x 38mm (1/4" x 1-1/2")
T32716	6.5mm x 100mm (1/4" x 4")
T32717	6.5mm x 150mm (1/4" x 6")
T32718	8mm x 150mm (5/16" x 6")
T32719	8mm x 200mm (5/16" x 8")

### Phillips Screwdrivers:

Model	Blade Diameter x Length
T32731	#0 x 60mm (#0 x 2-3/8")
T32735	#1 x 80mm (#1 x 3-1/8")
T32736	#1 x 100mm (#1 x 4")
T32738	#1 x 150mm (#1 x 6")
T32740	#2 x 38mm (#2 x 1-1/2")
T32741	#2 x 100mm (#2 x 4")
T32742	#2 x 150mm (#2 x 6")
T32744	#3 x 150mm (#3 x 6")
T32748	#3 x 200mm (#3 x 8")

### Star Screwdrivers:

Model	Blade Diameter x Length
T32760	T10 x 80mm (T10 x 3-1/8")
T32761	T15 x 80mm (T15 x 3-1/8")
T32762	T20 x 100mm (T20 x 4")
T32763	T25 x 100mm (T25 x 4")
T32764	T27 x 100mm (T27 x 4")
T32765	T30 x 125mm (T30 x 5")

### Pozi Screwdrivers:

Model	Blade Diameter x Length
T32766	#0 x 60mm (#0 x 2-3/8")
T32767	#1 x 80mm (#1 x 3-1/8")
T32768	#2 x 100mm (#2 x 4")
T32770	#3 x 150mm (#3 x 6")

### T32790 5pc "Power Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 3 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
  - 2 - Phillips:
    - #1 x 80mm (#1 x 3-1/8"), #2 x 100mm (#2 x 4")



### T32791 7pc "Power Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 4 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
    - 8.0mm x 200mm (5/16" x 8")
  - 3 - Phillips:
    - #1 x 80mm (#1 x 3-1/8"), #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")



### T32793 8pc "Power Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 4 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 38mm (1/4" x 1-1/2")
    - 6.5mm x 150mm (1/4" x 6")
  - 4 - Phillips:
    - #1 x 80mm (#1 x 3-1/8"), #2 x 38mm (#2 x 1-1/2")
    - #2 x 100mm (#2 x 4"), #3 x 150mm (#3 x 6")



### T32799 6pc "Power Grip" Star Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 6 - Star:
    - T10, T15, T20, T25, T27, T25





### T32796 5pc "Power Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 3 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
  - 2 - Pozi:
    - #1 x 80mm (#1 x 3-1/8"), #2 x 100mm (#2 x 4")



### T32792 7pc "Power Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 4 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
    - 8.0mm x 200mm (5/16" x 8")
  - 3 - Pozi:
    - #1 x 80mm (#1 x 3-1/8")
    - #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")

## "Super Grip" Screwdrivers

"Super Grip" features a large ergonomic cushioned handle that prevents slippage even with oily hands. The dotted design on the handle ensures a slip-resistant grip that allows for easy, comfortable, and accurate driving.



### Slotted Screwdrivers:

Model	Blade Diameter x Length	
T32000	3.0mm x 60mm	(1/8" x 2-3/8")
T32001	4.0mm x 80mm	(5/32" x 3-1/8")
T32004	5.5mm x 80mm	(7/32" x 3-1/8")
T32005	5.5mm x 100mm	(7/32" x 4")
T32006	5.5mm x 125mm	(7/32" x 5")
T32009	6.5mm x 38mm	(1/4" x 1-1/2")
T32012	6.5mm x 100mm	(1/4" x 4")
T32014	6.5mm x 150mm	(1/4" x 6")
T32016	8.0mm x 150mm	(5/16" x 6")
T32017	8.0mm x 200mm	(5/16" x 8")

### Phillips Screwdrivers:

Model	Blade Diameter x Length	
T32020	#0 x 60mm	(#0 x 2-3/8")
T32021	#1 x 80mm	(#1 x 3-1/8")
T32022	#1 x 100mm	(#1 x 4")
T32023	#1 x 150mm	(#1 x 6")
T32025	#2 x 100mm	(#2 x 4")
T32026	#2 x 150mm	(#2 x 6")
T32027	#2 x 125mm	(#2 x 5")
T32028	#2 x 200mm	(#2 x 8")
T32029	#2 x 38mm	(#2 x 1-1/2")
T32033	#3 x 125mm	(#3 x 5")
T32036	#3 x 150mm	(#3 x 6")

### Pozi Screwdrivers:

Model	Blade Diameter x Length	
T32039	#0 x 60mm	(#0 x 2-3/8")
T32040	#1 x 80mm	(#1 x 3-1/8")
T32041	#2 x 100mm	(#2 x 4")
T32042	#3 x 150mm	(#3 x 6")

### Star Screwdrivers:

Model	Blade Diameter x Length	
T32045	T10 x 80mm	(T10 x 3-1/8")
T32046	T15 x 80mm	(T15 x 3-1/8")
T32047	T20 x 100mm	(T20 x 4")
T32048	T25 x 100mm	(T25 x 4")
T32049	T30 x 125mm	(T30 x 5")
T32050	T40 x 150mm	(T40 x 6")
T32051	T27 x 125mm	(T27 x 5")



### T32090 5pc "Super Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 3 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
  - 2 - Phillips:
    - #1 x 80mm (#1 x 3-1/8")
    - #2 x 100mm (#2 x 4")



### T32096 5pc "Super Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 3 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
  - 2 - Pozi:
    - #1 x 80mm (#1 x 3-1/8")
    - #2 x 100mm (#2 x 4")



### T32099 7pc "Super Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 4 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
    - 8.0mm x 150mm (5/16" x 6")
  - 3 - Phillips:
    - #1 x 80mm (#1 x 3-1/8")
    - #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")



### T32091 7pc "Super Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 4 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
    - 8.0mm x 200mm (5/16" x 8")
  - 3 - Phillips:
    - #1 x 80mm (#1 x 3-1/8")
    - #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")

## T32097 7pc "Super Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 4 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 150mm (1/4" x 6")
    - 8.0mm x 200mm (5/16" x 8")
  - 3 - Pozzi:
    - #1 x 80mm (#1 x 3-1/8")
    - #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")



## T32092 8pc "Super Grip" Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 4 - Slotted:
    - 4.0mm x 80mm (5/32" x 3-1/8")
    - 5.5mm x 125mm (7/32" x 5")
    - 6.5mm x 38mm (1/4" x 1-1/2")
    - 6.5mm x 150mm (1/4" x 6")
  - 4 - Phillips:
    - #1 x 80mm (#1 x 3-1/8")
    - #2 x 38mm (#2 x 1-1/2")
    - #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")



## "Super Grip" Bit Drivers

- Features a large handle that fits all regions of the hand

### T32060 "Super Grip" Bit Driver

### T32061 "Super Grip" Bit Driver w/ 125mm Shank





## "Cushion Grip" Screwdrivers



12

### Slotted Screwdrivers:

Model	Blade Diameter x Length
T32200	3.2mm x 45mm (1/8" x 1-3/4")
T32201	3.2mm x 75mm (1/8" x 3")
T32203	4mm x 75mm (5/32" x 3")
T32204	5mm x 75mm (3/16" x 3")
T32205	5mm x 100mm (3/16" x 4")
T32206	5mm x 150mm (3/16" x 6")
T32209	6mm x 38mm (1/4" x 1-1/2")
T32212	6mm x 100mm (1/4" x 4")
T32214	6mm x 150mm (1/4" x 6")
T32215	6mm x 200mm (1/4" x 8")
T32216	8mm x 150mm (5/16" x 6")
T32217	8mm x 200mm (5/16" x 8")
T32218	9.5mm x 250mm (3/8" x 10")
T32219	8mm x 300mm (5/16" x 12")

### Phillips Screwdrivers:

Model	Blade Diameter x Length
T32220	#0 x 45mm (#0 x 1-3/4")
T32221	#0 x 75mm (#0 x 3")
T32223	#5 x 38mm (#1 x 1-1/2")
T32224	#1 x 75mm (#1 x 3")
T32225	#1 x 100mm (#1 x 4")
T32226	#1 x 150mm (#1 x 6")
T32228	#1 x 250mm (#1 x 10")
T32229	#2 x 38mm (#2 x 1-1/2")
T32232	#2 x 100mm (#2 x 4")
T32234	#2 x 150mm (#2 x 6")
T32238	#2 x 300mm (#2 x 12")
T32235	#3 x 150mm (#3 x 6")
T32235	#3 x 200mm (#3 x 8")
T32239	#3 x 300mm (#3 x 12")

### Pozi Screwdrivers:

Model	Blade Diameter x Length
T32252	#1 x 75mm (#1 x 3")
T32253	#1 x 100mm (#1 x 4")
T32254	#2 x 38mm (#2 x 1-1/2")
T32255	#2 x 100mm (#2 x 4")
T32256	#2 x 150mm (#2 x 6")
T32257	#3 x 150mm (#3 x 6")

### Star Screwdrivers:

Model	Blade Diameter x Length
T32260	T10 x 100mm (T10 x 4")
T32261	T15 x 100mm (T15 x 4")
T32262	T20 x 100mm (T20 x 4")
T32263	T25 x 100mm (T25 x 4")
T32264	T27 x 100mm (T27 x 4")
T32265	T30 x 100mm (T30 x 4")

### T32290 2pc Star Screwdriver Set (T15 & T20)

- Cushioned grip for extra comfort and high torque
- Chrome Vanadium steel
- Magnetic tip T15, T20



### T32293 6pc "Cushion Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 3 - Slotted:
    - 5mm x 100mm (3/16" x 4")
    - 6mm x 38mm (1/4" x 1-1/2")
    - 6mm x 100mm (1/4" x 4")
  - 3 - Phillips:
    - #1 x 75mm (#1 x 3")
    - #2 x 38mm (#2 x 1-1/2")
    - #2 x 100mm (#2 x 4")



### T32296 8pc "Cushion Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 5 - Slotted:
    - 6mm x 38mm (1/4" x 1-1/2")
    - 5mm x 75mm (3/16" x 3")
    - 6mm x 100mm (1/4" x 4")
    - 8mm x 150mm (5/16" x 6")
    - 9.5mm x 200mm (3/8" x 8")
  - 3 - Phillips:
    - #1 x 75mm (#1 x 3")
    - #2 x 38mm (#2 x 1-1/2")
    - #2 x 100mm (#2 x 4")



### T32294 10pc "Cushion Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 5 - Slotted:
    - 3.2mm x 75mm (1/8" x 3")
    - 5mm x 100mm (3/16" x 4")
    - 6mm x 38mm (1/4" x 1-1/2")
    - 6mm x 100mm (1/4" x 4")
    - 8mm x 200mm (5/16" x 8")
  - 5 - Phillips:
    - #0 x 75mm (#0 x 3"), #1 x 75mm (#1 x 3")
    - #2 x 38mm (#2 x 1-1/2"), #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")






### **T32295 21pc Professional Screwdriver Set**

- Curved handle for extra comfort & high torque
- Two-tone colored grip
- Blowcase for convenient storage
- Contents: (Chrome Vanadium steel)
  - 7 - Phillips:
    - #0 x 57mm (#0 x 2-1/4"), #1 x 38mm (#1 x 1-1/2")
    - #1 x 75mm (#1 x 3"), #1 x 100mm (#1 x 4")
    - #2 x 150mm (#2 x 6"), #3 x 150mm (#3 x 6")
    - #3 x 200mm (#3 x 8")
  - 8 - Slotted:
    - 6mm x 38mm (1/4" x 1-1/2"), 3.2mm x 45mm (1/8" x 1-3/4")
    - 4mm x 75mm (5/32" x 3"), 5mm x 100mm (3/16" x 4")
    - 5mm x 150mm (3/16" x 6"), 6mm x 150mm (1/4" x 6")
    - 8mm x 200mm (5/16" x 8"), 9.5mm x 250mm (3/8" x 10")
  - 6 - Precision Screwdriver:
    - 3 - Phillips: #00 x 25mm, # 0 x 25mm, # 1 x 25mm
    - 3 - Slotted: 1.4mm x 25mm, 1.8mm x 25mm, 2.4mm x 25mm



## "Comfort Grip" Screwdrivers



### Slotted Screwdrivers:

Model	Blade Diameter x Length	
T32800	3.2mm x 50mm	(1/8" x 2")
T32801	3.2mm x 75mm	(1/8" x 3")
T32804	5mm x 75mm	(3/16" x 3")
T32805	5mm x 100mm	(3/16" x 4")
T32806	5mm x 150mm	(3/16" x 6")
T32807	5mm x 200mm	(3/16" x 8")
T32808	5mm x 250mm	(3/16" x 10")
T32809	6mm x 38mm	(1/4" x 1-1/2")
T32812	6mm x 100mm	(1/4" x 4")
T32814	6mm x 150mm	(1/4" x 6")
T32815	6mm x 200mm	(1/4" x 8")
T32816	8mm x 150mm	(5/16" x 6")
T32817	8mm x 200mm	(5/16" x 8")

### Phillips Screwdrivers:

Model	Blade Diameter x Length	
T32821	#0 x 75mm	(#0 x 3")
T32822	#0 x 100mm	(#0 x 4")
T32824	#1 x 75mm	(#1 x 3")
T32825	#1 x 100mm	(#1 x 4")
T32826	#1 x 150mm	(#1 x 6")
T32827	#1 x 200mm	(#1 x 8")
T32828	#1 x 250mm	(#1 x 10")
T32829	#2 x 38mm	(#2 x 1-1/2")
T32832	#2 x 100mm	(#2 x 4")
T32834	#2 x 150mm	(#2 x 6")
T32835	#2 x 200mm	(#2 x 8")
T32836	#3 x 150mm	(#3 x 6")
T32837	#3 x 200mm	(#3 x 8")

### Pozi Screwdrivers:

Model	Blade Diameter x Length	
T32839	#0 x 75mm	(#0 x 3")
T32840	#1 x 75mm	(#1 x 3")
T32841	#1 x 100mm	(#1 x 4")
T32842	#2 x 100mm	(#2 x 4")
T32843	#3 x 150mm	(#3 x 6")





### T32890 5pc "Comfort Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 3 - Slotted:
    - 3.0mm x 75mm (1/8" x 3")
    - 5mm x 100mm (3/16" x 4")
    - 6mm x 150mm (1/4" x 6")
  - 2 - Phillips:
    - #1 x 75mm (#1 x 3")
    - #2 x 100mm (#2 x 4")



### T32891 6pc "Comfort Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 3 - Slotted:
    - 3.0mm x 75mm (1/8" x 3")
    - 5mm x 100mm (3/16" x 4")
    - 6mm x 150mm (1/4" x 6")
  - 3 - Phillips:
    - #0 x 75mm (#0 x 3")
    - #1 x 75mm (#1 x 3")
    - #2 x 100mm (#2 x 4")



### T32894 8pc "Comfort Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 4 - Slotted:
    - 3.0mm x 75mm (1/8" x 3")
    - 5mm x 100mm (3/16" x 4")
    - 6mm x 150mm (1/4" x 6")
    - 8mm x 200mm (5/16" x 8")
  - 4 - Phillips:
    - #0 x 75mm (#0 x 3"), #1 x 100mm (#1 x 4")
    - #2 x 100mm (#2 x 4"), #3 x 150mm (#3 x 6")



### T32893 10pc "Comfort Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 5 - Slotted:
    - 3.0mm x 75mm (1/8" x 3")
    - 5mm x 100mm (3/16" x 4")
    - 6mm x 38mm (1/4" x 1-1/2")
    - 6mm x 150mm (1/4" x 6")
    - 8mm x 200mm (5/16" x 8")
  - 5 - Phillips:
    - #0 x 75mm (#0 x 3"), #1 x 100mm (#1 x 4")
    - #2 x 38mm (#2 x 1-1/2"), #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")



### T32892 8pc "Comfort Grip" Screwdriver Set

- Contents: (Chrome Vanadium steel)
  - 4 - Slotted:
    - 5mm x 100mm (3/16" x 4")
    - 6mm x 38mm (1/4" x 1-1/2")
    - 6mm x 100mm (1/4" x 4")
    - 8mm x 150mm (5/16" x 6")
  - 4 - Phillips:
    - #0 x 75mm (#0 x 3"), #2 x 38mm (#2 x 1-1/2")
    - #2 x 100mm (#2 x 4"), #3 x 150mm (#3 x 6")

## "Firm Grip" Screwdrivers

In "Firm Grip", the fine contoured surface of the handle provides extra comfort and grip when held. The cold-forged, heat-treated blade with vapor-blasted tip provides the ideal grip between the driver and screw.


**12**

### Slotted Screwdrivers:

Model	Blade Diameter x Length
<b>T32501</b>	3.2mm x 75mm (1/8" x 3")
<b>T32504</b>	5mm x 75mm (3/16" x 3")
<b>T32505</b>	5mm x 100mm (3/16" x 4")
<b>T32509</b>	6mm x 38mm (1/4" x 1-1/2")
<b>T32512</b>	6mm x 100mm (1/4" x 4")
<b>T32514</b>	6mm x 150mm (1/4" x 6")
<b>T32516</b>	8mm x 150mm (5/16" x 6")
<b>T32519</b>	9.5mm x 200mm (3/8" x 8")

### Phillips Screwdrivers:

Model	Blade Diameter x Length
<b>T32521</b>	#0 x 75mm (#0 x 3")
<b>T32524</b>	#1 x 75mm (#1 x 3")
<b>T32529</b>	#2 x 38mm (#2 x 1-1/2")
<b>T32532</b>	#2 x 100mm (#2 x 4")
<b>T32534</b>	#2 x 150mm (#2 x 6")
<b>T32536</b>	#3 x 150mm (#3 x 6")
<b>T32537</b>	#9.5 x 200mm (#4 x 8")

### T32163 22pc Professional Screwdriver Set

- Color coded handles for easy identification
- Square shaft for slotted screwdrivers
- Includes 4 handy storage trays
- Contents: (Chrome Vanadium steel)
  - 5 - Slotted:
    - 3/16" x 100mm (3/16" x 4"), 1/4" x 38mm (1/4" x 1-1/2")
    - 1/4" x 100mm (1/4" x 4"), 1/4" x 150mm (1/4" x 6")
    - 5/16" x 200mm (5/16" x 8")
  - 3 - Phillips:
    - #2 x 100mm (#2 x 4"), #1 x 75mm (#1 x 3")
    - #2 x 38mm (#2 x 1-1/2")
  - 3 - Precision Slotted:
    - 5/64" x 3" (5/64 x 75mm), 3/32" x 3" (3/32" x 75mm)
    - 1/8" x 3" (1/8" x 75mm)
  - 2 - Precision Phillips:
    - #0 x 3" (#0 x 75mm), #00 x 3" (#00 x 75mm)
  - 5 - Star: T10, T15, T20, T25, T30
  - 4 - Nut Driver: 3/16", 1/4", 5/16", 3/8"





## Heavy Duty Go-Thru Screwdrivers

- Steel end cap withstands striking blows
- Hex bolstered shaft for extra turning power



### Slotted Screwdrivers:

Model	Blade Diameter x Length
T32405	5.5mm x 100mm (7/32" x 4")
T32410	6.5mm x 100mm (1/4" x 4")
T32414	6.5mm x 150mm (1/4" x 6")
T32418	8.0mm x 150mm (5/16" x 6")
T32417	8.0mm x 175mm (5/16" x 7")
T32419	8.0mm x 200mm (5/16" x 8")
T32421	10mm x 200mm (3/8" x 8")
T32423	12mm x 200mm (15/32" x 8")

### Phillips Screwdrivers:

Model	Blade Diameter x Length
T32424	# 1 x 75mm (#1 x 3")
T32432	# 2 x 100mm (#2 x 4")
T32433	# 2 x 150mm (#2 x 6")
T32434	# 2 x 200mm (#2 x 8")
T32436	# 3 x 150mm (#3 x 6")
T32437	# 3 x 200mm (#3 x 8")
T32440	# 4 x 200mm (#4 x 8")
T32441	# 4 x 250mm (#4 x 10")

### Pozi Screwdrivers:

Model	Blade Diameter x Length
T32460	# 1 x 75mm (#1 x 3")
T32461	# 2 x 100mm (#2 x 4")
T32462	# 3 x 150mm (#2 x 6")



### T32188 6pc Heavy Duty Go-Thru Screwdriver Set

- Steel end cap with stands striking blows
- Hex bolster and shaft for extra turning power
- Ribbed, cushioned handle for secure grip
- Magnetic tips
- Contents: (Chrome Molybdenum steel)
  - 3 - Slotted:
    - 5.5mm x 100mm (7/32" x 4")
    - 6.5mm x 150mm (1/4" x 6")
    - 8.0mm x 175mm (5/16" x 7")
  - 3 - Phillips:
    - #1 x 75mm (#1 x 3")
    - #2 x 100mm (#2 x 4")
    - #3 x 150mm (#3 x 6")

## T32183 2pc Heavy Duty Go-Thru Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 1 - Slotted:  
6.5 x 100mm (1/4" x 4")
  - 1 - Phillips:  
#2 x 100mm (#2 x 4")



## T32186 5pc Go-Thru Extra Long Shaft Screwdriver Set

- Contents: (Chrome Molybdenum steel)
  - 2 - Slotted:
    - 8mm x 200mm (5/16" x 8")
    - 8mm x 305mm (5/16" x 12")
  - 3 - Phillips:
    - #2 x 200mm (#2 x 8")
    - #2 x 305mm (#2 x 12")
    - #2 x 450mm (#2 x 18")



Extra long shaft excellent for working in confined areas





## T32190 8pc Electrical Screwdriver Set (VDE1000V)

- Contents:
  - 3 - Phillips: #0 x 75, #1 x 100, #2 x 100mm
  - 4 - Slotted: 3.0 x 75, 4.0 x 100, 5.5 x 125, 6.5 x 150mm
  - 1 - Circuit Tester: 120V ~ 250V

1000V



## Insulated Hex Nut Drivers (Metric)

- Individually tested to exceed standards
- Cushion-grip handle for greater torque and comfort
- Full hollow shaft facilitates work on long bolt applications

1000V



12

Model	Blade Diameter x Length
T32650	● M4 x 125mm
T32651	● M5 x 125mm
T32652	● M5.5 x 125mm
T32653	● M6 x 125mm
T32654	● M7 x 125mm
T32655	● M8 x 125mm

Model	Blade Diameter x Length
T32656	● M9 x 125mm
T32657	● M10 x 125mm
T32658	● M11 x 125mm
T32659	● M12 x 125mm
T32660	● M13 x 125mm

## Insulated Screwdrivers

- Individually tested to exceed standards
- Cushioned grip handle for greater torque and comfort

1000V



### Slotted Insulated Screwdriver:

Model	Blade Diameter x Length
T32670	⊖ 2.5mm x 75mm
T32671	⊖ 3.0mm x 100mm
T32672	⊖ 4.0mm x 100mm
T32673	⊖ 5.5mm x 125mm
T32674	⊖ 6.5mm x 150mm
T32675	⊖ 8.0mm x 175mm

### Phillips Insulated Screwdriver:

Model	Blade Diameter x Length
T32680	⊕ #0 x 60mm
T32681	⊕ #1 x 80mm
T32682	⊕ #2 x 100mm
T32683	⊕ #3 x 150mm

### Pozi Insulated Screwdriver:

Model	Blade Diameter x Length
T32685	⊕ #0 x 60mm
T32686	⊕ #1 x 80mm
T32687	⊕ #2 x 100mm
T32688	⊕ #3 x 150mm



## T17205 7pc Impact Driver Set

- Loosens rusted or tightened screws, nuts and bolts.
- Forward & reverse ratchet mechanism
- Contents:
  - 1 - Impact Driver
  - 6 - 5/16" Bits:
    - 4 - Phillips: #2 x 36mm, #2 x 80mm, #3 x 36mm, #3 x 80mm
    - 2 - Slotted: 8mm x 36mm, 10mm x 36mm
- Metal Case



## T17206 9pc Impact Driver Set

- Contents:
  - 1 - Impact Driver
  - 8 - 5/16" Bits:
    - 4 - Phillips: #2 x 36mm, #2 x 80mm, #3 x 36mm, #3 x 80mm
    - 2 - Slotted: 8mm x 36mm, 10mm x 36mm
    - 2 - Hex: 4mm x 36mm, 10mm x 36mm
- Blow Case



## T71565 1/2" Dr. Impact Driver Set

## T71566 3/8" Dr. Impact Driver Set

- Perfect for loosening wedge screws and bolts
- Includes 4 bits:
  - Phillips: #2 & #3
  - Slotted: 5/16" & 3/8"



## Professional Nut Driver Sets

### T32140 4pc Nut Driver Set (Metric)

6, 8, 10, 11mm

### T32141 4pc Nut Driver Set (SAE)

1/4", 5/16", 3/8", 7/16"

### T32142 7pc Professional Nut Driver Set (Metric)

5, 6, 7, 8, 9, 10, 11mm

### T32143 7pc Professional Nut Driver Set (SAE)

3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"






12



### T32116 2-in-1 Ratcheting Screwdriver

- Sturdy construction for strength & durability
- Bit extension adaptor included
- Contents:
  - 14 - 1/4" Screwdriver Bits
    - 1 - Bit Extension Adaptor
    - 4 - Phillips: #0, #1, #2, #3
    - 3 - Slotted: 4, 5, 6mm
    - 3 - Star: T15, T20, T25
    - 3 - Hex: 3, 4, 6mm



### T32124 18pc 4-in-1 Ratcheting Screwdriver Set

- Stubby screwdriver, standard screwdriver, magnetic pickup tool & precision screwdriver all-in-one
- Contents:
  - 1 - Stubby Ratcheting Screwdriver
  - 1 - Telescopic Magnetic Pickup
  - 1 - Precision Screwdriver Holder
  - 4 - Precision Screwdriver Bits (Double-Ended)
    - Phillips #00 x Slotted 2.0mm
    - Phillips #0 x Slotted 1.5mm
  - 11 - 1/4" Screwdriver Bits
    - 3 - Slotted: 1/8", 3/16", 1/4"
    - 3 - Phillips: #1, #2, #3
    - 3 - Star: T15, T20, T25
    - 2 - Square: S1, S2



**Stubby Ratcheting Screwdriver**





**Standard Ratcheting Screwdriver**



**Precision Screwdriver & Double-Ended Bits**

### T32117 12-in-1 Ratchet Driver Set


- Double-end bits for convenience
- Forward / reverse ratchet mechanism

	
H3 x H4	SL3/16" x 1/4"
R1 x R2	RH1 x RH2
Pz1 x Pz2	T10 x T15



### T32126 Flex Ratcheting Screwdrivers w/ Lock

- Multi-angle positions for working in confined areas
- Forward-fixed-reverse
- Quick-lock secures angle position
- Chrome Vanadium steel



### T32105 6-in-1 Quick Change Screwdriver

- Reversible nut driver
- Cushioned grip handle
- Chrome Vanadium steel bits
- Contents:
  - 1/4" Bit Sizes:
    - Slotted: 3/16", 1/4"
    - Phillips: #1, #2
  - 1/4" & 5/16" Nut Driver



### T32280 6-in-1 Quick Change Screwdriver

- Cushioned grip handle for extra comfort and high torque
- Reversible shank for 1/4" & 5/16" bits
- 2pc Double-sided alloy steel bits
  - Slotted: 3/16", 1/4"
  - Phillips: #1, #2





### 7-in-1 Screwdriver

- Fits phillips and pozi screws
- S2 alloy steel
- Magnetic ring for better holding
- Cushioned grip handle for secure hold

#### T32133 4" (100mm) 7-in-1 Screwdriver

Phillips: #0, #1, #2, #3  
Pozi: #1, #2, #3

#### T32134 11" (280mm) 7-in-1 Screwdriver

Phillips: #0, #1, #2, #3  
Pozi: #1, #2, #3

12



### 8-in-1 Screwdriver


- Double-end bit fits phillips, slotted and pozi screws
- S2 alloy steel bit
- Cushioned grip handle for secure hold

#### T32106 8-in-1 Stubby Screwdriver

Phillips: #0, #1, #2, #3  
Pozi: #1, #2, #3  
Slotted: 6mm

#### T32107 8-in-1 Screwdriver

Phillips: #0, #1, #2, #3  
Pozi: #1, #2, #3  
Slotted : 6mm



#### T32103 Flex-Shaft Extendable Magnetic Ratchet Driver with 6 Bits

- Heavy duty handle with extra bit storage
- Flexible braided steel shaft extends up to 12" (300mm)
- Contents: (S2 alloy steel)
  - 6 - 1/4" Screwdriver Bits
    - 3 - Slotted: 3/16", 1/4", 5/16"
    - 3 - Phillips: #1, #2, #3



#### T32132 Gearless Magnetic Ratchet Driver

- Convenient bit storage in stubby handle
- Forward & reverse ratchet mechanism
- Ergonomic, cushioned grip handle
- Contents:
  - 6 - 1/4" Alloy Steel Bits:
    - Slotted: 3/16", 1/4"
    - Phillips: #1, #2
    - Star: T15, T20




### T32120 6" Gearless Magnetic Ratchet Driver with 7 Bits

- Heavy duty handle with extra bits storage
- Forward & reverse gearless ratchet
- Contents: (S2 alloy steel)
  - 7 - 1/4" Screwdriver Bits
    - 3 - Slotted: 5, 6, 8mm
    - 3 - Phillips: #1, #2, #3
    - 1 - 1/4" Dr. Bit Adaptor



### T32119 Extendable Ratchet Screwdriver

- Stubby and standard length all-in-one
- Extends from 1-1/4" (32mm) to 5-1/2" (140mm)
- Ribbed, soft grip handle
- Forward-reverse ratcheting action



### T32118 Precision Gearless Extendable Ratchet Screwdriver w/ Bits

- Forward-reverse gearless action
- Extends form 1" (25mm) to 3-3/4" (95mm)
- Ribbed, soft grip handle
- Contents:
  - 1 - Gearless Extendable Bit Driver
  - 12 - 1/8" Screwdriver Bits
    - 3 - Phillips: #00, #0, #1
    - 3 - Slotted: 1.0, 1.5, 2.5mm
    - 4 - Star: T5, T6, T7, T8
    - 2 - Hex: 1.5, 2.0mm



### T32114 24pc Gearless Extendable Precision Screwdriver Set

- Forward-reverse gearless action
- Chrome Molybdenum steel blade
- Extends from 1" (25mm) to 3-3/4" (95mm)
- Ribbed, soft grip handle
- Contents:
  - 1 - Gearless Extendable Bit Driver:
    - 1" to 3-3/4" (25mm - 95mm)
  - 4 - Precision Screwdrivers:
    - 2 - Phillips: #0, #1
    - 2 - Slotted: 2.5, 3.0mm
  - 12 - 1/8" Screwdriver Bits:
    - 3 - Phillips: #00, #0, #1
    - 3 - Slotted: 1.0, 1.5, 2.5mm
    - 4 - Star: T5, T6, T7, T8
    - 2 - Hex: 1.5, 2.0mm
  - 6 - Nut Drivers: 2.5, 3.0, 3.5, 4.0, 4.5, 5.0mm
  - 1 - Pocket Magnetic Pickup





### T32109 6-in-1 Gearless Extendable Stubby Precision Screwdriver

- 6 Bits stored in handle
- Extends up to 2-3/4" (70mm)
- Durable Chrome Molybdenum steel bits
- Forward-reverse gearless action
- Contents:
  - 6 - Bits:
    - 3 - Phillips: #00, #0, #1
    - 3 - Slotted: 1.0, 1.5, 2.5mm



### T32156 21pc Precision Screwdriver Set

- Precision formed drivers for accurate fit
- Precision driver handle
- Chrome plated drivers for rust resistance
- Case for convenient storage
- Contents:
  - 1 - Precision Driver Handle
  - 7 - Nut Driver Shafts: 3, 3.5, 4, 4.5, 5, 5.5, 6mm
  - 1 - Bit Coupler Shaft
  - 12 - Bits:
    - 4 - Slotted: 1, 2, 3, 4mm
    - 4 - Phillips: #000, #00, #0, #1
    - 4 - Torx: T6, T7, T8, T9



### T32151 6pc Precision Screwdriver Set

Slotted: 1.4mm, 1.8mm, 2.4mm (25mm)  
Phillips: #00, #0, #1 (25mm)

### T32152 6pc Precision Screwdriver Set

Star: T5, T6, T7, T8, T9, T10 (25mm)

### T32154 6pc Precision Screwdriver Set

Slotted: 2.0mm, 3.0mm, 4.0mm (60mm)  
Phillips: #00, #0, #1 (60mm)

### T32155 6pc Precision Screwdriver Set

Star: T5, T6, T7, T8, T9, T10 (60mm)

Dual Color,  
Aluminum Alloy Handle

Knurled Body for  
Secure Grip



### T32130 3pc Pen-Type Mini Screwdriver Set (Metric)

- Mini size with pocket clip for easy storage & transportation
- Magnetic tip in handle
- Chrome Vanadium steel bits stored in handle

- Contents:
  - 21 - 1/8" Screwdriver Bits:
    - 3 - Phillips: #000, #00, #0 (Red)
    - 4 - Slotted: 1.5, 2, 2.5, 3mm (Red)
    - 5 - Hex: 1.5, 2, 2.5, 3, 4mm (Blue)
    - 2 - Pozi: #0, #1 (Blue)
    - 7 - Star: T6, T7, T8, T9, T10, T15, T20 (Green)

### T32166 12-in-1 Adjustable Precision Screwdriver Set

- Chrome Molybdenum steel blade
- Impact resistant handle
- Hexagon shank with phosphate finish tip
- Brass screw cap design allows flexible length adjustment
- Contents:
  - Slotted: 2, 3, 4mm
  - Phillips: #00, #0, #1
  - Star: T5, T6, T8, T10, T15, T20



### T32168 6pc Precision Screwdriver Set

- Hardened alloy steel blades
- Convenient storage case
- Contents:
  - 4 - Slotted: 1.4, 2.0, 2.4, 3.0mm
  - 2 - Phillips: #0, #1



### Offset Star Driver Set

- Drop-forged, chrome plated steel
- Offset design reaches confined areas

### T32170 2pc Offset Screwdriver Set

Phillips: #1, #2  
Slotted: 3/16", 1/4"

### T32171 2pc Offset Star Driver Set

Star: T10, T15, T20, T30



### T70702 4pc Pry Bar Set

- Heat-treated, drop forged steel
- High impact handles for extra leverage
- Sizes:
  - 8" (200mm), 12" (300mm), 18" (450mm), 24" (600mm)





### T70703 4pc Jumbo Pry Bar Set

- Chrome Molybdenum steel
- High impact resistant handle
- Stain finish for corrosion resistance
- Sizes:  
30° x 36" (915mm), 0° x 36" (915mm),  
90° x 24" (600mm), 45° x 24" (600mm)



### T32175 4pc Heavy Duty Pry Bar Set

- Chrome Vanadium steel
- High impact resistant handle
- Satin finish for corrosion resistance
- Sizes:  
8" (200mm), 12" (300mm), 18" (450mm), 24" (600mm)



### T32178 4pc Pry Bar & Wrecking Bar Set

- Ideal for all forms of force work: opening packing cases, removing nails, aligning heavy equipment, etc.
- Black oxide finish
- Drop-forged, heat-treated steel for strength and durability
- Contents:  
1 - 15" x 1-3/8" x 1/4" (380mm x 35mm x 6mm) Flat Pry Bar  
1 - 16" x 5/8" (400mm x 16mm) Wrecking Bar  
1 - 10" x 5/8" (250mm x 16mm) Cold Chisel  
1 - 24" x 3/4" (600mm x 19mm) Aligning Bar



Medium-steel bar for prying, cutting, and digging work



Sharp blades for easy insertion



Beveled slot pulls out nails easily



Pry bar provides excellent leverage