



Woodworking Tools Building Tools





T27914 Multi-Rasp Plane w/ Adjustable Handle

- Die cast body with 3-position adjustable handle
- Fitted with a replaceable 10" (250mm) blade



T27913 Multi-Rasp Plane

- Die cast body with plastic handle
- Fitted with a replaceable 10" (250mm) blade



T27910 Multi-Rasp Plane

- Shaves, smooths, trims, shape and forms a variety of materials for regular or decorative work
- Zinc alloy body construction
- Fitted with a replaceable 10" (250mm) blade



T27911 Multi-Rasp Block Plane

- One-handed tool ideal for end-grain work, sheetrocking and smoothing laminate
- Thumbscrew blade tension
- Die cast alloy body construction
- Fitted with a replaceable 5-1/2" (140mm) blade



T27922 Spoke Shave

- Individual spoke shave fitted with round face with 2" (50mm) blade
- Solid metal construction with metal blade adjustment knobs



Multi-Rasp Replacement Blades

- High carbon steel construction



Flat File Blade

Model	Size
T27916	5-1/2" 140mm
T27918	10" 250mm



Half-Round File Blade

Model	Size
T27917	5-1/2" 140mm
T27919	10" 250mm



Wood Plane

- Excellent for very clean work on end grain & plastic laminates
- Fully adjustable depth cut, cutter alignment and mouth size
- Strong die cast construction
- Knurled nut changes thickness of shaving
- Adjustable lever changes shaving evenness

Model	Size
T27921	42mm x 175mm
T27920	50mm x 247mm

Wood Rasp File

- Used by wood workers, cabinet makers & furniture craftsmen
- Feature uniform, individually formed teeth

Flat Wood Rasp File



Model	Size
T18430	8" 200mm
T18436	10" 250mm

Half-Round Wood Rasp File



Model	Size
T18432	8" 200mm
T18438	10" 250mm

Round Wood Rasp File



Model	Size
T18431	8" 200mm
T18437	10" 250mm

Three-Square Wood Rasp File



Model	Size
T18433	8" 200mm
T18439	10" 250mm

T18434 3pc 8" (200mm) Rasp File Set

- Contents:
1 - Half-Round, 1 - Flat, 1 - Round



T18435 4pc 8" (200mm) Rasp File Set

- Contents:
1 - Half-Round, 1 - Flat, 1 - Round, 1 - Three-Square



Wood Chisels

- Chrome Vanadium steel



Model	Size
T29575	1/4" 6mm
T29576	3/8" 10mm
T29577	15/32" 12mm
T29578	5/8" 16mm
T29579	3/4" 19mm
T29580	25/32" 20mm
T29581	1" 25mm
T29582	1-1/4" 32mm

T29585 3pc Wood Chisel Set

- Chrome Vanadium steel
- Contents: 6, 12, 20mm



T29586 4pc Wood Chisel Set

- Chrome Vanadium steel
- Contents: 6, 12, 19, 25mm



19

Wood Chisels (Wood Handle)

- Chrome Vanadium steel



Model	Size
T29591	1/4" 6mm
T29592	3/8" 10mm
T29593	15/32" 12mm
T29594	5/8" 16mm
T29595	3/4" 19mm
T29596	1" 25mm
T29597	1-1/4" 32mm




T29600 4pc Wood Chisel Set (Wood Handle)

- Chrome Vanadium steel
- Contents: 6, 10, 16, 19mm

Center Punches


- Pierces or makes starting drills in metal and other materials
- Chrome Vanadium steel
- Painted matte black



Model	(A)	(B)	(L)
T29517	4mm	10mm	120mm
T29518	5mm	10mm	120mm
T29519	5mm	12mm	150mm

Cold Chisels


- Cuts, shapes and removes cold metals softer than the cutting edge of chisel and brickwork
- Chrome Vanadium steel
- Painted matte black



Model	(A)	(B)	(L)
T29560	23mm	16mm	200mm
T29561	23mm	16mm	250mm
T29562	26mm	18mm	300mm
T29563	26mm	18mm	350mm
T29564	30mm	20mm	400mm
T29565	30mm	20mm	500mm

Pin Punches


- Drives out and removes already loosened pins and keys after initial movement by a solid punch
- Chrome Vanadium steel
- Painted matte black



Model	(A)	(B)	(L)
T29520	2mm	10mm	150mm
T29521	3mm	10mm	150mm
T29522	4mm	10mm	150mm
T29523	5mm	10mm	180mm
T29524	6mm	10mm	150mm
T29525	6mm	10mm	180mm
T29526	8mm	12mm	150mm
T29527	8mm	12mm	190mm

Taper Punches

- Loosens frozen or tight pins and keys or knocking out rivets
- Chrome Vanadium steel
- Painted matte black



Model	(A)	(B)	(L)
T29530	2mm	10mm	120mm
T29531	3mm	10mm	120mm
T29532	4mm	10mm	120mm
T29533	5mm	10mm	120mm
T29534	6mm	10mm	120mm
T29535	7mm	12mm	120mm
T29536	8mm	12mm	120mm
T29537	9mm	12mm	150mm
T29538	10mm	12mm	150mm

Flat Chisels

- Cuts, shapes and removes cold metals softer than the cutting edge of chisel and brickwork
- Chrome Vanadium steel
- Painted matte black

Model	(A)	(B) x (H)	(L)
T29631	15mm	14mm x 9mm	125mm
T29632	18mm	17mm x 11mm	150mm
T29633	21mm	20mm x 12mm	175mm
T29634	24mm	23mm x 13mm	200mm
T29635	25mm	23mm x 13mm	250mm





T29654 11pc Punch & Chisel Set

- Chrome Vanadium steel
- Chrome plated to prevent rust
- Soft grip handle provides comfort and safety
- Contents:
 - 5 - Pin Punches: 2 x 140, 3 x 150, 4 x 180, 5 x 200, 6 x 210mm
 - 3 - Taper Punches: 4 x 185, 5 x 185, 6 x 185mm
 - 1 - Center Punches: 2.5 x 185mm
 - 2 - Cold Chisels: 12 x 160, 16 x 170mm



T29650



T29649

T29650 6pc Punch & Chisel Set

- Chrome Vanadium steel
- Titanium coated finish
- Metal case for convenient storage
- Contents:
 - 2 - Cold Chisels: 11 x 10 x 130, 15 x 12 x 150mm
 - 1 - Cape Chisels: 4 x 10 x 130mm
 - 1 - Center Punches: 4 x 10 x 120mm
 - 2 - Taper Punches: 3 x 10 x 120, 4 x 12 x 150mm

T29649 6pc Pin Punch Set

- Contents:
 - 3 - Pin Punches: 3 x 150mm, 5 x 150mm, 8 x 150mm
 - 3 - Taper Punches: 3 x 150mm, 5 x 150mm, 8 x 150mm

T29644 6pc Long Pin Punch Set

- Sand blasted high carbon steel
- Contents:
 - 6 - Long Pin Punches:
 - 3 x 9.5 x 200mm, 4 x 9.5 x 200mm, 5 x 9.5 x 200mm
 - 6 x 11 x 200mm, 7 x 12 x 200mm, 8 x 12 x 200mm



T29658 12pc Jumbo Punch & Chisel Set

- Sand blasted high carbon steel
- Contents:
 - 6 - Cold Chisels: 1/2" x 6-1/2", 5/8" x 7", 3/4" x 8", 7/8" x 8", 7/8" x 10", 1" x 10"
 - 2 - Center Punches: 5/32" x 6", 7/32" x 8"
 - 3 - Line-up Punches: 1/8" x 6", 7/32" x 10", 3/8" x 10"
 - 1 - Pin Punch: 3/8" x 8"



T29661 4pc Nail Punch Set

- Hardened tempered carbon steel
- Fitted with square section striking head with a knurled body for extra grip
- Contents: 0.8, 1.5, 2.5, 3.0mm



T29653 7pc Pin Punch Set

- Chrome Vanadium steel
- Hardened striking head for strength and durability
- Heavy duty pouch for storage
- Contents:
 - 2 x 150, 3 x 150, 4 x 150, 5 x 150, 6 x 150, 8 x 150, 10mm x 150mm



T29643 9pc Pin Punch Set

- Chrome Vanadium steel
- Contents:
 - 1/16" x 4-1/4", 3/32" x 4-3/4", 1/8" x 5", 5/32" x 5-1/4"
 - 3/16" x 5-1/2", 7/32" x 7", 1/4" x 7", 5/16" x 7", 3/8" x 7"



T29641 13pc Punch & Chisel Set

- Chrome Vanadium steel
- Contents:
 - 4 - Taper Punches:
 - 3/32" x 5-1/4", 1/8" x 5-3/4", 5/32" x 6", 3/16" x 6-1/4"
 - 4 - Cold Chisels:
 - 5/16" x 5", 3/8" x 5-1/2", 1/2" x 6", 5/8" x 6-1/2"
 - 4 - Pin Punches:
 - 3/32" x 4-1/4", 1/8" x 4-3/4", 5/32" x 5", 3/16" x 5-1/4"
 - 1 - Chisel Gauge



T29640 16pc Punch & Chisel Set

- Chrome Vanadium steel
- Contents:
 - 5 - Taper Punches:
 - 3/32" x 5-1/4", 1/8" x 5-3/4", 5/32" x 6", 3/16" x 6-1/4", 1/4" x 6-3/4"
 - 3 - Cold Chisels: 3/8" x 5-1/2", 1/2" x 6", 5/8" x 6-1/2",
 - 5 - Pin Punches:
 - 3/32" x 4-1/4", 1/8" x 4-3/4", 5/32" x 5", 3/16" x 5-1/4", 1/4" x 5-3/4"
 - 2 - Center Punches: 1/8" x 5", 3/16" x 6"
 - 1 - Chisel Gauge





- Lever and cut through the tongues and grooves of floorboards
- High carbon steel with black oxide finish
- Ergonomic power soft rubber grip provides comfort and safety



T29611

T29612

T29626



Hand guard protects against misplaced hammer blows

T29611 Brick Bolster w/ Hand Guard

- 100 x 22 x 225mm

T29612 Cold Chisel w/ Hand Guard

- 25 x 19 x 300mm

T29626 Pointed Chisel w/ Hand Guard

- 19 x 300mm

19



Cushioned grip for added comfort and safety

Chrome plated to prevent rust

T29655 3pc Cushioned Grip Punch & Chisel Set

- Shock-absorbing grip maximizes precision and power
- High carbon steel
- Chrome plated to prevent rust
- Contents:
 - 1 - 3/16" Pin Punch
 - 1 - Center Punch
 - 1 - 5/8" Chisel



Cushioned grip for added comfort and safety

Brass pin punches are designed to prevent damage to object being struck

T29659 6pc Brass Pin Punch Set

- Made of non-sparking solid yellow brass for safety around fuel lines
- Soft rubber grip provides comfort and safety
- Contents:
 - 1/16" (2mm), 1/8" (3mm), 5/32" (4mm), 3/16" (5mm)
 - 1/4" (6mm), 5/16" (8mm)

T31001 Heavy Duty Hack Saw

- Tension adjusting knob keeps blade tight for the best cut
- Blade can be fixed at normal 90° or 45° angle for horizontal cuts
- Die cast handle with built-in hand guard
- Ribbed rubber grip for comfort
- Uses 12" (305mm) Bi-Metal blade



T31002 Quick Change Professional Hack Saw

- Quick-release button allows for fast blade replacement
- Blade can be fixed at normal 90° or 45° angle for horizontal cuts
- Die cast handle with built-in tension keeps blade firm for best cut
- Rubber pad offers extra palm comfort and smooth cutting
- Uses 12" (305mm) Bi-Metal blade



T31006 Heavy Duty Hack Saw

- Tension adjusting knob keeps blade tight for the best cut
- Blade can be fixed at normal 90° or 45° angle for horizontal cuts
- Ergonomic, die cast "bow frame" design
- Cushioned grip for extra comfort
- Uses 12" (305mm) blade



T31015 12" 4-in-1 Multi-Angle Hack Saw

- Blades: 12" (300mm)
- 4 Blades:
 - 1 - 5 Teeth per inch, 1 - 10 Teeth per inch,
 - 1 - 18 Teeth per inch, 1 - 24 Teeth per inch
- Multi-angle adjustment blade, 45°, 90°, 135° and 180°
- Spare blades storage frame



T31005 Miniature Hack Saw

- Heavy duty one piece design in die cast aluminum
- Cuts metal, plastic and wood
- Compact and lightweight with 6" (150mm) blade



T31010 Mini Hack Saw (Bow Style)

- Heavy duty one piece design in die cast aluminum
- Rubber grip for comfort and control
- Compact and lightweight
- Use with 7" (180mm) blade



Hacksaw Blades

- 18 teeth per inch
- High carbon steel



T31007 4pc Hacksaw Blade Set

- High carbon steel blades
- 2pc 12" blades (18 teeth per inch)
- 2pc 12" blades (24 teeth per inch)



Model	Size
T31018	6" 150mm (6pc / Set)
T31019	7" 170mm (6pc / Set)

T31008 4pc Hacksaw Blade Set

- Bi-metal steel blades



T31035 6" (150mm) Wallboard Saw - Plastic Handle

- Aggressive hard point, ultra sharp teeth
- Diamond ground induction hardened teeth
- Two way cutting on both the push and the pull
- No need for re-sharpening



Cushioned grip for comfort and control

T31042 10" (250mm) Rapid Pull Saw

- Impulse-hardened teeth stay sharp longer than non-hardened teeth
- Sharpened blade for fast, smooth cutting
- Cushioned grip for maximum comfort and control
- 15 teeth per inch



T31043 10" (250mm) Rapid Pull Saw

- Impulse-hardened teeth stay sharp longer than non-hardened teeth
- Sharpened blade for fast, smooth cutting
- Cushioned grip for maximum comfort and control
- 15 teeth per inch



T31040 8" (200mm) Multi-Purpose Folding Retractable Saw

- Blade: 8" (200mm), 1.2mm (t), 13T/1"
- Made of high-performance alloy steel
- Triple-beveled teeth



T31041 10" (250mm) Folding Rapid Pull Saw


- Blade: 10" (250mm), 11t/1", 1.5mm (t), high carbon steel blade
- Chrome plated, triple-bevel, impulse-hardening teeth
- 3-Section switch





Professional Hand Saw

- Professional hand saw for woodworking and carpentry use
- SK5 high carbon steel has a precision ground with 3 sided razor teeth
- Lacquered surface treatment for lower friction and rust resistance
- Ideal for precise straight cut, cross cut or slant cut
- Ergonomic non-slip handle design for comfort and reducing fatigue



German impulse hardening technique on teeth for long last

Model	Size
T31047	20" 500mm
T31048	22" 560mm
T31049	24" 610mm



Hand Saw - Plastic Handle

- Impulse-hardened teeth stay sharp longer than non-hardened teeth
- Sharpened blade for fast, smooth cutting
- Cushioned grip for maximum comfort and control
- 8 Teeth per inch

Model	Size
T31021	20" 500mm
T31022	22" 560mm
T31023	24" 610mm



Hand Saw - Wood Handle

- Impulse-hardened teeth stay sharp longer than non-hardened teeth
- Sharpened blade for fast, smooth cutting
- Cushioned grip for maximum comfort and control
- 11 teeth per inch (for T31025)
- 8 teeth per inch (for T31026, T31027)

Model	Size
T31025	20" 500mm
T31026	22" 560mm
T31027	24" 610mm



Back Saw - Plastic Handle

- Induction hardened teeth stay sharp longer than non-hardened teeth
- No need for re-sharpening
- 8 teeth per inch
- Diamond ground induction hardened teeth (for T31031)
- 8 and 14 point aggressive hard point (for T31031)

Model	Size
T31030	14" 355mm
T31031	14" 355mm (with curve teeth)





- 6 - 1/4" Dr. Bits:
- 2 - Slotted: 3/16", 1/4"
- 2 - Phillips: #1, #2
- 2 - Star: T15, T20

T31009 Quick-Clamp Recip Saw & Bit Driver

- Includes metal and wood recip saw blades
- Bit driver with 6 screwdriver bits stored in handle
- Swivel head suitable for standard clip-on blades
- Large handgrip for secured grasp
- Hang hole for convenient storage
- Multi-angle positions for confined areas



Bits Stored in Handle



Standard Blade Clamp




Push Down to Change Angle



T25802 560mm (22") Compound Miter Saw

- Push-knob design allows user to quickly adjust angle position
- 560mm (22") Capacity together with clamps, length gauge and positive angle location
- Slip-resistant grip for maximum comfort and control
- Induction-hardened teeth stay sharp
- Metric and inch graduation markings



T31050 12" (305mm) Miter Box - Plastic

- Two 45°, two 60°, and one 90° guides on the two edges with a side on 45° for larger sections of materials
- Great for crown moldings, casings and baseboards
- Molded front lip fits up against work table to reduce slippage
- Two screw holes on each side to secure base to work bench
- Made of high quality impact resistant ABS plastic material
- Can be use with either back or panel saws



T25320 Ultrasonic Distance Detector

- Working range: 10m
- Wave length: 650nm
- Laser class 2: 1mw, w/ 1pc 9V battery



Tape Measures

- Tape graduation on both sides
- Nylon coated tape for maximum durability
- Metal chrome with non-slip TPR case

Model	Size
T25510	3m x 16mm
T25511	5m x 19mm
T25512	7.5m x 25mm
T25513	8m x 25mm
T25514	12ft x 5/8"
T25515	16ft x 3/4"
T25516	25ft x 1"
T25517	33ft x 1"
T25518	3m / 10ft x 16mm / 5/8"
T25519	5m / 16ft x 19mm / 3/4"
T25520	7.5m / 25ft x 25mm / 1"



Auto-Lock Tape Measures w/ Steel Case

- Auto-lock delivers maximum control and secures blade position
- Stainless steel, rubber enclosed case for improved resistance
- Push button brakes quickly retrieves blade

Model	Size
T25490	3m x 16mm
T25491	5m x 19mm
T25492	7.5m x 25mm
T25495	8m x 25mm
T25497	12ft x 5/8"
T25493	16ft x 3/4"
T25494	25ft x 1"
T25498	3m / 10ft x 16mm / 5/8"
T25496	5m / 16ft x 19mm / 3/4"



Lighted Auto-Lock Tape Measures w/ Steel Case

- Nylon coated blade for maximum durability
- Stainless steel for improved resistance
- Non-slip rubber grip
- LED light for easy reading in dark areas
- 3 CR1225 Lithium button cell batteries included



Model	Size
T25390	3m x 19mm
T25391	5m x 19mm
T25392	7.5m x 25mm
T25393	8m x 25mm





(A)

(B)

Tape Measures

- Special heat-treated steel tape
- Locking device secures blade
- Impact resistant plastic case with belt clip

Model	Size
(A) T25400	3m x 13mm
(B) T25401	5m x 19mm
T25402	7.5m x 25mm
T25403	8m x 25mm
T25404	10m x 25mm
T25406	16ft x 3/4"
T25407	25ft x 1"
T25408	33ft x 1"
T25409	5m / 16ft x 19mm / 3/4"
T25410	7.5m / 25ft x 25mm / 1"



Tape Measures

Model	Size
T25411	16ft x 3/4"
T25413	25ft x 1"
T25414	33ft x 1-1/4"
T25415	3m x 16mm
T25416	5m x 19mm
T25417	7.5m x 25mm
T25418	3m / 10ft x 16mm / 5/8"
T25419	5m / 16ft x 19mm / 3/4"
T25412	7.5m / 25ft x 25mm / 1"



Double
Stop Button

Tape Measures

Model	Size
T25380	3m x 16mm
T25381	5m x 19mm
T25382	7.5m x 25mm
T25383	8m x 25mm
T25384	12ft x 5/8"
T25385	16ft x 3/4"
T25386	25ft x 1"
T25387	33ft x 1"

Auto-Lock Tape Measures

Model	Size
T25370	3m x 16mm
T25371	5m x 19mm
T25372	7.5m x 25mm
T25373	8m x 25mm
T25374	12ft x 5/8"
T25375	16ft x 3/4"
T25376	25ft x 1"
T25377	33ft x 1"

Closed Reel Tape Measure

- High impact-resistant plastic case withstands rugged conditions
- Rubber, slip-resistant grip ensures firm hold

Model	Size	Blade
T25900	20m x 15mm	Fiberglass
T25901	30m x 15mm	Fiberglass
T25904	20m / 66ft x 15mm / 19/32"	Fiberglass
T25905	30m / 100ft x 15mm / 19/32"	Fiberglass
T25910	20m x 13mm	Steel
T25911	30m x 13mm	Steel
T25914	20m / 66ft x 13mm / 1/2"	Steel
T25915	30m / 100ft x 13mm / 1/2"	Steel


T25900
T25910

Auto-Return Closed Reel Fiberglass Tape Measure

- 13mm Wide fiberglass blade
- Auto-return construction for easy storing
- Rubber, slip-resistant grip ensures firm hold



Model	Size
T25920	30m x 13mm
T25922	30m / 100ft x 13mm / 1/2"

Closed Reel Fiberglass Tape Measures



Retractable Aluminum Handle

Metal Handle

Model	Size
T25926	30m x 13mm
T25927	50m x 13mm
T25930	30m / 100ft x 13mm / 1/2"
T25931	50m / 165ft x 13mm / 1/2"

Open Reel Fiberglass Tape Measures



Soft Elastic Handle for Comfortable Grip

Embedded Rubber Protects the Frame from Damage

Metal Reinforced Lever

Model	Size
T25936	20m x 13mm
T25937	30m x 13mm
T25938	50m x 13mm
T25942	20m / 66ft x 13mm / 1/2"
T25943	30m / 100ft x 13mm / 1/2"
T25944	50m / 165ft x 13mm / 1/2"

Open Reel Steel Tape Measures



Soft Elastic Handle for Comfortable Grip

Embedded Rubber Protects the Frame from Damage

Metal Reinforced Lever

Model	Size
T25950	30m / 100ft x 13mm
T25951	50m / 165ft x 13mm
T25954	30m / 100ft x 13mm / 1/2"
T25955	50m / 165ft x 13mm / 1/2"



4x Speed Open Reel Steel Tape Measures



Model	Size
T25960	30m x 13mm
T25961	50m x 13mm
T25964	30m / 100ft x 13mm / 1/2"
T25965	50m / 165ft x 13mm / 1/2"

Stainless Steel Rulers

- Graduated 0-150mm
- Includes depth gauge pocket clip



Model	Size
T73483	150mm

Stainless Steel Straight Rulers



Model	Size
T29216	300mm x 30mm
T29217	600mm x 30mm
T29218	1000mm x 35mm

19




Level Rulers

- Aluminum straight edge with metric graduations and sliding carriers incorporating horizontal and vertical vials
- Ideal for marking center points and equal distances when drilling holes for items that require more than one fixing at the same level



Model	Size
T29235	600mm
T29236	750mm
T29237	1000mm

Mitre Square w/ Level



Outside Square Inside Square Mitre Square

Model	Size
T29213	150mm
T29214	200mm
T29215	300mm

- Aluminium handle
- Stainless steel blade

T29206 300mm Combination Square


- Aluminium handle with sliding level vial


T29240 8" (200mm) Sliding Bevel with Vial


- Molded plastic nonslip stock with tempered steel blade


T25538 3 Vial Post Spirit Level


- Excellent tool to plumb pipes, posts and other applications where vertical or horizontal leveling is required


T25540 Extendable Spirit Level (800 - 1200mm)

- Extruded aluminum box section level with extendable main body construction
- Extendable from 800mm (32") to 1200mm (48")


T25432 800mm (32") Combination Level


- Built from a single piece of aluminum extrusion for increased durability and rugged use


T25580 600mm (24") Ruler Angle Level w/ Laser

- Wave length: 650nm
- Laser power: <1mw
- Self leveling range: $\pm 3^\circ$
- Voltage: 3V



2 Laser Lines



Free rotation and movement



Rotate and push to expose the nails





T25545 LCD Display Digital Level with Laser (24", 600mm)

- Digital accuracy: $\pm 0.10^\circ$, from 0° to 90°
- Simple to calibrate
- Reads in degrees or percent
- Voltage: 9V



Laser Line



Angle Measure Mode



Percentage Measure Mode



Temperature Measure Mode



Display Inverts When Inverted

T25536 9" (230mm) Line Level

- Soft rubber borders, protect the product from bumping



T25430 230mm Aluminum Torpedo Level

- Aluminum die cast frame with strong magnet
- Quickly measure drainage slope from 0-6 Degree
- Measuring scale indicators



Professional Aluminum Level

- Aluminum box section extrusion with milled top and base



Model	Size
T25433	400mm 16"
T25434	600mm 24"
T25435	800mm 32"
T25437	1000mm 40"
T25438	1200mm 48"
T25439	1800mm 72"


Magnetic Base

Rubber End



High Accuracy Spirit Level

- Soft rubber borders, protect from bumping



Built-in magnetic block

Superior preformed aluminum

Model	Size
T25550	350mm 14"
T25551	400mm 16"

Model	Size
T25552	500mm 20" (Hollow Handle)
T25553	600mm 24" (Hollow Handle)
T25554	800mm 32" (Hollow Handle)
T25555	1000mm 40" (Hollow Handle)
T25556	1200mm 48" (Hollow Handle)

T25431 5-in-1 Multi-Function Level (800mm, 32")

- Aluminum box section extrusion with milled top and base



Vertical & Horizontal Laser Line



Wire Detector



Wood Detector



Movable Marker for Drawing Equidistant Points



Pins with Safety Lock for Easy Positioning

T25587 6V Self Leveling Laser Level

- Accuracy of Vials: 0.5mm/m
- Laser Output Power: < 1mw
- Visible Red Light λ=635nm
- Laser Class: II
- Protection Class: III
- Projects horizontal, vertical and crossed lasers
- Beeps when laser is shaking (use only when the laser is stable)
- Rubber cover for comfortable handling
- On / Off Button w/ unlock / lock function
- Stainless metal surface for easy cleaning





T25582 Laser Level Square

- Working range: up to 6 meters, recommended use: indoors, laser output power: < 1mw , visible red light $\lambda = 650\text{nm}$, protection class II, w/ 2pc AA battery



T13160 30m 3-Speed Gear Chalk Line w/ Soft Grip

- Fast, easy push-button line release
- Large chalk capacity and an easy pop-in line refill
- Locking handle allows tool to be used as a plumb bob



T27990 12oz. Plumb Bob

- Ideal for use in framing, deck building, plumbing and construction applications
- Screw top simplifies attachment of string to center of the plumb
- Hardened steel tip for long life
- Rust resistant
- Weight: 12oz.




T13162 30m Chalk Line and Marking Chalk

- Sturdy zinc case with self-locking metal handle
- Palm-size zinc case for sure grip
- Micro-fine marking powder makes a perfect line every time



19



T21130

T21131

Arrow Magnetic Welding Holder

- Premium quality materials
- Powerful magnet
- 45° / 90° / 135° Angle

T21130 Arrow Magnetic Welding Holder (Up To 25lb)

- Used indoors, up to 25 lbs of smooth steel can be lifted

T21131 Arrow Magnetic Welding Holder (Up To 50lb)

- Used indoors, up to 50 lbs of smooth steel can be lifted



6" Tri-Fold Measuring Wheel

- Precise & lightweight
- Easy to carry & store
- Balanced, inline design
- Sturdy tri-fold handle with TPR pistol grip
- Trigger brake and counter control at the handle
- Hi-traction PU tire
- Measure to 9999.9ft (or 9999.9m)
- Wheel Diameter: 6" (150mm)
- Extended Size: 41" (1040mm)
- Storage Size: 17" (430mm)


Model	Size
T25570	SAE
T25571	Metric



T25335 Non-Contact Infrared Thermometer

- Measures surface temperature without contact
- Features laser pointer
- Ideal for checking temperature of heater vents, A/C units, engines, mufflers, tires, brakes and more
- Class IIIA laser tool is manufactured to comply with CFR 21, parts 1040.10 and 1040.11

Max. Power Output	< 5mw
Wavelength	630 - 660nm
Temperature Range	-4° to 608°F / -20° to 320°C
Accuracy	±2°C (±3°F) or 2%



Avoid Exposure
Laser radiation is emitted through the aperture
Laser radiation - Avoid direct eye exposure





T29572 Heavy Duty Leather Punch

- Hardened and tempered carbon steel hole punches with brass anvil
- High leverage handle for added comfort
- Unique plastic waste box with removable lid
- Contents: 2, 2.5, 3, 3.5, 4, 4.5mm



T30905 Heavy Duty Swivel Head Hand Riveter

- 360° swivel-head design
- Spring loaded pivoting jaw for firm grip
- 4 Quick-switch settings, screw-in nozzle sizes: 3/32" (2.4mm), 1/8" (3.2mm), 5/32" (4.0mm), 3/16" (4.8mm)
- Nozzles housed in handle for easy selection



T30900 Heavy Duty Hand Riveter

T30901 Heavy Duty Hand Riveter

- Heat-treated, heavy duty steel construction
- Spring loaded pivoting jaw for firm grip
- Laminated steel for high strength
- Contoured handle for comfort
- 4 quick-switch settings, screw-in
- Nozzle sizes: 3/32" (2.4mm), 1/8" (3.2mm), 5/32" (4.0mm), 3/16" (4.8mm)
- Nozzles housed in handle for easy selection

19

T29666 10pc Heavy Duty Hollow Punch Kit

- Heat treated, heavy duty steel construction
- Contents:
 - 10 - Hollow Punch Kit:
 - 5, 6, 8, 10, 12.7, 16, 20, 25, 32mm, 22mm x 120mm Rod





T14324 7" (180mm) Pressure Adjustable Power Clamp

- Power ratchet clamp gear design
- Slide-lock mechanism for quick positioning and releasing
- Contoured, cushioned handle offers firm, comfortable grip under pressure
- Pivoting jaw ends secure both flat and shaped workpieces
- Thermoplastic rubber ends to avoid scratch on work pieces



T14323 9" (230mm) Adjustable Power Ratchet Clamp

- Power ratchet clamp gear design
- Slide-lock mechanism for quick positioning and releasing
- Contoured, cushioned handle offers firm, comfortable grip under pressure
- Pivoting jaw ends secure both flat and shaped workpieces
- Thermoplastic rubber ends to avoid scratch on work pieces



T14361 2pc 9" (230mm) Power Clamp Set

- Use as much pressure as needed
- Patented design allows control of clamping pressure
- Swivel pads pivot for a uniform secure grip



Steel Bar Clamps (F-Clamp)

- Precision die cast iron frame
- Nickel plated, carbon steel shaft and center screw
- Swivel, rubber jaw prevents damage to surface

Model	Size
T14330	3-1/8" x 6" (80mm x 150mm)
T14331	4-3/4" x 5-1/2" (120mm x 140mm)
T14332	4-3/4" x 20" (120mm x 500mm)
T14333	4-3/4" x 24" (120mm x 600mm)
T14334	2" x 6" (50mm x 150mm)
T14335	3-1/8" x 8" (80mm x 200mm)





Quick Lever Bar Clamp / Vises

- Exerts up to 320kgs / 700Lbs of clamping pressure
- Alloy body for industrial / professional use
- Non-marring pads grip firmly and protect work
- Forms simple vise
- 7 x 22mm Plated, round-edge high quality rail steel
- Ideal for clamping, holding work for sawing, drilling, welding, gas welding, etc.

Model	Size
T14336	6" 150mm
T14337	12" 305mm
T14338	18" 450mm
T14339	24" 610mm



Versatile swivel pad fits angular workpieces

Swivel Quick-Ratcheting Bar Clamp



Model	Size
T14327	6" 150mm
T14328	12" 305mm

T14321 12" (300mm) Quick-Ratcheting Bar Clamp

- Pistol grip for single-handed operation
- Quick-release button for fast jaw positioning
- Easily converts to a spreader
- Durable, lightweight, versatile design for various applications



T14355 3/4" Pipe Clamp/Spreader

- Clamping faces 2-3/8" x 2" (60mm x 52mm)
- 2-3/8" Clamping reach from edge of pipe
- Two side sliding design system
- Tail-stop w/ multiple disc clutch
- Fits all 3/4" pipe tube
- Ductile steel



T73601 9" Caulking Gun

- Pistol grip, quick release
- All metal frame
- Quick-release trigger
- Use with standard size cartridges up to 9" (225mm)



T73605 9" Caulking Gun

- Quick-release trigger
- Use with standard size cartridges up to 9" (225mm)



Nut Splitting Tool

- Removes rusted and corroded nuts
- Heat-treated steel chisel

Model	Size
T72119	Nut Splitting Tool 1/2" - 5/8"
T72120	Nut Splitting Tool 5/8" - 7/8"
T72118	2pc Nut Splitting Tool Set



T72117 Nut Splitter

- Removes rusted and corroded nuts
- High grade, heat-treated alloy steel
- Splits nuts up to 1/2" across flat
- Use with 3/4" Dr. wrench for more torque





T72121 4pc Nut Splitter Set

- Removes rusted and corroded nuts
- Heat treated steel chisel
- Chrome plated for rust resistance
- 4 most popular sizes all-in-one set
- Sizes:
5/16" - 1/2" (9 - 12mm), 1/2" - 5/8" (12 - 16mm)
5/8" - 7/8" (16 - 22mm), 7/8" - 1-1/8" (22 - 27mm)



T72123 Nut Splitter

- Removes rusted and corroded nuts
- 360° Rotating cutter bit splits nuts without damaging bolt
- Angled handle design allows access to hard-to-reach areas
- Fits nut sizes 7/16" through 3/4"
- Use with 3/4" Dr. wrench for more torque



T73925 Stud Remover and Installer

- Removes and installs tight studs in confined areas
- Capacity: 1/4" to 3/4" diameter
- 1/2" Dr.



T75932 Hydraulic Nut Splitter Set

- Special hydraulic nut splitter design removes the most stubborn rusted or corroded nuts
- Heavy duty construction, Chrome Molybdenum steel splitter bodies and blades
- Includes:
2 - Hydraulic Ram and Attachment
5 - Splitters with Blade
1 - Nut
1 - Oil Bottle





Power Pullers

(A) Power Puller (Single-Gear)

Model	Capacity	Specification
T29180	2 Ton	Cable Dia. 5mm x 12ft w/ 2 hooks
T29181	4 Ton	Cable Dia. 6mm x 12ft w/ 3 hooks

(B) Heavy Duty Power Puller (Double-Gear)

Model	Capacity	Specification
T29185	2.5 Ton	Cable dia. 5mm x 10ft w/ 2 hooks
T29186	4 Ton	Cable dia. 6mm x 10ft w/ 3 hooks



Ratchet Tie Downs

- Secures cargo that requires greater tensioning and holding force
- Ideal for large and heavy loads



Model	T37002	T37003	T37004	T37001	T37005
Size	1" x 15ft (4.5m)	1" x 16ft (5m)	1-1/2" x 19ft (6m)	2" x 25ft (7.5m)	2" x 29.5ft (9m)
Capacity	1,500 lbs (680kgs)	1,102 lbs (500 kgs)	4,409 lbs (2000 kgs)	5,000 lbs (2,268 kgs)	11023 lbs (5000 kgs)



Magnet

T12815 Utility & Fingernail Brush w/ Magnet

- Double-sided brush for general purpose scrubbing & fingernail cleaning
- Grooved body handle for better grip & comfort



T12810 3pc Brush Set

- Multi-purpose wire brushes great for removing rust, dirt and paint
- Stainless steel, copper and nylon bristles to clean a wide-variety of materials
- Long narrow structural foam handle w/ finger grips
- 18cm (7") long



T12812

T12812 Carbon Steel Wire Brush w/ Scraper

- 3 x 19 rows steel bristles
- Solvent proof, hardened and ground steel scraper
- 36cm (14") long

T12813

T12813 Stainless Steel Wire Brush w/ Scraper

- 3 x 19 rows steel bristles
- Solvent proof, hardened and ground steel scraper
- 36cm (14") long

T12814

T12814 Brass Wire Brush w/ Scraper

- 3 x 19 rows brass bristles
- Solvent proof, hardened and ground steel scraper
- 36cm (14") long



T27928 Hand Drill

- Bit storage in handle
- Double pinion steel gears for smooth operation
- 8mm (5/16") Chuck capacity

T12800 Carpenter's Ratchet Brace

- 12-point reversible ratchet
- Jaws designed to hold 1/8" to 7/16" shank bits, as well as tapered shanks
- Tough molded head and handle
- 2-Jaw chunk