



INNOVATIVE CORROSION PROTECTION NC COROSTOP IDEAL IN WIND AND WEATHER

OVERVIEW

- ▼ COROSTOP Tools
- ▼ Cases
- ▼ Nautic Sets
- ▼ Parts





COROSTOP TOOLS

An innovation by GEDORE



Surface treatment

- COROSTOP is a special process for preventing corrosion on tools used in wet areas. The tools are specially electroplated to provide corrosion proofing many times greater (at least 500%) than our conventionally coated tools. The protective COROSTOP coating reliably protects the tool, even when it sustains slight surface damage.
- This method ensures COROSTOP tools are ideally suited to a wide range of marine applications, work on drilling rigs - in fact everywhere where water is present or used in the process and robust tools are required for sustained use.

Care notes:

- After use, rinse the tools with tap water (fresh water) and then wipe dry. This will maintain corrosion proofing over a long period.

Comparative test - effect of NC in salt water



After 10 days in salty seawater:

- 1) The surface shows no trace of corrosion
- 2) The surface has clear traces of rust film

COROSTOP Tool Sets

- Tools in metric or inch sizes. Supplied in watertight, offshore-yellow cases, temperature-stable from -25°C to +80°C. The cases float and can give a person overboard additional buoyancy. Depending on its size, the case complete with tools has a buoyancy of around 10 N - 100 N. The majority of the tools have the special COROSTOP (= NC) coating to give long-term corrosion-proofing.





NAUTIC-SETS

502 M

NAUTIC SET DHINGY 11 pieces

- This set contains only the tools required on a small sailing boat
- The buoyancy of the case including tools is more than 20 N
- Dimensions: 255 x 180 x 80 mm
- Delivery package does not contain any extras (glasses, watch, mobile phone etc.)



Code	No.	2.4	1
1657453	502 M NC 42 2,5 4 5 6 8 NC 2150 5,5 NC 2160 PH 2 NC 8210-180 J 4900 E-502/503 EH First-Aid-Kit E-502 P Plastic box	1.5	1

502 P

NAUTIC SET DHINGY PLUS 17 pieces

- This set contains only the tools required on a small sailing boat
- The buoyancy of the case including tools is more than 20 N
- Dimensions: 255 x 180 x 80 mm



Code	No.	1.7	1
1884395	502 P NC H 42-10 (1,3 1,5 2 2,5 3 4 5 6 8 10 mm) 4900 NC 145 10 NC 2160 PH 0 1 2 247 H-30-200 E-502/503 EH First-Aid-Kit	1.7	1



503 M

NAUTIC SET MOTORBOAT 22 pieces

- The MOTORBOAT set is aimed at skippers of small to medium-sized motorboats
- It contains all the tools required to carry out maintenance and minor engine repairs
- The buoyancy of the case including tools is more than 10 N
- Dimensions: 255 x 180 x 80 mm



Code	No.	2.4	1
1657461	503 M NC H 42-10 (1,3 1,5 2 2,5 3 4 5 6 8 10 mm) NC 49 D, NC 49 R NC 145 10 NC 2150 5,5 NC 2160 PH 2 NC 8210-180 J 4900 648 4610 4629 8729 First-Aid-Kit E-502/503 EH	2.4	1

504 M

NAUTIC SET YACHT 65 pieces

- The YACHT set is aimed at skippers of large motor and sailing yachts, enabling them to carry out repairs away from the marina
- The buoyancy of the case including tools is around 100 N
- Dimensions: 380 x 250 x 120 mm



Code	No.	7.0	1
1658344	504 M NC 7 6 7 8 9 10 12 13 14 15 16 17 18 19 NC H 42-10 (1,3 1,5 2 2,5 3 4 5 6 8 10 mm) NC SCL 43 TX-80 (T9 T10 T15 T20 T25 T27 T30 T40) NC 52 NC 53 NC 60 P 8 NC 30 8 10 12 13 14 15 16 17 18 19 20 21 22 NC 3087 NC 3090-5 NC 3093 U-10 NC 137 10 NC 2150 3 5,5 8 NC 2160 PH 1 2 406 4522 4534-3 4610 4629 NC 8132 AB-160 J NC 8210-180 J NC 8316-160 J 247 H-30	7.0	1

504 A

NAUTIC SET YACHT AF 59 pieces

- The YACHT set is aimed at skippers of large motor and sailing yachts, enabling them to carry out repairs away from the marina
- Tools in inch sizes
- The buoyancy of the case including tools is around 100 N
- Dimensions: 380 x 250 x 120 mm



Code	No.	6.5	1
1884239	504 A NC 7 1/4 5/16 11/32 3/8 7/16 1/2 9/16 5/8 11/16 3/4 AF NC H 42-88 A (5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16 AF) NC SCL 43 TX-80 (T9 T10 T15 T20 T25 T27 T30 T40) NC 52 NC 53 NC 60 P 8 NC 30 1/4 5/16 11/32 3/8 AF NC D 30 7/16 1/2 9/16 19/32 5/8 11/16 3/4 AF NC 3087 NC 3090-5 NC 3093 U-10 NC 137 10 NC 145 10 NC 2150 3 5,5 8 NC 2160 PH 1 2 406 4522 4534-3 4610 4629 NC 8132 AB-160 J NC 8210-180 J NC 8316-160 J 247 H-30	6.5	1

Detailed information on products, promotions and trade fairs

... www.gedore.com



505 M

NAUTIC SET CARGO SHIP 73 pieces

- ✓ The CARGO SHIP set is aimed at owners of vessels from small fishing smacks up to cargo ships, enabling them to carry out repairs out of port
- ✓ The buoyancy of the case including tools is around 100 N
- ✓ Dimensions: 420 x 305 x 170 mm

12.5

1/2"



Code	No.		
1658336	505 M	15.0	1
	NC 7 6 7 8 9 10 12 13 14 16 17 18 19 22 24 27 30 32 NC H 42-10 (1,3 1,5 2 2,5 3 4 5 6 8 10 mm) NC SCL 43 TX-80 (T9 T10 T15 T20 T25 T27 T30 T40) NC 50 NC 54 NC 19 10 12 13 14 16 17 18 19 22 24 27 30 32 NC 1987 NC 1990-5 -10 NC 1993 U-10 T NC 60 P 12 NC 137 10 NC 145 10 NC 352 150 NC 355 4 NC 2150 3 5,5 8 NC 2160 PH 1 2 406 4522 4534-3 4610 4629 NC 8132-160 J NC 8210-180 J NC 8316-160 J 247 H-30		



505 A

NAUTIC SET CARGO SHIP AF 64 pieces

- ✓ The CARGO SHIP set is aimed at owners of vessels from small fishing smacks up to cargo ships, enabling them to carry out repairs out of port
- ✓ Tools in inch sizes
- ✓ The buoyancy of the case including tools is around 100 N
- ✓ Dimensions: 420 x 305 x 170 mm

12.5

1/2"



Code	No.		
1884220	505 A	10.0	1
	NC 7 1/4 5/16 11/32 3/8 7/16 1/2 9/16 5/8 11/16 3/4 7/8 1 AF NC H 42-88 A (5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16 AF) NC SCL 43 TX-80 (T9 T10 T15 T20 T25 T27 T30 T40) NC 50 NC 54 NC D 19 5/16 11/32 3/8 13/32 7/16 1/2 9/16 19/32 5/8 11/16 3/4 AF NC 1987 NC 1990-5 -10 NC 1993 U-10 T NC 60 P 12 NC 137 10 NC 145 10 NC 352 150 NC 355 4 NC 2150 3 5,5 8 NC 2160 PH 1 2 406 4522 4534-3 4610 4629 NC 8132 AB-160 J NC 8210-180 J NC 8316-160 J 247 H-30		




COROSTOP NC SPANNERS

NC 7

COMBINATION SPANNER NC

with same size each end

- ✓ Acc. to DIN 3113 Form A, ISO 3318, ISO 7738 (only metric sizes)
- ✓ Ring 15° offset from shaft
- ✓ GEDORE vanadium steel 31CrV3, with COROSTOP coating, polished rings
- ✓ * not standardised




Code	No.	*	Ø mm	L		
1669613	NC 7 6		6	100	12	1
1669621	NC 7 7		7	110	15	1
1669648	NC 7 8		8	120	20	1
1669656	NC 7 9		9	130	32	1
1669664	NC 7 10		10	140	34	1
1669680	NC 7 12		12	160	50	1
1669699	NC 7 13		13	170	65	1
1669702	NC 7 14		14	180	73	1
1669710	NC 7 15		15	190	90	1
1669729	NC 7 16		16	200	120	1
1669737	NC 7 17		17	210	105	1
1669745	NC 7 18		18	220	165	1
1669753	NC 7 19		19	230	150	1
1669761	NC 7 20	*	20	240	220	1
1669796	NC 7 21		21	252	250	1
1669818	NC 7 22		22	262	215	1
1669826	NC 7 24		24	282	295	1
1669834	NC 7 27		27	310	400	1
1669842	NC 7 30		30	340	544	1
1669850	NC 7 32		32	380	624	1

Code	No.	Ø AF	L		
1803603	NC 7 1/4AF	1/4	100	14	1
1803611	NC 7 5/16AF	5/16	120	20	1
1884115	NC 7 11/32AF	11/32	130	30	1
1803638	NC 7 3/8AF	3/8	140	45	1
1803646	NC 7 7/16AF	7/16	150	45	1
1803654	NC 7 1/2AF	1/2	170	50	1
1803662	NC 7 9/16AF	9/16	180	65	1
1803670	NC 7 5/8AF	5/8	200	75	1
1803689	NC 7 11/16AF	11/16	220	100	1
1803697	NC 7 3/4AF	3/4	230	135	1
1803700	NC 7 7/8AF	7/8	262	190	1
1803719	NC 7 1AF	1	302	300	1

NC 60 P

ADJUSTABLE WRENCH NC open end

- ✓ Acc. to DIN 3117, Form A
- ✓ Swedish pattern, roller with left hand thread
- ✓ Jaw set at 15°
- ✓ With scale
- ✓ GEDORE vanadium steel 31CrV3, with COROSTOP coating



Code	No.	L mm	inch	mm	inch	
1670220	NC 60 P 8	205	25	1	0-25	250 1
1669958	NC 60 P 12	305	36	1.7/16	0-36	700 1

RING SLOGGING SPANNER LOCK-ON

A safe solution...

... for those firmly-seated connections



- ✓ GEDORE's ring slogging spanner NC 306 S embodying the new safety technology
- ✓ The spanner is safely secured to the work, and this is done by fixing the ring slogging spanner in position with a small screw on the ring head



- ✓ Optimum protection against injuries
- ✓ The spanner is safely secured to the work
- ✓ Noticeably greater impact effect when used - this means more effective use of the ring slogging spanner
- ✓ COROSTOP coating for long-life corrosion proofing



The principle:

- ✓ A small locking screw through the head of the slogging spanner grips the side of the bolt to be released. After the slogging spanner has done its job, the screw is slackened off again
- ✓ Available in all usual sizes:
- ✓ 24, 27, 30, 32, 34, 36, 41, 46, 50, 55, 60, 65, 70, 80, 90, 95, 100, 115, 120, 130, 135, 145, 150, 155, 165, 170, 175 mm
- ✓ Prices and further sizes on request (mm, inch)






COROSTOP NC SCREWDRIVER

NC 42

HEXAGON SOCKET KEY NC for in-hex screws

- Acc. to DIN ISO 2936 (only metric sizes)
- GEDORE vanadium plus steel with COROSTOP coating



Code	No.	mm	L ₁	L ₂		
1670077	NC 42 1,3	1.3	41.0	13.0	1	1
1670093	NC 42 1,5	1.5	46.5	15.5	1	1
1670107	NC 42 2 (5/64AF)	2.0	52.0	18.0	2	1
1670115	NC 42 2,5	2.5	58.5	20.5	3	1
1670123	NC 42 3	3.0	66.0	23.0	5	1
1670131	NC 42 4	4.0	74.0	29.0	10	1
1670158	NC 42 5	5.0	85.0	33.0	18	1
1670174	NC 42 6	6.0	96.0	38.0	29	1
1670182	NC 42 8	8.0	108.0	44.0	58	1
1670190	NC 42 10	10.0	122.0	50.0	100	1

Code	No.	AF	L ₁	L ₂		
1884158	NC 42 3/32AF	3/32	56.5	20.5	3	1
1884166	NC 42 1/8AF	1/8	60.0	23.0	5	1
1884174	NC 42 5/32AF	5/32	67.0	26.0	9	1
1884182	NC 42 3/16AF	3/16	73.0	30.0	14	1
1884190	NC 42 7/32AF (5.5MM)	7/32	82.0	32.0	21	1
1803956	NC 42 1/4AF	1/4	92.0	36.5	31	1
1803964	NC 42 5/16AF	5/16	102.0	43.0	54	1
1803972	NC 42 3/8AF	3/8	115.0	49.0	87	1
1803980	NC 42 1/2AF	1/2	142.0	61.0	193	1
1803999	NC 42 9/16AF	9/16	154.0	66.0	270	1
1804006	NC 42 5/8AF	5/8	168.0	76.0	350	1
1804014	NC 42 3/4AF	3/4	199.0	89.0	580	1

NC H 42

HEXAGON SOCKET KEY SET NC for in-hex screws

- In blue PVC wallet
- GEDORE vanadium plus steel with COROSTOP coating



Code	No.		
1689541	NC H 42-10	1, 3, 1, 5, 2, 2, 5, 3, 4, 5, 6, 8, 10	258 1
1884131	NC H 42-88 A	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"	164 1

NC SCL 43 TX-80

HEXAGON SOCKET KEY SET NC

- For recessed TORX® screws
- In robust metal clip
- GEDORE vanadium plus steel with COROSTOP coating
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.		
1670026	NC SCL 43 TX-80	T9 T10 T15 T20 T25 T27 T30 T40	250 1

NC 2150

3C-SCREWDRIVER NC for slotted head screws

- Acc. to DIN ISO 2380-2, blade tip DIN ISO 2380-1 Form A
- 3-component handle with hanging hole
- Blade in vanadium plus steel with COROSTOP coating



Code	No.	mm	mm	Ø		
1669893	NC 2150 3	0.5	3.0	3	160	25 1
1669907	NC 2150 5,5	1.0	5.5	5	225	69 1
1669915	NC 2150 8	1.2	8.0	7	295	156 1



NC 2160 PH

3C-SCREWDRIVER NC for cross-slotted head screws PH

- Acc. to DIN 8764, tip to DIN ISO 8764-1 PH
- 3-component handle with hanging hole
- Blade in vanadium plus steel with COROSTOP coating



Code	No.	mm	Ø		
1884417	NC 2160 PH 0	M1,6 - M2	3,0	140	25 1
1669923	NC 2160 PH 1	M2 - M3	4,5	180	55 1
1669931	NC 2160 PH 2	M3,5 - M5	6,0	210	92 1



COROSTOP NC SOCKETS + ACCESSORIES

NC 30

SOCKET NC 3/8" hexagon

- Acc. to DIN 3124, ISO 2725-1 (only metric sizes)
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, with COROSTOP coating



Code	No.	mm	mm		
1670239	NC 30 8	8	28	24	1
1670247	NC 30 10	10	28	30	1
1670255	NC 30 12	12	28	32	1
1670263	NC 30 13	13	28	35	1
1670271	NC 30 14	14	29	40	1
1670298	NC 30 15	15	30	42	1
1670301	NC 30 16	16	30	48	1
1670328	NC 30 17	17	30	55	1
1670336	NC 30 18	18	30	60	1
1670344	NC 30 19	19	30	70	1
1670352	NC 30 20	20	31	75	1
1670360	NC 30 21	21	31	82	1
1670379	NC 30 22	22	32	85	1

Code	No.	AF	mm		
1803840	NC 30 1/4AF	1/4	28	20	1
1803859	NC 30 5/16AF	5/16	28	24	1
1803867	NC 30 11/32AF	11/32	28	26	1
1803875	NC 30 3/8AF	3/8	28	26	1

NC D 30

SOCKET NC 3/8" UD profile

- Similar to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, with COROSTOP coating



Code	No.	AF	mm		
1803883	NC D 30 7/16AF	7/16	28	30	1
1803891	NC D 30 1/2AF	1/2	28	35	1
1803905	NC D 30 9/16AF	9/16	29	40	1
1884107	NC D 30 19/32AF	19/32	30	42	1
1803913	NC D 30 5/8AF	5/8	30	48	1
1803921	NC D 30 11/16AF	11/16	30	55	1
1803948	NC D 30 3/4AF	3/4	30	70	1

NC 3087

SLIDING T BAR NC 3/8"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174 ball locking device
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

10

3/8



Code	No.	mm	mm	mm
1670395	NC 3087	163	125	1

NC 3090

EXTENSION NC 3/8"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174 ball locking device
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

10

3/8



Code	No.	mm	mm	mm
1670409	NC 3090-5	125	110	1




NC 3093 U-10

REVERSIBLE RATCHET NC 3/8"

- Acc. to DIN 3122, ISO 3315
- With lever change, push-button release
- Locks in middle position
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

10

3/8



Code	No.				
1670387	NC 3093 U-10	11,25	200	250	1

NC 19

SOCKET NC 1/2" hexagon

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

12.5

1/2

12.5



Code	No.	mm	mm	mm	mm
1670417	NC 19 10	10	38.0	50	1
1670425	NC 19 12	12	38.0	55	1
1670433	NC 19 13	13	38.0	60	1
1670441	NC 19 14	14	38.0	62	1
1670468	NC 19 16	16	39.5	68	1
1670476	NC 19 17	17	39.5	70	1
1670484	NC 19 18	18	39.5	72	1
1670492	NC 19 19	19	40.0	80	1
1670506	NC 19 22	22	41.5	100	1
1670514	NC 19 24	24	41.5	110	1
1670522	NC 19 27	27	41.5	150	1
1670530	NC 19 30	30	43.0	200	1
1670549	NC 19 32	32	44.5	210	1

NC D 19

SOCKET NC 1/2" UD profile

- Similar to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

12.5

1/2

12.5



Code	No.	G	mm	mm	mm
1803727	NC D 19 5/16AF	5/16	38.0	45	1
1803735	NC D 19 11/32AF	11/32	38.0	48	1
1803743	NC D 19 3/8AF	3/8	38.0	58	1
1803751	NC D 19 13/32AF	13/32	38.0	50	1
1803778	NC D 19 7/16AF	7/16	38.0	53	1
1803786	NC D 19 1/2AF	1/2	38.0	60	1
1803794	NC D 19 9/16AF	9/16	38.0	62	1
1803808	NC D 19 19/32AF	19/32	39.5	65	1
1803816	NC D 19 5/8AF	5/8	39.5	68	1
1803824	NC D 19 11/16AF	11/16	39.5	70	1
1803832	NC D 19 3/4AF	3/4	40.0	80	1



NC 1987

SLIDING T BAR NC 1/2"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

12.5

1/2



Code	No.	mm	mm	mm
1670565	NC 1987	292	350	1

NC 1990

EXTENSION NC 1/2"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

12.5

1/2



Code	No.	mm	mm	mm
1670573	NC 1990-5	125	225	1
1670581	NC 1990-10	250	500	1


NC 1993 U-10 T

REVERSIBLE RATCHET NC 1/2"

- Acc. to DIN 3122, ISO 3315
- With recessed lever change
- Push-button release
- Locks in the middle position: When the lever is flipped, it automatically engages for clockwise or counterclockwise operation
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, with COROSTOP coating

12.5

1/2



Code	No.					
1670557	NC 1993 U-10 T	11,25	270	39	700	1

COROSTOP NC PLIERS

NC 137

GEDORE GRIP WRENCH NC

- Forged, hardened and tempered jaws, special jaw shape for secure gripping, clamping and holding
- GEDORE vanadium steel 31CrV3, with COROSTOP coating



Code	No.	mm	mm	mm	mm
1670050	NC 137 10	240	10	550	1

NC 145

WATER PUMP PLIERS NC

- 7-way adjustable
- Acc. to DIN ISO 8976, Form A
- Lay-on slip joint and toothed recess
- Induction-rehardened serrated faces, with finger protection
- GEDORE vanadium steel 31CrV3, with COROSTOP coating



Code	No.	mm	mm	mm	mm
1670069	NC 145 10	250	330	1	



NC 8132

NEEDLE NOSE PLIERS NC

- Flat-round jaws, straight gripping faces, serrated
- Acc. to DIN ISO 5745
- Induction-hardened precision cutting edges, hardness 61-63 HRC
- GEDORE special hardened and tempered steel, with COROSTOP coating



Code	No.	mm	mm	
1669982	NC 8132-160 J	160	140	1

NC 8132 AB

NEEDLE NOSE PLIERS NC

- Flat-round jaws, angled gripping faces, serrated
- Similar to DIN ISO 5745
- Induction-hardened precision cutting edges
- GEDORE special hardened and tempered steel, with COROSTOP coating



Code	No.	mm	mm	
1884123	NC 8132 AB-160 J	160	140	1

NC 8210

COMBINATION PLIERS NC German pattern

- Lay-on cutter box
- Induction-hardened precision cutting edges, hardness 61-63 HRC
- For medium-hard and hard wire
- Acc. to DIN ISO 5746
- GEDORE special hardened and tempered steel, with COROSTOP coating



Code	No.	mm	mm	
1669966	NC 8210-180 J	180	250	1

NC 8316

POWER SIDE CUTTER NC

- American pattern
- For hard wire, including piano wire
- Induction-hardened precision cutting edges, hardness 63-65 HRC
- Acc. to DIN ISO 5749
- GEDORE special hardened and tempered steel, with COROSTOP coating



Code	No.	mm	mm	
1669974	NC 8316-160 J	160	210	1

COROSTOP NC PULLER

NC 1.04

PULLER NC 2-arm pattern

- COROSTOP coating protects against corrosion
- Cross-beam reinforces bending moment
- Cantilever hook enhances power
- Quick-action legs
- Spindle with replaceable ball and tip point
- Spindle thermo-chemically hardened
- Upgradeable with hydraulic spindle



Code	No.	mm	mm	max.	
1829521	NC 1.04/1A	130	100	M 14x1,5 x 140	3.0 1.2 1
1829548	NC 1.04/2A	200	150	G 1/2 x 210	5.0 3.4 1
1829556	NC 1.04/3A	350	200	G 3/4 x 280	7.5 8.7 1

NC 1.04/E

PULLING LEGS NC set of 2 pieces

- Fast clamping pulling legs (1 pair) for NC 1.04

Code	No.	mm	mm	
1830104	NC 1.04/AT-E	NC 1.04/1A	100	0.6 1
1830112	NC 1.04/BT-E	NC 1.04/2A	150	0.6 1
1830120	NC 1.04/CT-E	NC 1.04/3A	200	0.6 1

COROSTOP NC PARTS

NC 49

SPARK PLUG SOCKET WRENCH NC

- With rubber spark-plug gripper and offset bores
- Forged and hardened
- With angled tommy bar no. 49 D Ø 8 mm
- With COROSTOP coating



Code	No.	mm	mm	mm	
1669990	NC 49 R	16 x 20,8	5/8 x 13/16	190	170 1
1670018	NC 49 D			75	1

NC 50 - NC 54

SPARK PLUG SOCKET NC

- Retention spring
- For use with socket drivers with 3/8" or 1/2" square drive or Ø 8 mm tommy bar
- GEDORE vanadium steel 31CrV3, with COROSTOP coating



Code	No.	mm	mm	mm	
1669869	NC 50	1/2	20.8	13/16	63.5 160 1
1670204	NC 52	3/8	20.8	13/16	63.5 150 1
1670212	NC 53	3/8	16.0	5/8	63.5 100 1
1669885	NC 54	1/2	16.0	5/8	63.5 110 1

NC 59 GK

GLOW PLUG SOCKET 3/8"

- For diesel engines



Code	No.	mm	mm	mm	
2000288	NC 59 GK 10x70	10	3/8	70	70 1

NC 97

FLAT COLD CHISEL NC octagonal

- GEDORE chrome-molybdenum-vanadium steel 45CrMoV7, with COROSTOP coating



Code	No.	mm	mm	
1670034	NC 97-150	150	110	1

NC 119

PIN PUNCH NC octagonal

- Acc. to DIN 6450, Form C
- GEDORE chrome-molybdenum-vanadium steel 59CrV4C, with COROSTOP coating




Code	No.	mm	mm	
1670042	NC 119-4	150	60	1

ACCESSORIES

4900

SAILING TOOL for NAUTIC-Sets 502+503

- Multi-tool, includes:
 - Adjustable wrench 10-19 mm
 - Pliers
 - Knife with screwdriver blade
 - Saw with file
 - Phillips screwdriver, size PH 1
 - Belt clip
- Delivery in wallet



Code	No.	mm	
1669532	4900	285	1