



FOR SPECIAL PURPOSES SPECIALISED TOOLS

OVERVIEW

- ✔ Screw clamps
- ✔ Automotive tools
- ✔ Four-way wheel braces
- ✔ Spark plug wrenches
- ✔ Panel beating tools
- ✔ Special purpose tools
- ✔ Saws
- ✔ Metalworking vices
- ✔ Measuring tools
- ✔ Workshop and work lights





ON REQUEST:

- ▀ Ideal for service, maintenance and repair work
- ▀ Universal multi-use kit
- ▀ Metric and/or imperial tools
- ▀ With Check-Tool system

Mobile tool cabinet and tool chest with
365-piece MOTORCYCLE tool set

365-pcs.



Mobile tool cabinet with 258-piece
CAR tool set

258-pcs.

CHECK-TOOL-SYSTEM

- ▀ 2-colour plastic insert provides easy optical check of completeness
- ▀ Ideally suited for use in sensitive areas, where it is essential to ensure that no tools are left behind
- ▀ Underlay blue, overlay black. A visible blue pocket indicates a missing tool
- ▀ Each tool is securely held in its own pocket, prevented from slipping and protected from damage
- ▀ Grip recesses facilitate removal of the tools
- ▀ Clearly visible tool contours simplify replacement into the correct pocket
- ▀ Resistant to oil and grease





AUTOMOTIVE TOOLS

TYRE FITTING / REMOVAL

- For the controlled tightening of wheel nuts or studs, we recommend torque wrenches on pages 304 and onwards
- For truck wheels, we specially recommend the DR-LKW torque wrench
- For tightening and wrench sizes see tables in annex

FOUR-WAY WHEEL WRENCH


- Hot forged hexagon
- The collar, typical of GEDORE 4-way wheel wrenches, enlarges the welding area. The positive-fit joint remains solid even under extreme loading.



28 PKH

2-WAY WHEEL WRENCH FOR CARS

- Car-boot tool for all standard car wheel nuts
- GEDORE vanadium steel 31CrV3
- Dimensions: 410 x 260 mm




Code	No.	Ø mm	Ø mm		
6227290	28 PKH	17x19 (3/4")	26x28,5	1000	1

28 PU

4-WAY WHEEL WRENCH FOR CARS

- For car wheel nuts in metric and inch sizes
- Acc. to DIN 3119, ISO 6788
- GEDORE vanadium steel 31CrV3
- GEDORIT silver powder-coated
- CS = chrome-plated
- Dimensions: 420 x 420 mm




Code	No.	Ø mm	Ø mm		
6227610	28 PU	17x19 (3/4")x21x11/16"	26x28,5x30,5x26	1250	1
6227960	28 PU CS	17x19 (3/4")x21x11/16"	26x28,5x30,5x26	1250	1
6228260	28 PUV	17x19 (3/4")x21x1/2" 4kt	26x28,5x30,5x17,5	1100	1

28 PR

UNIVERSAL 4-WAY WHEEL WRENCH for cars and small trucks

- Acc. to DIN 3119, ISO 6788
- Solid turned centre
- GEDORE vanadium steel 31CrV3, chrome-plated
- Dimensions: 550 x 550 mm



Code	No.	Ø mm	Ø mm		
6227530	28 PR	17x19 (3/4")x21x24	26x28,5x30,5x35,5	2000	1
6227880	28 PRV	17x19 (3/4")x21x1/2" 4kt	26x28,5x30,5x17,5	2200	1

28 CU

4-WAY WHEEL WRENCH FOR SMALL TRUCKS

- Acc. to DIN 3119, ISO 6788
- GEDORE vanadium steel 31CrV3
- GEDORIT silver powder-coated
- Dimensions: 600 x 600 mm




Code	No.	Ø mm	Ø mm		
6228500	28 CU	19x24x22x27 (3/4x15/16x7/8x1.1/16")	28,5x32x34,5x38,5	2250	1

28 L

4-WAY WHEEL WRENCH FOR TRUCKS

- Acc. to DIN 3119, ISO 6788
- GEDORE vanadium steel 31CrV3
- GEDORIT silver powder-coated
- Dimensions: 750 x 750 mm




Code	No.	Ø mm	Ø mm		
6228770	28 LM	24x27x30x32	34,5x38,5x42x45	5100	1
6228850	28 L	24x27x32x38	34,5x38,5x45x52	5100	1
6229150	28 LV	24x32x27x3/4" 4kt	34,5x45x38,5x26	4900	1

28 LR

4-WAY WHEEL WRENCH FOR TRUCKS

- Turned centre
- GEDORE vanadium steel 31CrV3
- Dimensions: 750 x 750 mm



Code	No.	Ø mm	Ø mm		
6228930	28 LR	27x30x32x33	40x44x46x46	6120	1
6228420	28 LRV	27x30x32x3/4" 4kt	40x44x46x26	5800	1

28 LRZ

4-WAY WHEEL WRENCH FOR TRUCKS

- With plug-in arms and pin locking
- GEDORE vanadium steel 31CrV3
- Dimensions: 750 x 750 mm
- Sturdy metal case with handle



Code	No.	Contents		
6228690	28 LRZ	E-28 LRZ-MS -DS -3/4" -27 -32	7.0	1
	2161 PH 1	2161 PH 1		

Code	No.	Description	~mm~	Ø		
6224430	E-28 LRZ-MS	Centre piece	35	88	1200	1
6224510	E-28 LRZ-DS	Lever handle	354	22	1000	1
6224780	E-28 LRZ-3/4	Arm 3/4"	354	26	1050	1
6224860	E-28 LRZ-24	Arm 24 mm	354	36	1060	1
6224940	E-28 LRZ-27	Arm 27 mm	354	40	1100	1
6225080	E-28 LRZ-30	Arm 30 mm	354	44	1130	1
6225160	E-28 LRZ-32	Arm 32 mm	354	46	1150	1
1482440	2161 PH 1	Screwdriver	75	30	10	


28 PX
DOUBLE ENDED WHEEL WRENCH

- With extra long shaft and offset heads



Code	No.	Ø mm	Ø mm	mm	inch	
6228340	28 PX	17x19 (3/4")	26x28,5	770		1

27
WHEEL SOCKET WRENCH FOR TRUCKS

- With great head depth, for protruding bolts, excluding tommy bar
- GEDORE vanadium steel 31CrV3
- Please order tommy bar 27 D separately



Code	No.	Ø mm	Ø AF	L	mm	inch	
6225240	27 24x27	24 x 27	15/16 x 1.1/16	400	1100		1
6220010	27 27x32	27 x 32		400	1250		1
6220280	27 28x32	28 x 32		400	1300		1
6220360	27 28x33	28 x 33		400	1350		1
6225910	27 30x32	30 x 32	1.3/16 x 1.1/4	400	1300		1
6220440	27 30x33	30 x 33		400	1450		1
6225400	27 32x38	32 x 38	1.1/4 x 1.1/2	400	1600		1
6227100	27 D			630	1250		1

38
TYRE LEVER

- Solid-forged
- With protective surfaces for light-alloy wheels
- GEDORE vanadium steel 31CrV3



Code	No.	mm	inch	mm	inch	
6332320	38 8	200	8	120	10	
6332400	38 12	305	12	200	10	
6332670	38 16	400	16	390	10	
6332830	38 20	500	20	600	1	
6332910	38 24	610	24	950	1	

39
TYRE LEVER heavy-duty pattern, for trucks


- Heavy-duty, offset pattern
- GEDORE vanadium steel 31CrV3



Code	No.	mm	inch	mm	inch	
6333050	39	610	24	1400	1	

631
HUBCAP REMOVING TOOL

- To remove hubcaps without damage



Code	No.	mm	inch	
6520830	631	150	170	1

8276
BALANCE WEIGHT PLIERS

- GEDORE vanadium steel 31CrV3



Code	No.	mm	inch	mm	inch	
6739350	8276-250 C	250	10	300	1	

BRAKES
135
BRAKE SPRING PLIERS

- For drum brakes
- With special holder and support crown, particularly suitable for adhesive brake linings
- GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	mm	inch	mm	inch	
6405300	135 13	330	13	370	1	
6405490	135 19	480	19	850	1	

135
BRAKE SPRING PLIERS heavy-duty pattern

- For drum brakes
- With replaceable spring hooks (E-135 20) and hand protectors
- GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	mm	inch	mm	inch	
6400180	135 20	500	20	1200	1	
5400480	E-135 20			40	1	


1600
PLIERS FOR BRAKE CABLE SPRINGS

- For the installation and removal of handbrake cables



Code	No.	mm	inch	mm	inch	
6630340	1600-402	227	8.1/2	175	1	

643
BRAKE CALIPER BRUSH

- For cleaning all brake calipers



Code	No.	mm	mm	
6531440	643	225	64	5

8726
BRAKE CALIPER FILE


Code	No.	mm	inch	mm	inch	
6770780	8726	260	10	150	1	

OIL SERVICE
299
DRAIN PLUG WRENCH

- For square plugs on engine sumps and oil drums, in nine common sizes
- GEDORE vanadium steel 31CrV3, chrome-plated
- 5 square sizes: 8.7, 9.5, 10.5, 11.5, 13 mm
- 4 tapered sizes: 6.8-8.7, 10.5-13, 15.2-18, 16.5-19 mm
- One screwdriver blade: 5.5 x 18 mm



Code	No.	mm	mm	
6464580	299	220	450	5

298-00 / -02
OIL CAN

- 298-00** / -01 Plastic oil can with sliding brass tube and cap
- 298-02** simple oil can in plastic



298-02 298-01 298-00

Code	No.	Litre	Pint	mm	inch	
6390010	298-00	0.250	1/2	90	1	
6390280	298-01	0.125	1/4	70	1	
6390360	298-02	0.025	1/16	10	1	


298-04
OIL CAN

- Strong, cast iron pattern with pump, 300 ml



Code	No.	Litre	Pint	mm	inch
6390520	298-04	0.3	5/8	480	1

298-05
OIL CAN

- For working in every position
- With double-stroke metal pump
- Strong, cast iron pattern, 300 ml



Code	No.	Litre	Pint	mm	inch
6390600	298-05	0.3	5/8	365	1

V-BELTS, FILTERS
37
UNIVERSAL FILTER WRENCH

- For all standard oil filters and round screwed unions
- 37** with handle
- 37 V** with 1/2" square drive




Code	No.	mm	inch (appr.)	mm	inch
6327670	37	80-110	285	270	1
6327750	37 V	80-110	150	200	1

Detailed information on products, promotions and trade fairs

... www.gedore.com


36
STRAP WRENCH

- With strong, non-slip fabric strap, extra wide = 25 mm
- 36 1-140** made from C45 steel
- 36 2-200** made from GEDORE vanadium steel 31 CrV3
- E-36 = Spare straps



Code	No.	mm	mm	inch	mm	inch
6327320	36 1-140	220	140	9/64	220	1
6327400	36 2-200	285	200	13/64	470	1
5327380	E-36 1-140	480		30		1
5327460	E-36 2-200	900		80		1

36 Z
SPECIAL STRAP WRENCH

- For tightening and holding pulley wheels



Code	No.	mm	mm	inch	mm	inch
6320070	36 Z-140	257	160	5/32	350	1
1380613	E-36 Z-140			80		1


PISTONS, VALVES
654
VALVE GRINDER

- With automatic reversal of lapping direction
- For use in hand drills
- Supplied with suction cups 652-20, -25, -30, -37



Code	No.	mm	mm	mm	inch
6535270	654	135	65	750	1

653
VALVE LAPPING TOOL

- Hand-held type with suction cup 652-25



Code	No.	mm	mm	mm	inch
6532680	653	225	25	50	1

652
SPARE RUBBER SUCTION CUP for 653 and 654


Code	No.	mm	mm	mm	inch
6530120	652-20	38	20	10	1
6532410	652-25	38	25	10	1
6530200	652-30	38	30	15	1
6530390	652-37	38	37	15	1

124
PLIERS FOR VALVE SEALS

- For removing valve-shaft sealing rings and valve spring supports
- For VW-Audi, BMW, DB, Opel, Ford, Nissan etc.
- Handles chrome-plated



Code	No.	mm	mm	mm	inch
6399310	124	250	10	350	1

128
VALVE SPRING COMPRESSOR

- For OHV engines
- One straight and one offset claw



Code	No.	mm	inch	mm	inch	mm	inch
6398500	128 2-225	290	11.1/2	60-225	2.3/8-9	1.2	1
6398690	128 1-280	390	15	120-280	4.3/4-11.1/2	3.3	1

E-128
SPARE HOOKS (PAIR)


Code	No.			
5398720	E-128 1		111	1
Spare hooks, pair, straight pattern				
5398560	E-128 2		118	1
Spare hooks, pair, straight pattern				
5398990	E-128 1A		114	1
Spare hooks, pair, offset pattern				
5398640	E-128 2A		116	1
Spare hooks, pair, offset pattern				

125
PISTON RING COMPRESSOR

- With special band spring steel, with continuous adjustment
- With clamping wrench



Code	No.	mm	inch	mm	inch		
6396720	125 0	50	2	40-75	1.1/2-3	120	1
6396800	125 1	80	3	57-125	2.1/4-4	310	1
6396990	125 2	80	3	90-175	3.1/2-7	350	1
6397020	125 3	165	6.1/2	90-175	3.1/2-7	650	1

126
PISTON RING PLIERS

- With prism gripper for secure fitting of piston rings
- With adjusting screw



Code	No.	mm	inch	mm	inch		
6397100	126 0-60	210	8.1/4	30-60	1.3/16- 2.3/8	160	1

126
PISTON RING PLIERS

- For secure fitting of piston rings
- Handles with blue sleeves



Code	No.	mm	inch	mm	inch		
6397370	126	200	8	55-100	2.3/16-4	250	1
6397450	126 2-120	240	9.1/2	80-120	3.5/32- 4.3/4	410	1
6397530	126 3-160	240	9.1/2	110-160	4.5/16- 6.5/16	410	1

127
PISTON RING PLIERS

- With prism gripper for safe piston ring spreading
- Special steel
- Hardened prism gripper
- Gunmetal finished tips



Code	No.	mm	inch	mm	inch		
6397610	127	220	8.5/8	60-160	2.3/8- 6.5/16	200	1

132
HOSE CLAMP PLIERS

- For self-clamping hose clips
- Chrome-plated handles



Code	No.	mm	inch		
6399900	132	220	8.3/4	185	1

132-2/-3
HOSE CLAMP PLIERS

- With rotating v-jaws for spring hose clamps
- For use on VAG-vehicles (e.g. VW, Audi, Skoda, Seat)
- Particularly suitable for barely-accessible places
- Made from steel sheet, nickel-plated



Code	No.	mm	inch		
1894382	132-2	207		192	1
1894390	132-3	195		165	1

132 CLIC
HOSE CLAMP PLIERS

- For CLIC-R hose clamps
- Ground, bright nickel-plated, joint gunmetal finished
- Forged, for clip sizes 5 - 30 mm



Code	No.	mm	inch		
1396714	132 CLIC	180		215	1

132-4 CLIC
HOSE CLAMP PLIERS

- With revolving locking bolts for CLIC hose clamps
- In sheet steel, nickel-plated



Code	No.	mm	inch		
1894404	132-4	210		181	1

134
HOSE CLAMP PLIERS

- Self-adjusting joint, DBGM (= German utility patent)
- Angled jaw
- Bright nickel-plated, joint gunmetal finished



Code	No.	mm	inch		
6391330	134	180		410	1

134 B
HOSE CLAMP PLIERS

- Bowden-cable operation
- Self-adjusting joint, DBGM (= German utility patent)
- Angled jaw
- Bright nickel-plated, joint gunmetal finished



Code	No.	mm	inch		
6390950	134 B	180		580	1





ELECTRIC SYSTEM

S 89

TERMINAL-EXTRACTION TOOLS

- Tools for the damage-free removal of contacts in cable looms
- S 8905** - Basic set 5 pieces for cars
- S 8910 UNI** - Universal set 10 pieces for cars and trucks
- S 8910 LKW** - 10 pieces for trucks and HGV



Code	No.	Stk	Ein
1976443	S 8905	414	1
1976451	S 8910 UNI	752	1
1976478	S 8910 LKW	765	1

4612

VOLTAGE TESTER

- For 6-48 Volt
- Use: automobile, utility vehicles
- LED displays the voltage in the area of 12, 24, 48 V as well as the polarity
- For work in confined areas
- TÜV and GS tested, IEC / EN 61010-1 (DIN VDE 0411)
- Measurements: 145 x 25 x 16mm
- Degree of protection IP40, protection class III



Code	No.	Stk	Ein
1881647	4612	120	1

610

BATTERY SERVICING TOOLS 13 pieces

- Large assortment of tools for battery care and servicing
- In steel case with two plastic trays
- Dimensions: 400 x 220 x 140 mm



Code	No.	Stk	Ein
6523260	610	3950	1
Open ended spanner No. 6 10x13 Water pump pliers No. 145 10 C Screwdriver No. 2150 6.5 Cleaning brush No. 601 Cell filler No. 604 Acid tester No. 605 Battery terminal puller No. 1.12/01 Battery terminal opener No. 607 Battery carrying strap No. 609 Universal canister No. 611 Plastic box No. 611 A Cable knife No. 4522 Insulating tape No. 4629			

601 - 609

BATTERY SERVICING TOOLS



601



607



604



605



609

Code	No.	Stk	Ein
6522100	601 Battery cleaning brush	100	5
6522450	604 Battery cell filler	30	5
6522530	605 Battery acid tester	150	1
6522880	607 Terminal opener	160	1
6523180	609 Battery carrying belt	160	1



more automotive assortments are listed on page 41-53



622

BATTERY TESTER

- To measure the battery voltage at a current of approx. 100 A at 12 V and 50 A at 6 V
- Analogue indicator
- For various battery sizes and types



Code	No.	Stk	Ein
6524580	622	650	1

SPARK PLUGS

50 - 57

SPARK PLUG SOCKET


- With retention spring
- GEDORE vanadium steel 31CrV3, chrome-plated

10

3/8"

12,5

1/2"



Code	No.	Ø mm	Ø AF	□"	L	ST	ST
6361690	50	20.8	13/16	1/2	63.5	160	10
6362580	52	20.8	13/16	3/8	63.5	150	5
6362740	53	16.0		3/8	63.5	100	5
6363040	54	16.0		1/2	63.5	110	10
6361770	56	18.0		3/8	63.5	115	5
6361930	57	18.0		1/2	63.5	130	5

50 MH - 59 MH

SPARK PLUG SOCKET


- With two magnets
- GEDORE vanadium steel 31CrV3, chrome-plated

10

3/8"

12,5

1/2"



Code	No.	Ø mm	Ø AF	□"	L	ST	ST
6361420	50 MH	20.8	13/16	1/2	63.5	95	5
6361500	52 MH	20.8	13/16	3/8	63.5	110	5
6363390	53 MH	16.0		3/8	63.5	100	5
6363470	54 MH	16.0		1/2	63.5	85	5
6361850	56 MH	18.0		3/8	63.5	120	5
6362150	57 MH	18.0		1/2	63.5	135	5
6366220	59 MH	13.0		3/8	63.5	80	1

Safety notes

- For engines with ignition coils integrated in the spark-plug connector (coil-on-plug), use only spark-plug sockets with retainer springs! (Nos. 50 - 59)
- Do not use magnetic spark-plug spanners on coil-on-plug spark plugs!
- This can result in control unit faults!



59 GK

GLOW PLUG SOCKET 3/8"

- For diesel engines

10

3/8"



Code	No.	Ø mm	□"	L	ST	ST
1897446	59 GK 10x70	10	3/8	70	70	1


D 55

SPARK PLUG SOCKET 3/8" UD profile

- With retention spring and bore for tommy bar Ø 8 mm

10

3/8"



Code	No.	Ø mm	□"	L	ST	ST
1793586	D 55	14	3/8	63.5	90	1

S 51 GU

SET OF SPARK PLUG SOCKETS 3/8" 10 pieces

- 4 spark plug sockets with magnets, 1 socket with UD profile
- Reversible ratchet with flexible head and fine tooth mechanism, 3/8" square drive
- 3 extensions, 1 universal joint
- GEDORE vanadium steel 31CrV3
- GEDORIT blue steel case

10

3/8"



Code	No.	ST	ST
1795554	S 51 GU 52 MH 53 MH 56 MH 59 MH D 55 3093 GU-3 3090-3 -5 -10 3095	2350	1





S 56 U-10 K

SET OF SPARK PLUG SOCKET WRENCHES 3/8" 8 pieces

- Compact plastic ratchet
- 3 spark plug sockets with magnets, 1 extension
- Feeler gauge, spark-plug brush and magnetic pick-up tool
- With maintenance accessories
- GEDORE vanadium steel 31CrV3, chrome-plated

10
3/8"


Code	No.	mm	mm
1795570	S 56 U-10 K 52 MH 53 MH 56 MH 3093 U-10 K 3090-7 640-500 648 702 20 M	1850	1

D 48

SPARK PLUG SOCKET WRENCH

- Double-sided
- Solid forged
- Swivelling handle
- GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	mm	mm	L	mm	mm
6360100	D 48	16 x 20,8	5/8 x 13/16	232	215	5

DS 49

SPARK PLUG SOCKET WRENCH

- With rubber spark-plug gripper and offset bores
- Forged and hardened, chrome-plated
- With angled tommy bar No. 49 D Ø 8 mm



Code	No.	mm	mm	L	mm	mm
6361340	DS 49 R	16 x 20,8	5/8 x 13/16	190	245	1

Code	No.	L	mm	mm
6360530	49 D Tommy bar	175	75	5
6361260	49 R Spark plug socket wrench	190	170	5

58

SPARK PLUG SOCKET WRENCH

- With retention spring and joint
- GEDORE vanadium steel 31CrV3, chrome-plated




Code	No.	mm	mm	L	mm	mm
6363200	58 16	16.0	5/8	500	400	1
6363120	58 20,8	20.8	13/16	500	455	1

PR 265 - PR 345

SPARK PLUG SOCKET WRENCH

- With tommy bar 26 D 8 and 1/2" square drive
- Particularly suitable for RENAULT and PEUGEOT



Code	No.	mm	mm	L	mm	mm
6646340	PR 265	16.0	5/8	270	250	1
6646930	PR 345	20.8	13/16	327	700	1

647 - 648

SPARK PLUG BRUSH

- With plastic handle and brass wire bristles



Code	No.	mm	mm	mm
6531950	647	180	15	10
6532090	648	100	5	5





LIFTERS

121

- SUCTION CUP LIFTER with 2 cups**
- 2 fixed heads with suction mechanism and safety locking
 - Oil and acid-resistant ABS
 - Lifting capacity 60 kg



Code	No.	mm	Ø	mm	mm
6391090	121	325	120	1255	1

121 G

- SUCTION CUP LIFTER with 2 cups**
- As 121 but with hinged suction heads
 - Lifting capacity 45 kg



Code	No.	mm	Ø	mm	mm
6391170	121 G	390	120	1255	1

Detailed information
on products, promotions
and trade fairs

... www.gedore.com



121-3

- SUCTION CUP LIFTER with 3 cups**
- 3 fixed heads
 - Lifting capacity 100 kg



Code	No.	Ø	mm	mm
6390790	121-3	120	1380	1

121 G-3

- SUCTION CUP LIFTER with 3 cups**
- 3 hinged suction heads made from oil and acid-resistant ABS
 - For curved glass and panels
 - Lifting capacity 100 kg



Code	No.	Ø	mm	mm
6390870	121 G-3	120	1275	1

640

MINI MAGNETIC LIFTER

- Flexible thin shaft for the smallest apertures



Code	No.	mm	Magnet-Ø	mm	mm	mm
6530630	640-120	400	4	120	25	1
1785338	640-270	400	5	270	21	1

640

MAGNETIC LIFTER

- With flexible shaft and plastic handle
- Bright nickel-plated



Code	No.	mm	Magnet-Ø	mm	mm	mm
6531010	640-500	460	9	500	80	1
6531280	640-1800	520	15	1800	250	1
6531360	640-3000	520	19	3000	320	1

641

CLAW GRIPPER

- With flexible shaft
- Max. gripping capacity 14 mm



Code	No.	mm	Ø	mm	mm
6531520	641	540	7	100	1



642

MAGNETIC LIFTER with lamp

- Flexible shaft and optic fibre




Code	No.	mm	mm	mm	mm
6530470	642	500	350	110	1

642 SP

MAGNETIC LIFTER with lamp, mirror and clip

- E-642 SP = detachable mirror with clip



Code	No.	mm	mm	mm	mm
6536750	642 SP	500	350	120	1
1520849	E-642 SP			10	1



EXHAUST / ENGINE / VARIOUS

4588

CHAIN PIPE CUTTER

- For cutting pipes in inaccessible places
- Gunmetal finish, handles nickel-plated
- Chain length: 260 mm
- Spare chain E-4588 A



Code	No.	Ø mm	Ø inch	W	H
6697840	4588	25-75	1-3	510	1
5697390	E-4588 A			185	1

4589

CHAIN PIPE CUTTER

- For Ø 75 mm pipes, wall thickness 2.6 mm
- Spare chain E 4589 A



Code	No.	length appr.	W	H
1446940	4589	246	825	1
1446959	E-4589 A	315	185	1

1600

SPECIAL PIN PUNCH

- For removal of split pins
- 1600-38** for door hinges, e.g. Opel
- 1600-39** for brake calipers and disc brakes
- 1600-40** with 3 mm guide pin



Code	No.	L ₁	W	H
6630180	1600-38	180	150	5
6633950	1600-39	180	60	5
6634090	1600-40	180	160	5

611

UNIVERSAL CANISTER

- 2-litre capacity
- Polyethylene



Code	No.	L	H	W	W	H
6523340	611	75	220	180	200	1

614

ANTI-FREEZE TESTER

- For ethylene glycol mixtures
- Made from high-quality impact-resistant plastics
- Corrosion-proof
- Suction tube length: 185 mm



Code	No.	W	H
6523770	614	50	1

8134

INSTALLATION PLIERS

- For spreading of horseshoe pattern circlips of shaft retainers on motors, gearboxes, clutches, etc.
- For VW, AUDI and American vehicles
- GEDORE vanadium steel 31CrV3



Code	No.	W	H	W	H
6722030	8134-170 C	170	6.3/4	165	1

Code	No.	W	H	W	H
1701177	SB 8134-170 C	170	6.3/4	175	1

CAR BODY WORK

269

BODYWORK FILE

- With light-alloy handle and flexible milled file blades
- 269 K** complete with 269 F 9
- 269 L** without milled file blade



Code	No.	W	H
6460080	269 K	1050	1
6460160	269 L	800	1

269 F

FLEXIBLE MILLED FILE BLADES




Code	No.	W	H	W	H
5460030	269 F 7	354	7	250	1
5460110	269 F 9	354	9	250	1
5460380	269 F 12	354	12	250	1

252 - 297

PLANISHING HAND ANVILS

- Made from hardened and tempered steel to DIN EN 10083
- Enamelled, with ground faces



Code	No.	Measures	W	H
6456990	252	72 x 55 x 63	1150	1
6457020	253	Ø 58.5 x 60	850	1
6457100	254	80 x 60 x 33	900	1
6457290	255	120 x 58 x 23	1050	1
6457610	259	125 x 55 x 25	1200	1
6461720	281	130 x 55 x 36	1200	1
6461800	282	100 x 40 x 80 x 70 x 62	1450	1
6461990	283	70 x 54 x 68	1650	1
6462020	285	111 x 68 x 23.5	1050	1
6463340	288	104 x 66 x 25	1150	1
6464230	297	110 x 51 x 55	1500	1



265
BENDING TOOL

- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled, ground faces



Code	No.	mm	inch	mm	mm
6458420	265	430	17	900	1

Further bending tools and bodywork levers are listed up from page 407


289 - 291
BODYWORK SPOON

- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled, with ground faces



Code	No.	mm	inch	mm	mm
6463420	289	275	11	485	1
6463690	291	390	16	1100	1

292 - 293
BODYWORK LEVER

- ✓ GEDORE vanadium steel 31CrV3
- ✓ Enamelled, with ground faces



Code	No.	mm	inch	mm	mm
6463770	292	450	16	1450	1
6463850	293	500	19	1900	1

251
FLAT ROUND FACE HAMMER

- ✓ Ash shaft (E-251 E)
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces



Code	No.	mm	mm	mm	mm	mm	mm
6456720	251	300	155	40	31	450	1
1808621	E-251 E	300				111	1

261
PLANISHING HAMMER

- ✓ Ash shaft (E-261 E)
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces



Code	No.	mm	mm	mm	mm	mm	mm
6457960	261	325	160	31	600	1	
1440934	E-261 E	325			111	1	

271
LONG REACH HAMMER

- ✓ Ash shaft (E-271 E)
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces



Code	No.	mm	mm	mm	mm	mm	mm
6460320	271	330	160	28	600	1	
1634844	E-271 E	330			111	1	

272 - 274
SMOOTHING HAMMER

- ✓ Ash shaft (E-251 E, E-274 E)
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces
- ✓ The K models have one milled cross-hatched face and one square non-milled face



Code	No.	mm	mm	mm	mm	mm	mm
6460400	272	300	105	32	25	300	1
6460590	272 K	300	105	32	25	300	1
6460670	273	300	100	40	35	350	1
6460750	273 K	300	100	40	35	350	1
6460830	274	320	115	46	40	550	1
6460910	274 K	320	115	46	40	550	1
1808621	E-251 E	300				111	1
1808664	E-274 E	320				90	1

275 - 276
EMBOSSING HAMMER

- ✓ Ash shaft
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces



Code	No.	mm	mm	mm	mm	mm	mm
6461050	275	300	160	40	450	1	
6461130	276	300	160	40	420	1	
1808621	E-251 E	300			111	1	

277
POINT PEIN HAMMER

- ✓ Ash shaft
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces



Code	No.	mm	mm	mm	mm	mm	mm
6461210	277	300	137	37	400	1	
1808621	E-251 E	300			111	1	

278
PLANISHING / GROOVING HAMMER

- ✓ Ash shaft
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces



Code	No.	mm	mm	mm	mm	mm	mm
6461480	278	300	160	40	450	1	
1808621	E-251 E	300			111	1	

279
STEEL / RUBBER HAMMER

- ✓ Ash handle (E-279 E)
- ✓ Made from hardened and tempered steel to DIN EN 10083
- ✓ Enamelled blue, with ground faces
- ✓ Spare rubber cap (E-279)



Code	No.	mm	mm	mm	mm	mm	mm
6461560	279	360	138	55	33	1050	1
1492330	E-279			55		40	1
1808710	E-279 E	360				150	1



SHEET METAL FORMING TOOLS

BODYWORK TOOL SETS

- Professional selection of tools
- Available loose or in a sturdy steel case, powder-coated blue hammer finish

260
BODYWORK TOOL SET 8 pieces

- Workshop selection
- In sheet steel case
- Dimensions: 525 x 206 x 78 mm



Code	No.		
6457880	260 S 260	7.4	1
6459150	S 260 251 252 253 254 255 281 273 K 226 E-2	6.3	1

280
BODYWORK TOOL SET 12 pieces

- Large workshop selection
- In sheet steel case
- Dimensions: 545 x 230 x 110 mm



Code	No.		
6461640	280 S 280	16.9	1
6462290	S 280 272 K 273 K 225 E-32 277 278 281 282 288 291 292 293 259	10.4	1

Detailed information on products,
promotions and trade fairs

... www.gedore.com



Deviant packing units see article description.

300
BODYWORK TOOL SET 8 pieces


- Panel beating tools
- In sheet steel case
- Dimensions: 525 x 206 x 78 mm



Code	No.		
6462370	300 S 300	9.7	1
6462100	S 300 252 255 261 281 282 291 273 K 248 ST-30	7.2	1

8532
OFFSETTING PLIERS WITH PUNCH

- Combination pliers for offsetting sheet metal edges up to 1 mm and for punching sheet metal for spot welding
- The rotating head makes both operations possible using one tool
- Single-handed, low-force operation



Code	No.		
6751130	8532	22	1

8533
PUNCH PLIERS

- With adjustable stop for punching sheet metal up to 1.5 mm



Code	No.		
6751640	8533	up to 30	1

EQUIPMENT

905

CREEPER

- ✓ Comfortable, ergonomically shaped one-piece creeper
- ✓ With practical carrying handle
- ✓ Made from PP - kind on the skin, resistant to oil, grease and brake fluid
- ✓ Six swivel rollers ensure easy and safe manoeuvrability
- ✓ Fatigue-free working, with head/neck cushion for maximum comfort
- ✓ Bucket moulding gives additional hold and allows maximum freedom of movement
- ✓ Two storage trays (right/left) to keep tools and small parts within easy reach
- ✓ Carrying capacity: 130 kg
- ✓ Temperature range -30°C to +60°C
- ✓ Dimensions: 115 x 1030 x 480 mm



Code	No.		
1823698	905	5.0	1

906

KNEELING BOARD

- ✓ Blue/black, made from solid foam
- ✓ With indented grip
- ✓ Dimensions: 115 x 1030 x 480 mm



Code	No.		
1942948	906	110	1



907

WING PROTECTOR

- ✓ Protection from unwanted scratches, dents and dirt
- ✓ Magnetic attachment keeps paintwork safe from damage - also attaches to galvanised steel sheet
- ✓ Rugged, padded imitation leather and reinforced edges provide a perfect, cushioned working area
- ✓ Dimensions: 1100 x 650 mm with wheel cut-out to allow free access



Code	No.		
1942956	907	620	1





KLANN

THE TOOL SPECIALIST FOR THE AUTOMOTIVE SECTOR



PRODUCT RANGE

- ✔ Telescopic Spring Compressors
- ✔ Ball Joint Extractors
- ✔ Wheel Bearing Pullers
- ✔ Bush Extractors
- ✔ Motor Locking Tool Sets
- ✔ Hydraulic Press Tool Kits
- ✔ Tool sets
- ✔ Other tools

KLANN Spezial-Werkzeugbau-GmbH

Breslauerstr. 41 · 78166 Donaueschingen
Postfach 1329 · 78154 Donaueschingen
Tel.: +49 (0) 771 / 8 32 23-0 · Fax: +49 (0) 771 / 8 32 23-90
info@klann-online.de www.klann-online.de

SPECIAL TOOLS

Our extensive range of chisels, drift and pin punches is listed up from page 401



Our extensive range of hammers is listed up from page 384



FILES

8729

CONTACT FILE

In blue PVC tear-off wallet




Code	No.	L"inch	L"mm	W	H
6771080	8729	6	150	8	10

8728

KEY FILE SET 6 pieces

In blue plastic wallet
DIN 7283



Code	No.	5 types	Cut	W	H
6771910	8728	■ ▲ ● ● ■	2	115	1

8701

HAND FILE

PVC handle
DIN 7261, Form A
Cut: 2



Code	No.	L	L"	W	H	W	H
6768020	8701 2-6	150	6	16	4	65	1
6768100	8701 2-8	200	8	20	5	180	1
6768290	8701 2-10	250	10	25	6	280	1

8719

TRIANGULAR FILE

PVC handle
DIN 7261, Form C
2-6 = not standardised
Cut: 2



Code	No.	L	L"	W	H	W	H
6769260	8719 2-6	150	6	10	45	1	
6769340	8719 2-8	200	8	14	140	1	
6769420	8719 2-10	250	10	17	250	1	

8722

ROUND FILE

PVC handle
DIN 7261, Form F
Cut: 2



Code	No.	L	L"	Ø	W	H
6770000	8722 2-6	150	6	6.0	30	1
6770190	8722 2-8	200	8	7.5	100	1
6770270	8722 2-10	250	10	9.5	120	1

8725

HALF-ROUND BLUNT FILE

PVC handle
DIN 7261, Form E
Cut: 2



Code	No.	L	L"	W	H	W	H
6770350	8725 2-6	150	6	16	4.5	80	1
6770430	8725 2-8	200	8	20	6.0	165	1
6770510	8725 2-10	250	10	25	7.0	280	1

Tools for sheet metal working (such as tin snips) are listed up from page 377



Our extensive range of scrapers is listed up from page 400





SAWS

401

SMALL SAW FOR METAL

- Mini-hacksaw, bright nickel-plated
- Saw blade 401 A



Code	No.	l mm	l mm	l mm
6500050	401	350	195	1
5500000	401 A	200	8	10

402

KEYHOLE SAW

- Metal handle with two replaceable saw blades: one for metal (402 A), one for wood (402 B)



Code	No.	l mm	l mm	l mm
6500130	402	380	300	1
5500190	402 A	260	25	5
5500270	402 B	280	25	1

403

HACKSAW

- Adjustable tubular steel frame
- For 10" and 12" hacksaw blades, complete with No. 403 A-405 A
- Saw blades single-sided (403 A-405 A) and double-sided (403 B-405 B)



Code	No.	l mm	l mm	l mm
6500210	403	410	460	1
5500350	403 A-405 A		55	10
5500430	403 B-405 B		55	10

404

SMALL SAW FOR METAL PUK

- Bright nickel-plated
- Saw blade 404 A-406 A



Code	No.	l mm	l mm	l mm
6500480	404	290	250	1
5501080	404 A-406 A	145	20	10

406

HOBBY SAW

- For wood and metal
- Made from flat bar, 10 x 5 mm, zinc-plated
- Glass-fibre reinforced plastic handle
- Reach 50 mm
- For use with junior hacksaw blades 145 mm
- Saw blade 404 A-406 A



Code	No.	l mm	l mm	l mm
6501020	406	250	250	1
5501080	404 A-406 A	145	20	10

407

HACKSAW

- Very light hacksaw in pressure-cast aluminium
- Ergonomic soft rubber hand grips
- Fixing of the sawblade by simple turning the blue clamping element in the hand grip
- Clamping piece adjustable by 40°
- Saw blade bimetal 407 A



Code	No.	l mm	l mm
1879375	407	650	1
1879383	407 A	55	1

372

UNIVERSAL HAND SAW

- For PE-, PVC-, wood, copper and aluminium pipes
- Especially suited for flush cutting in confined spaces
- Sawblade bimetal (break-proof), length 300 mm



Code	No.	l mm
1874853	372012	220
	Universal hand saw 12 tpi	
1874888	372018	220
	Universal hand saw 18 tpi	
1874896	372026	220
	Universal hand saw 26 tpi	
1874845	372000	165
	Spare handle	
1874918	372112	55
	Saw blade 12 tpi	
1874926	372118	55
	Saw blade 18 tpi	
1874934	372126	55
	Saw blade 26 tpi	



PARALLEL VICES

409 - 410

PARALLEL VICE

- Welded
- Compact design, with large anvil surface
- Protected vice spindle with rolled thread




Code	No.	mm	mm	mm	
6500800	409	100	100	6.0	1
6500990	410	150	150	15.0	1

411

PARALLEL VICE

- Forged
- Sturdy design, with jaws, anvil plate and slides ground and induction hardened
- Made from hardened and tempered steel



Code	No.	mm	mm	mm	
6501100	411-125 Parallel vice	125	150	11000	1
6501290	411-150 Parallel vice	150	200	17000	1
5704430	E-411 A-125 Aluminium jaws	125		176	1
5704510	E-411 A-150 Aluminium jaws	150		265	1
5704270	E-411 R-125 Pipe-clamping jaws	125		210	1
5704350	E-411 R-150 Pipe-clamping jaws	150		290	1




MEASURING TOOLS

4533

FOLDING RULE

- With easy to read metric dual scale
- Accuracy class III
- EG-design approval for continuous mm division
- Made from beechwood
- 4533-1**: Links 2.3 x 12 mm
- 4533-2**: Links 3.0 x 16 mm



	No.	Lm	
1837079	4533-1	1	28
1837087	4533-2	2	83

4534

STEEL TAPE MEASURE

- With belt clip and rewind stop
- mm-divisions
- Approved standard mark



Code	No.	Lm	mm		
6697920	4534-3	3	13	120	5
6698060	4534-5	5	19	200	5
6698140	4534-8	8	25	375	1

702

FEELER GAUGE SET, FAN PATTERN

- With protective handle, folding, blade length 100 mm
- 702 22 A** + **702 26 A**, each incrementing by 1/1000"



Code	No.			
6547520	702 8 M	5 10 15 20 25 30 40 50/100	38	5
6547600	702 88 M	3 4 5 6 7 8 9 10/100	28	5
6547790	702 13 M	5 10 15 20 25 30 40 50 60 70 80 90 100/100	70	10
6547870	702 20 M	5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100/100	100	10
6547950	702 21 M	10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50/100	70	5
6548250	702 8 A	.002 .004 .006 .008 .010 .012 .015 .020"	38	1
6548410	702 11 A	.0015 .002 .003 .004 .006 .008 .010 .012 .015 .020 .025"	45	1
6548680	702 13 A	.002 .003 .004 .005 .006 .008 .010 .012 .015 .020 .025 .030 .035"	56	5
6548760	702 22 A	.004 - .025"	85	5
6548840	702 26 A	.0015 - .025"	85	1


703
VALVE FEELER GAUGE

- Blade length 75 mm



Code	No.				
6549140	703 M	10 15 20 25 30 35 40/100	8	1	

705
SPARK PLUG GAUGE

- With electrode adjuster, precision steel gauge wires



Code	No.			
6549570	705 M	40 50 60 70 75 80 90 100/100 mm	32	1

706
THREAD GAUGE

- For metric and Whitworth threads
- Pitches 0.25-6.00 mm / 62-4 Step" W



Code	No.			
6549730	706	80	10	

710
POCKET VERNIER CALLIPER

- DIN 862, Form A 2
- Quick locking, for internal and external measurements, with ground tips and depth gauge
- In leather wallet



Code	No.					
6555030	710	213	140	5.1/2	200	1

710-80
VERNIER CALLIPER, SMALL

- With inside and outside jaws, ground tips, depth gauge
- In leather pouch



Code	No.					
1933205	710-80	114	80	3.1/8	100	1

711
DIGITAL MEASURING CALLIPER

- Stainless steel, hardened, in sturdy protective case
- Switchable from mm to inch
- Accuracy: 0.03 mm - 0.001 inch
- Reading: 0.01 mm - 0.001 inch



Code	No.					
6550070	711	230	153	6	50	1

745
SCRIBER

- Made from special steel



Code	No.				
6559530	745	250	55	10	

746
SCRIBER

- Tungsten carbide, with retractable, replaceable tip (E-746)



Code	No.				
6559610	746	140	20	10	
5545100	E-746	35	2	1	



720

TWEEZERS

- With angled tips
- Bright nickel-plated



Code	No.	l mm	l mm	l mm
6556270	720	150	24	5

721

CROSS TWEEZERS

- With straight tips
- Bright nickel-plated



Code	No.	l mm	l mm	l mm
6556350	721	160	35	1

722-1

PRECISION TWEEZERS

- Flat, fine, long points
- Satin non-glare finish



Code	No.	l mm	l mm	l mm
1881655	722-1	130	22	1

722-1 ESD

PRECISION TWEEZERS ESD

- Flat, fine, long points
- Satin non-glare finish
- ESD = electrostatic discharge protection, black



Code	No.	l mm	l mm	l mm
1881663	722-1 ESD	130	22	1

722-2

PRECISION TWEEZERS

- Flat, fine points
- Satin non-glare finish



Code	No.	l mm	l mm	l mm
1881671	722-2	95	10	1



722-3/-4

ELECTRONIC TWEEZERS

- Curved, fine, long points
- 722-4 double curved
- Satin non-glare finish



Code	No.	l mm	l mm	l mm
1881698	722-3	122	18	1
1881701	722-4	122	16	1

722-5/-6

WATCHMAKER TWEEZERS

- 722-5 straight, fine, long points
- 722-6 bent, fine, long points
- Satin non-glare finish



Code	No.	l mm	l mm	l mm
1881728	722-5	108	12	1
1881736	722-6	108	10	1

THREAD WORKINGS



8552


SCREW EXTRACTOR SET

- For extracting broken screws and bolts with threads M5 - M16
- In handy plastic case, with twist drills, guide sleeves, extractor pins and extractor nuts
- Dimensions: 200 x 120 x 38 mm
- Complete with instructions



Code	No.	l mm	l mm
6755550	8552-025	770	1

Extractor pins size 1 2 3 4 5
Drilling sleeves 1 2 3 4 5 6 7 8 9 10
Extractor nuts size 10 11 13 14 17
Drills 8.7-11/32" 8.5-16" 6.4-1/4" 4.8-3/16" 3.2-1/8"



140

THREAD FILE

- For repairing damaged internal and external threads
- Chrome-vanadium steel, ISO-nickel-plated
- Length 230 mm
- 140 metric threads
- 140 A inch threads
- 140 W Whitworth threads



Code	No.	l mm	l mm
6409640	140	125	1
6409720	140 A	125	1
6409800	140 W	125	1

0.80 1.00 1.25 1.50 1.75 2.00 2.50 3.00 mm
24 20 18 16 14 13 12 11 inch
24 20 18 16 14 12 11 10 Whitworth

8551

BOLT EXTRACTOR

- Drill a central hole into the broken bolt (see table). Turn the bolt extractor to the left into this hole until it grips and removes the bolt (penetrating oil may be necessary!). Always choose the largest possible extractor size.



Code	No.	l mm	l mm	l mm	l mm	l mm	l mm
6758490	8551 1	M3 - M6	1/8-1/4	1,4-3,6	2,7	50	4 10
6758570	8551 2	M6 - M8	1/4-5/16	2,1-4,9	3,8	57	9 10
6758650	8551 3	M8 - M11	5/16-7/16	3,1-5,5	4,9	65	13 10
6758730	8551 4	M11 - M14	7/16-9/16	4,8-8,8	7,0	70	30 10
6758810	8551 5	M14 - M18	9/16-3/4	6,2-11,0	9,0	80	50 5
6759030	8551 6	M18 - M24	3/4-1	9,4-15,0	12,0	85	100 5
6759110	8551 7	M24 - M33	1-1.3/8	12,7-19,0	14,5	95	150 1
6759380	8551 8	M33 - M45	1.3/8-1.3/4	17,5-24,0	18,0	100	290 1


8551
BOLT EXTRACTOR SET

- In plastic case



Code	No.	mm	inch
6759620	8551-55 1 2 3 4 5	150	1
6759700	8551-66 1 2 3 4 5 6	300	1
6759890	8551-88 1 2 3 4 5 6 7 8	750	1

8553
TAP AND DIE SET

- In plastic case
- For internal threads M3 - M6
- For external threads M3 - M6, max. 40 mm long
- Ratchet drive system with extension unit
- Additional guide sleeve for dies to ensure accurately aligned thread cutting along the bar axis, with swarf collector
- Drives:** Ratchet with extension
- Taps:** Quick-clamp tap wrench with M3-M6 taps
- Dies:** Die handle with guide disc and M3-M6 dies
- Accessories:** Fixing screws and angle screwdriver, instruction manual



Code	No.	mm	inch
1939068	8553 T-handle ratchet 2093 U-3 T Hex socket key 2 mm Extension, 1/4" 4 mm Die holder Quick-clamp tap wrench Threaded stud M4x6 Backing washer Guide disc M3 M4 M5 M6 Dies M3 M4 M5 M6 Taps M3 M4 M5 M6	740	1

VARIOUS
8272
UNIVERSAL PLIERS

- With adjustable joint and finger protection
- Non-slip handles, slightly angled jaw position
- Made from hardened and tempered steel to DIN EN 10083



Code	No.	mm	inch	mm	inch
6738620	8272-165 C	165	6	200	1
6738890	8272-200 C	200	8	250	1

644 - 646
WIRE BRUSH

- With untreated wooden handle, angled pattern, smooth, cast steel wire bristles



Code	No.	mm	mm	mm
6531600	644 3-row	290	130	5
6531870	646 6-row	290	195	5

645
FILE BRUSH


- File card mounted on a wooden handle
- File card size 110 x 40 mm



Code	No.	mm	mm	mm
6531790	645	250	110	10



- Our extensive range of pipe and tube working tools is listed up from page 340



Detailed information on products,
promotions and trade fairs

... www.gedore.com



TOOLS FOR BICYCLES

6002

WRENCH FOR SPOKES

- Forged
- Applicable also for motorcycles



Code	No.	Ø mm	mm	mm	
6451170	6002 3,3	3.3	35	1	
6451410	6002 3,5	3.5	35	1	
6451680	6002 3,9	3.9	35	1	
6451760	6002 4	4.0	35	1	
6451840	6002 4,3	4.3	35	1	
6451920	6002 4,5	4.5	30	1	
6452060	6002 4,6	4.6	28	1	
6452140	6002 4,8	4.8	30	1	
6452220	6002 5	5.0	30	1	
6452300	6002 5,2	5.2	30	1	
6452490	6002 5,5	5.5	30	1	
6452570	6002 5,7	5.7	30	1	
6452650	6002 6,1	6.1	30	1	
6452730	6002 6,5	6.5	30	1	

6003

ALIGNING TOOLS FOR TREADLES



Code	No.	mm	mm	
6451250	6003	504	1100	1

6004

HEXAGON SOCKET KEY

- Designed for removal of the sprockets on SRAM rear wheels



Code	No.	Ø mm	mm	
6451330	6004	12	290	1



6101

HUB CONE SPANNER

- Very flat forged open end spanners for different screw couplings, head thickness 2.2 mm
- For SRAM hubs



Code	No.	Ø mm	mm	mm	
1549146	6101 13	13	193	76	1
1549154	6101 14	14	193	76	1
1549162	6101 15	15	193	76	1
1549170	6101 16	16	193	76	1
1549189	6101 17	17	193	76	1
1549197	6101 18	18	193	76	1
1582038	6101 19	19	193	76	1
1809741	6101 20	20	193	74	1
6451090	6101 22	22	193	111	1

6105

WRENCH FOR PEDALS

- With same size each end and heads flat offset, head thickness 4.5 mm
- GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	mm	Ø mm	mm	
1549138	6105	340	15	210	1

6160

HANDLE FOR FITTINGS



Code	No.	mm	
1560778	6160	335	1

6161

FITTINGS PARING SPANNER



Code	No.	Ø mm	Ø	mm	
1560719	6161	36	41	140	1

Detailed information on products, promotions and trade fairs
... www.gedore.com



6162

FITTINGS



Code	No.	Ø mm	mm	
1560727	6162 30	30	140	1
1578537	6162 32	32	140	1
1578545	6162 34	34	140	1
1578553	6162 35	35	140	1
1578561	6162 36	36	140	1
1578588	6162 40	40	140	1
1578596	6162 42	42	140	1

6163

FITTING OPEN ENDED SPANNER



Code	No.	Ø mm	mm	
1560735	6163 15	15	160	1

6164

FITTING HOOK SPANNER



Code	No.	Ø	mm	
1560743	6164	44	130	1

329001

SIPHON TRAP PLIERS / SPRING HOOK WRENCH

- With plastic jaws



Code	No.	Ø mm	mm	mm	
1984381	329001	20-65	230	300	1



6166-18

BICYCLE COMPACT TOOL 18 pieces

- ✓ Compact tool with 18 functions
- ✓ Intelligent division into 2 halves, easy handling of all functions
- ✓ Rounded, flat shape reduces the risk of injury in crashes, when carried in the jersey pocket
- ✓ 2 tyre levers integrated in hafts
- ✓ Chain tool - for up to 10-plate chains
- ✓ Box wrench 8, 10mm
- ✓ Screwdriver slotted / cross-slotted PH
- ✓ Spoke wrench G14, G15
- ✓ INBUS® wrench 2*; 2,5; 3; 4; 5; 6; 8
- ✓ TORX® wrench T20*; T25
- ✓ * Sizes supplied separately (for self-exchange)
- ✓ Made from Vanadium Plus steel
- ✓ Supplied in neoprene pouch for the jersey pocket, or carrying on a belt or saddle
- ✓ Dimensions: 98 x 50 x 25 mm
- ✓ TORX® = reg. trade mark of Acument Intellectual Properties, LLC. USA
- ✓ INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied



Code	No.		
1953079	6166-18	223	1

6166-20

BICYCLE COMPACT TOOL 20 pieces

- ✓ Compact tool with 20 functions
- ✓ 2 separate tyre levers made from hard-wearing plastic
- ✓ Chain tool
- ✓ Box wrench 6, 11, 12 and open wrench 8, 10, 13, 15
- ✓ Screwdriver slotted / cross-slotted PH
- ✓ Spoke wrench G14, G15
- ✓ INBUS® wrench 2,5; 3; 4; 5; 6; 8
- ✓ Made from Vanadium Plus steel
- ✓ Dimensions: 94 x 40 x 35 mm
- ✓ INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied



Code	No.		
1888498	6166-20	223	1

6170-07

TOOL SET FOR BICYCLE 7 pieces



Code	No.		
1888471	6170-07	1400	1
	1 handle No. 6160		
	1 fitting paring spanner No. 6161		
	1 fitting hexagon/octagon		
	No. 6162 32		
	1 fitting hexagon/octagon		
	No. 6162 36		
	1 fitting hexagon/octagon		
	No. 6162 40		
	1 fitting open end spanner		
	No. 6163 15		
	1 fitting hook spanner No. 6164		



Torque wrenches and accessories see pages 158 and up from page 304



INDUSTRIAL CUTLERY

- ✓ Cutlery is traditionally not made from tempering steel, but from plain carbon steel. Carbon steel is not stainless, but keeps its sharpness longer than stainless steel.

Please ask for our detailed priced leaflet!



SCISSORS

1104

TAILOR'S SCISSORS

- ✓ Outstanding cutting performance
- ✓ Suitable for textiles, rubber, wallpaper, plastic, etc.
- ✓ Forged, resharpenable
- ✓ Adjuster screw for later adjustment
- ✓ Fine-polished C45 carbon steel, varnished eyes, silicone dipped RAL 5015
- ✓ Chrome-plated
- ✓ Version L = for left-handers



Code	No.	mm	mm	
9118280	1104-18	180	142	5
9118360	1104-20	200	248	5
2082292	1104-20L	200	248	5
9118440	1104-23	230	300	5
9118520	1104-26	260	378	5
2082306	1104-26L	260	378	5
9118600	1104-29	290	446	5
9118790	1104-32	320	536	5



1114

LEATHER SCISSORS

- ✓ Ideal for all kind of leather
- ✓ 9" serrated section
- ✓ Adjuster screw for later adjustment
- ✓ Fine-polished C45 carbon steel, varnished eyes, silicone dipped RAL 5015
- ✓ Chrome-plated



Code	No.	mm	mm	
9118950	1114-23	230	282	5



52887 TE - 55108 TE

SPECIAL SCISSORS

- ✓ Ideal for Kevlar®, aramid and glass fibre
- ✓ Extra hard blades, Teflon-coated
- ✓ Fine-serrated on one side
- ✓ Plastic-coated handles



Code	No.	mm	mm	
8017730	52887 TE-V-210	200	252	1
8017750	52887 TE-V-260	260	420	1
2082381	52887 TE-V-320	320	622	1
2082403	52999 TE-V-260	260	360	1
2082330	53791 TE-V-210	210	272	1
2082373	55108 TE-V-130	130	62	1




1277
INDUSTRIAL SCISSORS PROFESSIONAL

- ✓ With two equal eyes
- ✓ For universal use
- ✓ Hand-ground
- ✓ Adjuster screw for later adjustment
- ✓ Fine-polished C45 carbon steel
- ✓ Chrome-plated



Code	No.	mm		
9119680	1277-10	100	23	5
9119760	1277-12	120	40	5
9119840	1277-16	160	61	5
9119920	1277-18	180	88	5

1350
INDUSTRIAL SCISSORS PROFESSIONAL

- ✓ One large and one small eye for higher transmission of force
- ✓ For universal use
- ✓ Hand-ground
- ✓ Adjuster screw for later adjustment
- ✓ Fine-polished carbon steel
- ✓ Chrome-plated
- ✓ Version L = for left-handers



Code	No.	mm		
9120770	1350-16	160	70	5
9120850	1350-18	180	94	5
2082314	1350-18L	180	94	5
9120930	1350-20	200	132	5

2123
PAPER SCISSORS

- ✓ With two equal eyes
- ✓ Suitable for the paper-processing industry and also for wallpapering and use in offices and warehouses
- ✓ Fine-polished C45 carbon steel
- ✓ Chrome-plated



Code	No.	mm		
9123790	2123-26	260	178	5

KNIVES
0021
POCKET KNIFE

- ✓ Traditional working knife
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Weatherproof hardwood handle



Code	No.	mm		
2016737	0021-07	70	57	10

0038
POCKET KNIFE

- ✓ Anchor or dinghy knife for heavy-duty use
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Weatherproof hardwood handle



Code	No.	mm		
9100580	0038-08	80	86	10

0047
POCKET KNIFE

- ✓ With extremely wide blade for heavy-duty use
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Weatherproof hardwood handle



Code	No.	mm		
9100740	0047-07	70	64	10
9100900	0047-75	75	86	10
9100820	0047-08	80	98	10



Detailed information on products,
promotions and trade fairs
... www.gedore.com



0056
POCKET KNIFE

- ✓ Traditional working knife
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Plastic handle



Code	No.	mm	mm	
9101040	0056-07	70	66	10

0059 - 0067
POCKET KNIFE

- ✓ Traditional working knife
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Weatherproof hardwood handle



Code	No.	mm	mm	
9101470	0067-07	70	61	10
9101390	0065-09	90	78	10
9101120	0059-10	100	102	10


0042
CABLE KNIFE

- ✓ With wire stripper
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Weatherproof hardwood handle



Code	No.	mm	mm	
9100660	0042-09	90	76	10

0513
CABLE KNIFE

- ✓ With wire stripper
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ C70 carbon steel blade
- ✓ Weatherproof hardwood handle



Code	No.	mm	mm	
9113050	0513-09	90	80	10

0063
CABLE KNIFE

- ✓ With wire stripper
- ✓ Folding
- ✓ Universal use
- ✓ Extremely sharp
- ✓ X46Cr13 stainless steel blade
- ✓ Plastic handle



Code	No.	mm	mm	
9101200	0063-08	80	92	10

0117
WORK KNIFE

- ✓ Ideal as a packaging, boxing, warehousing or paper knife
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Beech handle



Code	No.	mm	mm	
9102520	0117-10	100	70	10
9102600	0117-12	120	80	10
9102790	0117-16	160	106	10
9102870	0117-18	180	110	10

0246
INDUSTRIAL KNIFE

- ✓ Wide blade with straight back
- ✓ Extremely sharp
- ✓ C75 carbon steel blade
- ✓ Beech handle



Code	No.	mm	mm	
9106860	0246-16	160	98	10


0291
UNIVERSAL KNIFE

- Universal use
- Extremely sharp
- C75 carbon steel blade
- Beech handle



Code	No.				
9107910	0291-06	60	175	37	10

0365
UNIVERSAL KNIFE

- Stainless steel
- Handle made from cherrywood



Code	No.				
9109290	0365-07	70	39		10

6951
SAFETY KNIFE


- Ideal for the logistics sector
- Wave-ground carbon steel blade
- Blade-shield to protect user from cuts
- Concealed safety foil blade, cuts only when the blue slider is pressed
- Polyamide handle



Code	No.		
2082411	6951-00	150	1
2082438	6951-20	40	1
2082446	6951-50	63	1
Dispenser with 10 foil blades			

SCRAPERS
0175
SCRAPER

- Stamped blade
- Fine-polished, flexible C75 carbon steel
- Glazed beech handle
- Blade width 30 - 120 mm



Code	No.	W		
9103840	0175-03	30	66	10
9103920	0175-04	40	68	10
9104060	0175-05	50	72	10
9104140	0175-06	60	80	10
9104220	0175-08	80	90	10
9104300	0175-10	100	110	10
9104490	0175-12	120	120	10

0179
SCRAPER

- Professional version
- Fully forged
- Fine-polished, flexible C50 carbon steel
- Weatherproof hardwood handle
- Handle width 30 - 120 mm



Code	No.	W		
9104570	0179-03	30	47	10
9104650	0179-04	40	63	10
9104730	0179-06	60	84	10
9104810	0179-08	80	120	10
2016745	0179-10	100	132	10
9105110	0179-12	120	144	10



CAST IRON SCREW CLAMPS for direct, secured clamping.



Tilting arrestor screw to prevent unwanted slipping or releasing of the slide bar. Setscrew adjustment.

⑥

①

Rolled hollow profile and flat profile bar with toothing on the reverse, high-bright galvanized for low-contamination working, made from hardened and tempered steel. For extreme bending strength and tensile strength.

⑤

Malleable cast iron fixed and sliding jaws. The subsequent graphitization gives the bars properties similar to tough steel.



Spindle with extra deep trapezoidal threads. Lifetime smooth motion, maximum force transmission and wear resistance.

②

③

Hand-friendly beech grip, smoothly riveted to the spindle. With plastic ferrule to prevent injury.

④

Moveable pressure plate made from top-grade forged steel with replaceable plastic pads for soft gripping.

ALL-STEEL SCREW CLAMPS for optimum force transmission.

TGM, TGB, TGP, TGE all-steel screw clamps are primarily used in steel and vehicle construction. Particularly where heavy, sturdy parts need special clamping forces and a high degree of safety is essential.

①

Profile bar with rolled profile steel fixed jaw, hot formed and hardened and tempered in one piece. Optimum stability under load.

⑥

Forged, hardened and tempered steel sliding jaw. Hollow profile and flat profile bars with toothing on the reverse, high-bright galvanized for low contamination working.

②

Hand-friendly beech grip, smoothly riveted to the spindle. With plastic ferrule to prevent injury.

⑤

Moveable pressure plate made from top-grade forged steel with replaceable plastic pads for soft gripping.

③

(3) Moveable handle, with T-handle pivot for increased application of pressure.

④

Spindle with extra deep trapezoidal threads. Lifetime smooth motion, maximum force transmission and wear resistance.

CLAMPING PLATES FOR SCREW CLAMPS

- Clamping plates for difficult edges and surfaces
- Universal size = suitable for all screw clamps
- With magnetic holder





CAST IRON SCREW CLAMPS

- Pressure plate with exchangeable protective cap
- Deep trapezoidal thread for optimum transfer of force
- Clamping arms in sturdy malleable cast iron, with torsionally-resistant H-section
- With fixing screw for fine adjustment of pressure
- With beech wood handle or tommy bar with sliding lever handle

DIS

CAST IRON SCREW CLAMP with wooden handle

- To DIN 5117
- Professional clamp for universal use
- With strong profile-section bar in special steel and rear toothing



Code	No.	mm	mm	mm	mm
1068849	DIS080016	80	160	25 x 6	0.680
1068938	DIS100020	100	200	30 x 8	1.300
1068989	DIS120025	120	250	30 x 8	1.700
1068997	DIS120030	120	300	30 x 8	1.800
1069004	DIS120040	120	400	30 x 8	2.200
1069012	DIS120050	120	500	30 x 8	2.300
1069020	DIS120060	120	600	30 x 8	2.400
1069039	DIS120080	120	800	30 x 8	2.800
1069047	DIS120100	120	1000	30 x 8	2.700
1401173	DIS120125	120	1250	35 x 11	3.200
1401181	DIS120150	120	1500	35 x 11	3.500
1401203	DIS120200	120	2000	35 x 11	4.500

DIN

CAST IRON SCREW CLAMP with wooden handle

- To DIN 5117
- Heavy-duty professional clamp for hard, everyday use
- Strong flat steel bar with rear toothing



Code	No.	mm	mm	mm	mm
1170937	DIN050100	50	100	15 x 5	0.305
1171062	DIN060120	65	120	20 x 5	0.570
1171070	DIN060200	65	200	20 x 5	0.570
1171097	DIN060300	65	300	20 x 5	0.655
1069462	DIN140030	140	300	35 x 9	2.200
1069470	DIN140040	140	400	35 x 9	2.460
1069527	DIN175040	175	400	35 x 9	2.700
1069276	DIN121050	120	500	35 x 11	3.000
1069284	DIN121060	120	600	35 x 11	3.300
1069292	DIN121080	120	800	35 x 11	3.900
1069306	DIN121100	120	1000	35 x 11	4.500
1069314	DIN121120	120	1200	35 x 11	5.110
1069322	DIN121150	120	1500	35 x 11	5.900

DISB

CAST IRON SCREW CLAMP with tommy bar

- For fast, strong clamping with sliding lever handle
- With strong profile-section bar in special steel and rear toothing



Code	No.	mm	mm	mm	mm
1069055	DISB080016	80	160	25 x 6	0.680
1069144	DISB100020	100	200	30 x 8	1.300
1069195	DISB120025	120	250	30 x 8	1.700
1069209	DISB120030	120	300	30 x 8	1.800
1069217	DISB120040	120	400	30 x 8	2.200
1069225	DISB120050	120	500	30 x 8	2.300
1069233	DISB120060	120	600	30 x 8	2.400
1069241	DISB120080	120	800	30 x 8	2.800
1069268	DISB120100	120	1000	30 x 8	3.200

DINB

CAST IRON SCREW CLAMP with tommy bar

- For fast, strong clamping with sliding lever handle
- Strong flat steel bar with rear toothing



Code	No.	mm	mm	mm	mm
1069586	DINB121050	120	500	35 x 11	3.000
1069594	DINB121060	120	600	35 x 11	3.300
1069608	DINB121080	120	800	35 x 11	3.900
1069616	DINB121100	120	1000	35 x 11	4.500
1069624	DINB121120	120	1200	35 x 11	5.110
1069764	DINB140030	140	300	35 x 9	2.200

ALL-STEEL SCREW CLAMPS

- With hollow-section bar and integral clamping arm
- In cold-drawn profile-section steel, hot-forged to shape and with optimum heat treatment guarantees torsion-free transference of the clamping force
- With forged clamping arm - fitted to slide perfectly
- Movable pressure plate with protective cap
- Deep trapezoidal thread for optimum transfer of force
- In special steel, hardened, bright zinc-plated - for good protection against corrosion and non-dirtying surface
- With beech wood handle

TGM

ALL-STEEL SCREW CLAMP with wooden handle

- The handy professional clamp for heavy-duty, flexible clamping



Code	No.	mm	mm	mm	mm
1070096	TGM080016	80	160	16 x 8	0.600
1070118	TGM100020	100	200	20 x 10	1.050
1070126	TGM121025	120	250	22 x 11	1.650
1070142	TGM122030	120	300	25 x 12	2.130
1070150	TGM122040	120	400	25 x 12	2.350
1070169	TGM122050	120	500	25 x 12	2.570
1070177	TGM122060	120	600	25 x 12	2.800
1070185	TGM124080	120	800	25 x 12	4.140
1070193	TGM124100	120	1000	25 x 12	4.730
1070207	TGM124125	120	1250	25 x 12	5.400
1070215	TGM126150	120	1500	25 x 12	7.560
1070134	TGM140030	140	300	25 x 12	2.250

TGP

ALL-STEEL SCREW CLAMP with pivot handle

- For all variable uses requiring sensitivity and force
- The variable handle position permits a sensible combination of handle and tommy bar



Code	No.	mm	mm	mm	mm
1070460	TGP121025	120	250	22 x 11	1.650
1070479	TGP122030	120	300	25 x 12	2.130
1070541	TGP140030	140	300	25 x 12	7.560
1070487	TGP122040	120	400	25 x 12	2.350
1070495	TGP122050	120	500	25 x 12	2.570
1070509	TGP122060	120	600	25 x 12	2.800
1070517	TGP124080	120	800	28 x 14	4.140
1070525	TGP124100	120	1000	28 x 14	4.730
1070533	TGP124125	120	1200	28 x 14	5.400

TGB

ALL-STEEL SCREW CLAMP with tommy bar

- For fast, strong clamping - with sliding lever handle



Code	No.	mm	mm	mm	mm
1070223	TGB080016	80	160	16 x 8	0.600
1070231	TGB100020	100	200	20 x 10	1.050
1070258	TGB121025	120	250	22 x 11	1.650
1070274	TGB122030	120	300	25 x 12	2.130
1070282	TGB122040	120	400	25 x 12	2.350
1070290	TGB122050	120	500	25 x 12	2.570
1070304	TGB122060	120	600	25 x 12	2.800
1070312	TGB124080	120	800	28 x 14	4.140
1070320	TGB124100	120	1000	28 x 14	4.730
1070339	TGB124125	120	1250	28 x 14	5.400
1070266	TGB140030	140	300	25 x 12	2.250

QUICK-ACTION LEVER CLAMPS

- With hollow-section bar and integral clamping arm
- In cold-drawn profile-section steel, hot-forged to shape and with optimum heat treatment guarantees torsion-free transference of the clamping force
- High-gloss zinc-plated - for good protection against corrosion and non-dirtying surface
- With fine tooth and pawl mechanism for careful, fast clamping action and high force transference due to lever action
- The clamping force cannot be released or reduced by vibration
- With easy-grip powder-coated handle incorporating a release lever
- The movable clamping arm has a drop-forged, torsion-resistant profile section, and a precise mechanism for providing the highest clamping pressure

TGE

QUICK-ACTION LEVER CLAMP

- For secure, high-pressure clamping, even using only one hand



Code	No.	mm	mm	mm	mm
1070347	TGE080016	80	160	16 x 8	0.950
1070355	TGE100020	100	200	20 x 10	1.350
1070363	TGE121025	120	250	22 x 11	1.930
1070398	TGE122030	120	300	25 x 12	2.600
1070401	TGE122040	120	400	25 x 12	2.830
1070428	TGE122050	120	500	25 x 12	3.000
1070436	TGE122060	120	600	25 x 12	3.300
1070444	TGE124080	120	800	28 x 14	4.600
1070452	TGE124100	120	1000	28 x 14	5.200
1070371	TGE140030	140	300	25 x 12	2.780

CLAMPING PLATES FOR SCREW CLAMPS

DP 621

CLAMPING PLATES FOR SCREW CLAMPS

- Clamping plates for difficult edges and surfaces
- Universal size = suitable for all screw clamps
- With magnetic holder



Code	No.	mm
1564714	DP 621-1	50
	Clamping plate for holding tips	
1564757	DP 621-2	100
	Clamping plate with wedge	
1564803	DP 621-3	100
	Clamping plate with cone	



WORKSHOP LAMPS

GEDORE light line electric lamps are equipped as standard with a contoured twin-pin connector as per CEE 7/17

The particular geometry of this connector allows the lamps to be used in more than 100 countries around the world

International connectors and other connector variants are available on request



ELECTRIC LAMPS LED LIGHT LINE

- Highest protection class: III
- 3.6 Volt operating voltage
- Environmentally-friendly, cadmium-free, NiMH rechargeable battery of 2 Ah 3.6 V
- 5 Volt transformer for charging included in scope of supply
- Normal charging time 4 h; Initial charge - completely discharge the battery during the first three charges; max. charging time: 24 h
- Protection against overcharging
- Flicker-free, bright light
- Independent of mains
- Full freedom of movement since there is no troublesome cable
- No risk of burns since a cold light is used
- Industrial quality
- Protective tube made of polycarbonate, also used for aircraft screens
- Protective jacket made of high quality rubber
- Practical swivelling hook for hanging up
- IP 54 complete protection from contact voltage and impurities, splash-proofed

900 01 LED

LED ELECTRIC LAMP WITH RECHARGEABLE BATTERY

- Electric lamp with 27 white LEDs
- Duration of light: 4 h
- Light intensity: 148 Lux at a measuring distance of 1 metre
- Other national standard plugs on request



Code	No.	Operating voltage	mm	mm
1816470	900 01 LED	3,6 V	290	750

900 02 LED

LED DUO ELECTRIC LAMP WITH RECHARGEABLE BATTERY

- Electric lamp with twin function, focussed as torch or widely fanned out as a worklamp
- Worklamp with 26 white LEDs (4 h duration of light)
- Torch with 9 white LEDs (10 h duration of light)
- Light intensity: 148 Lux at a measuring distance of 1 metre
- Other national standard plugs available on request



Code	No.	Operating voltage	mm	mm
1816489	900 02 LED	3,6 V	385	940

Detailed information on products, promotions and trade fairs

... www.gedore.com



CB 900

CHARGING UNIT

- For GEDORE LED electric lamps



Code	No.	mm
1816497	CB 900 01 LED	220
1893386	CB 900 02 LED	220

ELECTRIC LAMPS LIGHT LINE

- Electric lamp with ballast
- Industrial quality
- Protective tube made of polycarbonate
- Protective jacket made of high quality rubber
- Practical swivelling hook for hanging up
- Simple exchange of fluorescent tubes
- 5 metre connecting cable
- Cold light, colour temperature 650° K
- Degree of interference immunity IK 09 (resistant to impacts of up to 10 joules)
- IP 54 complete protection from contact voltage and impurities, splash-proofed

900

ELECTRIC LAMP

- Other national standard plugs on request
- With bulb
- 900 03:** Protection class II
- 900 04:** Protection class III
- 900 05:** Protection class II
- 900 09:** Protection class II




Code	No.	Power	Operating voltage	mm	mm
1816500	900 03	8 W	230 V	490	720
1816519	900 04	8 W	24 V	490	750
1816527	900 05	11 W	230 V	395	720
1816578	900 09	18 W	230 V	765	860

900

DUO ELECTRIC LAMP

- Electric lamp with twin function, focussed as torch or widely fanned out as a worklamp
- 900 06:** Protection class II
- 900 07:** Protection class III
- 900 08:** Protection class III




Code	No.	Power	Operating voltage	mm	mm
1816535	900 06	11 W	230 V	395	740
1816543	900 07	11 W	12 V	395	750
1816551	900 08	11 W	24 V	395	750

H 900

MAGNETIC HOLDER

- Firm mounting for light line lamps on any ferromagnetic ground



Code	No.	mm
1816608	H 900 2	120
1816616	H 900 3	120
1816624	H 900 4	280

900 10

ENGINE SPACE INSPECTION LAMP

- Safety class II
- Automatic fixing to bonnet supports of 110-170 cm
- Rubberised holder to protect the paintwork
- Permits undisturbed work in the engine space
- Uniform lighting of the working area



Code	No.	Power	Operating voltage	mm	mm
1816586	900 10	36 W	230 V	1377	1950



H 900 5

BONNET SUPPORT

- Extendable from 110-170 cm
- Automatic fixing to bonnet supports
- Rubberised holder to protect the paintwork



Code	No.	mm
1816632	H 900 5	790



WORKLAMPS LIGHT LINE

- Housings made from impact-proof plastic
- Impact-proof translucent polycarbonate screen, also used for aircraft screens
- Reflector made from highly-polished aluminium sheet
- Adjustable retaining hanger
- Long service life
- 5 metre connecting cable
- Degree of shock resistance: IK 10, can withstand impacts up to 20 joules
- For 36 Watt lamps: IP 54, complete protection from contact voltage and impurities, splash-proofed
- For 72 and 108 Watt lamps: IP 44, protection from contact voltage and impurities for tools and wires greater than 1 mm diameter, splash proofed

901 01 LED

LED WORKLAMP 36 W with emergency light

- 2x 18 W PL-L Philips fluorescent lamps
- Supplementary lighting in the event of mains power failures by means of 24 LEDs
- Environmentally-friendly NiMH rechargeable battery for LED operation 3.6V 2.0Ah
- On/Off switch
- After the lamp has been switched on the battery is automatically charged and the red indicator lamp (LED) lights up. In the event of a mains power failure the emergency light is automatically actuated by the LEDs. Once the mains power is available again the main lighting is switched on again automatically and the battery is charged again.
- Protection class II
- Other national standard plugs on request
- With bulb
- Dimensions: W 340 x H 230 x D 110 mm



Code	No.	Power	Operating voltage	
1816640	901 01 LED	36 W	230 V	2.3

901 02 LED

LED WORKLAMP 36 W with socket

- 67 white LEDs ensure a bright energy-saving light
- At the rear side is a 230 V safety socket with earthing contact
- Protection class I
- Other national standard plugs on request
- With bulb
- Dimensions: W 340 x H 230 x D 110 mm



Code	No.	Power	Operating voltage	
1816659	901 02 LED	36 W	230 V	2.0

901

WORKLAMP 36 W

- 2x 18 W PL-L Philips fluorescent lamps
- Luminous flux: 2900 lm
- **901 03:** Protection class II
- **901 04:** Protection class I, 230 V safety socket
- **901 05:** Protection class III
- Dimensions: W 340 x H 230 x D 110 mm

230 V

CEE
24 V

Code	No.	Power	Operating voltage	
1816667	901 03	36 W	230 V	2.5
1816675	901 04	36 W	230 V	2.5
1816683	901 05	36 W	24 V	2.6

901

WORKLAMP 72 W

- 2x 36 W PL-L Philips fluorescent lamps
- **901 06:** Protection class II
- Luminous flux: 5800 lm
- **901 07:** Protection class I
- 2x 230V safety sockets with earthing contacts
- Luminous flux: 5800 lm
- **901 08:** Protection class III
- **901 09:** Protection class III
- 2 sockets
- **901 10:** Protection class III
- Socket
- **901 11:** Protection class III
- Socket
- Dimensions: W 495 x H 285 x D 110 mm

230 V

CEE
24 V

42 V



Code	No.	Power	Operating voltage	
1816691	901 06	72 W	230 V	5.0
1816705	901 07	72 W	230 V	5.0
1816713	901 08	72 W	24 V	5.0
1816721	901 09	72 W	24 V	5.1
1816748	901 10	72 W	42 V	5.1
1816756	901 11	72 W	42 V	5.1

901

WORKLAMP 108 W

- 3x 36 W PL-L Philips fluorescent lamps
- Luminous flux 8700 lm
- **901 12:** Protection class II
- **901 13:** Protection class I
- Safety socket with earthing contact
- Dimensions: W 495 x H 285 x D 110 mm



Code	No.	Power	Operating voltage	
1816764	901 12	108 W	230 V	5.8
1816772	901 13	108 W	230 V	8.5

H 901

SCAFFOLDING HOLDER

- For attaching light line lamps to building scaffoldings



Code	No.	
1816810	H 901 1	880

ST 901

TRIPOD STANDS

- Tripod stand for light line worklamps
- Professional quality made from galvanised steel
- Safer standing by means of stable feet
- Max. height 2.5 metres
- **ST 901 1** with built-on cable holder for storing the cable during storage or transport



Code	No.	
1816780	ST 901 1	5.9
1816799	ST 901 2	5.5

R 901

WHEEL SET for large tripod ST 901 1

- Mobilises the Profi tripod stand ST 901 1
- Consisting of 3 swivel castors with brake



Code	No.	
1816802	R 901 1	400

Protection class I

All electrically conductive parts of the equipment casing are connected to the equipment grounding conductor (earthing) system of the fixed electrical installation. Mobile or portable appliances with protection class I have a plug and socket connection with an equipment grounding contact, i.e. an earthing contact. The earthing connection is designed in such a way as to ensure that it is the first connection made, when the plug is inserted into the mains socket, and the last to be disconnected in the event of a fault. The power cable must be fitted with a mechanical strain-relief device at the point of entry into the equipment. If a fault occurs, in which a live conductor comes into contact with the casing, which is connected to earth, an earth contact is normally made, triggering the fuse and cutting the live power feed.



Protection class II

Equipment rated to protection class II has greater insulation or is double insulated, and is not connected to earth. This kind of safety measure is also referred to as protective insulation. Even if such equipment has electrically conductive surfaces, the increased level of insulation ensures that these surfaces are protected from coming into contact with live parts. Mobile or portable appliances with protection class II are not equipped with an earthed plug, that is to say: a three-pin plug is still used, but the earth pin is not connected.



Protection class III

Appliances rated to protection class III work with Safely Extra Low Voltage (SELV) and therefore need no explicit protection. Safely Extra Low Voltage (SELV) lamps are lamps rated at less than 50 V AC or 120 V DC, powered by a safety transformer as per DIN VDE 0551 (EN 60742) or by rechargeable or non-rechargeable batteries.



SAFETY AT WORK

TOOL BAGS

WT 1056 1

HEAVY-DUTY BELT WITH CUSHION

- ✔ Fits waist size from 80-120 cm (32"-48")
- ✔ Strongly cushioned for maximum comfort
- ✔ Made from leather



Code	No.	L	W	
1802410	WT 1056 1	1330	145	450

WT 1056 2

UNIVERSAL POUCH

- ✔ Leather sleeve for knives
- ✔ Hammer holder with metal hooks
- ✔ Hook for tape measure



Code	No.	W	H	
1811096	WT 1056 2	290	290	340

WT 1056 3

DRILL HOLSTER

- ✔ Suitable for drill-machines and battery-drills
- ✔ With pockets for screws and bits
- ✔ Securing loop as loss-proof



Code	No.	W	H	
1818147	WT 1056 3	210	320	150

WT 1056 4

HAMMER HOLDER WITH METAL HOOKS

- ✔ Holds any claw hammer at a comfortable angle
- ✔ Enables boundless freedom of movement
- ✔ Polyester and blue suede
- ✔ Stainless tab



Code	No.	W	H	
1818155	WT 1056 4	100	160	100

WT 1056 5

THREE-POUCH BELT SET

- ✔ Fits waist size from 80-120 cm (32"-48")
- ✔ 4 holsters, 5 storage pockets and 1 eyelet for tape measure



Code	No.	W	H	
1818163	WT 1056 5	690	270	750

Deviant packing units see article description.

Detailed information on products,
promotions and trade fairs
... www.gedore.com



WT 1056 6

ELECTRICIANS' POUCH

- Generous pouch space
- 8 pockets for screwdrivers
- Extra pocket for insulation stripping knife
- Holding shackle for insulating tape



Code	No.	W	H	
1818171	WT 1056 6	240	320	500

WT 1056 8

DUO POUCH

- Leather pocket for knife
- 2 large storage pockets



Code	No.	W	H	
1818201	WT 1056 8	240	280	360

WT 1056 7

HEAVY-DUTY BELT SET

- Heavily padded belt for superior comfort when fully loaded
- Fits waist size from 80-120 cm (32"-48")
- Basic belt from leather
- All inclusive: Holster, hammer holder, 2 pockets and mobile phone holder (available separately WT 1056 7-1)



Code	No.	(mm)	
1818198	WT 1056 7	1330	1600
1963171	WT 1056 7-1		52



WT 1056 9

ROLL-COVER

- With 12 inside pockets for slim tools, e.g. combination spanners or screwdrivers
- Delivery without tools



Code	No.	W	H	
1818228	WT 1056 9	320	350	120



WT 1056 10

KNEE PADS, PAIR

- Made of strong synthetic leather with rubber
- Soft lining for comfortable kneeling
- Hook and loop fastener
- Universal size



Code	No.	
1818236	WT 1056 10	200

WT 1056 11

TOOL RUCKSACK PROFI

- Practical and ergonomic arrangement of the internal and external pockets
- Ideal for transport and storage of tools, accessories and documents
- Strong zippers
- Reinforced back, padded adjustable shoulder straps and additional practical handle on the top
- Tear-resistant polyester fabric with 3M reflective stripes, suede
- Spray-water repellent, resistant to chemical agents
- Inured to temperature changes
- The 3M reflective stripes provide high visibility and extra safety



Code	No.	W	H	D	Weight
1818244	WT 1056 11	300	400	120	2300

WT 1056 12

TOOL RUCKSACK SOFT

- Tear-resistant polyester fabric and suede
- Strong and watertight
- Practical and ergonomic arrangement of the internal and external pockets
- Ideal for transport and storage of tools, accessories and documents
- Strong zippers
- Padded adjustable shoulder straps and additional practical handle on the top
- Delivery without tools



Code	No.	W	H	D	Weight
1818252	WT 1056 12	380	410	70	1500

WT 1056 13

TOOL VEST

- Multifunctional tool vest with many pockets and holsters
- Universal size with 4 lateral buckles
- Padded pouches of different dimensions for tools and small components
- Mobile phone holder and reinforced tab to hang a hammer
- Wide back pouch
- Net insert in the back for a better transpiration
- Compartment with window for an identity card
- Tear-resistant polyester fabric with 3M reflective stripes, suede
- Spray-water repellent, resistant to chemical agents
- Inured to temperature changes
- Delivery without tools



Code	No.	W	H	Weight
1818260	WT 1056 13	480	660	1000

SAFETY AT WORK

923

SAFETY SPECTACLES

- GEDORE safety spectacles with UVEX technology as per DIN EN 166:2006
- Uncompromising safety, design and wearer comfort for continuous wear
- Optimum adjustment to the facial features by individually adjustable arms and lens tilt. Additional skin-friendly soft-component pads mould to the sensitive contact areas on the nose, ears and temple
- Scratchproof, mist-proof coated lenses with "NanoClean" effect ensure clear vision and are easy to clean
- Advantages of the different lens colours (availability depends on model):
- No. 923-1 colourless: 100% protection against UVA, UVB and UVC radiation as per DIN EN 166 and DIN EN 170
- No. 923-2 blue: 100% protection against UV radiation (UVA, UVB, UVC)
- Complies with DIN EN 172 requirements for the perception of signal colours.
- A slight bluish tint gives a very soothing effect on the human eye, aiding relaxed vision.
- Suitable for all workplaces - without colour check.
- Supplied in a black nylon bag



Code	No.	Execution	Weight	Quantity
1959468	923-1	clear	40	1
1959484	923-2	blue	40	1



Deviant packing units see article description.

924

EAR PLUGS WITH HEAD BAND

- Universal size
- Ideal for off-site and short-term deployments
- Designed for continuous noise up to 95 dB and pulsed noise up to 100 dB
- Secure-fit headband design
- The convex shape of the ear plugs allows them to be hygienically set down with no contact between the ear plugs and the rest
- Lightweight - just 8 g
- Signal yellow replacement plugs E-924, easy to fit, 5 pairs, hygienically packed



Code	No.	Size	Unit
1959646	924	80	10
1959751	E-924	20	1

921

WORK GLOVES ORIGINAL

- For heavy duty use
- Retention of feel and dexterity
- Rubber reinforced finger tips
- Adjustable Velcro fasteners on the cuffs



Code	No.	Size	Unit	Unit
1938622	921 5	XXXS/5	70	1
1938630	921 6	XXS/6	70	1
1938649	921 7	XS/7	70	1
1938657	921 8	S/8	70	1
1938665	921 9	M/9	80	1
1938673	921 10	L/10	80	1
1938681	921 11	XL/11	90	1
1938703	921 12	XXL/12	90	1
1938711	921 13	XXXL/13	90	1

WORK GLOVES

- Work gloves - for heavy-duty industrial wear
- Stage 5 classification as per EN 420/03 (scale from 0 - 5)
- Rugged imitation leather and synthetic material
- Close fitting for retention of feel and dexterity



920

WORK GLOVES FASTFIT

- For universal use
- Retention of feel and dexterity
- Kind on the skin



Code	No.	Size	Unit	Unit
1938576	920 8	S/8	70	1
1938584	920 9	M/9	70	1
1938592	920 10	L/10	80	1
1938606	920 11	XL/11	80	1
1938614	920 12	XXL/12	80	1

922

WORK GLOVES M-PACT

- For heavy duty use
- Retention of feel and dexterity
- Rubber reinforced finger tips
- Adjustable Velcro fasteners on the cuffs
- Additional knuckle protectors
- Ergonomic palm reinforcement



Code	No.	Size	Unit	Unit
1938738	922 8	S/8	80	1
1938746	922 9	M/9	80	1
1938754	922 10	L/10	80	1
1938762	922 11	XL/11	90	1
1938770	922 12	XXL/12	90	1

WORKWEAR

Material:

- 100% diagonal serge, 290 g/m²
- Extremely rugged
- Washable up to 60°, shrink-proof as per DIN EN 26330
- Active-breathing

Reinforcement:

- 100% original "Cordura" by DuPont®, with original Teflon coating by DuPont, plain weave, approx. 310 g/m², soft finish
- The production of Cordura involves re-spinning and weaving cut polyamide fibres to produce an extremely tear and wear resistant fabric
- Amongst other applications, Cordura is used in the production of protective motor cycle wear and belt materials

Textile confidence with Öko-Tex Standard 100

- Guarantees textiles that are completely safe and healthy
- Eliminates harmful substances or, where they are indispensable, reduces their use to a minimum
- Inspection by independent institutes



925

JACKET

- 2 outside Cordura side pockets (black) with press stud fasteners
- 2 breast pockets (grey) with flaps and Velcro fastening
- Sleeve pocket (grey) on the left sleeve, with adjustable sleeve band with Velcro fastener
- Elasticated waist band (blue)
- Covered buttons
- 2 golf pleats in the back (blue visible)
- 1 left inside pocket



Code	No.	Size	
1941887	925 42	42	780
1941895	925 44	44	780
1941909	925 46	46	780
1941917	925 48	48	780
1941925	925 50	50	890
1941933	925 52	52	890
1941941	925 54	54	890
1941968	925 56	56	1010
1941984	925 58	58	1010
1941992	925 60	60	1010
1942018	925 62	62	1210
1942026	925 64	64	1210
1942034	925 90	90	890
1942042	925 94	94	890
1942050	925 98	98	890
1942069	925 102	102	1010
1942077	925 106	106	1010
1942085	925 110	110	1010

926

TROUSERS

- 2 inside hanging pockets with press-stud fasteners
- 2 outside Cordura knee pockets (black)
- Pocket slits (inside blue) and pocket flaps set off with stripes (light blue)
- Double rule pocket on right, single rule pocket on left (both set off in blue)
- Left thigh pocket with flap (both grey) and stripe (light blue) and with Velcro fastener
- Elasticated waistband (cornflower blue) and inside button, together with 7 belt loops (grey)
- 2 seat pockets with flaps (both grey) and stripe (light blue)
- Left hammer loop (grey)
- Brass zipper
- Hanger (grey) sewn into waistband



Code	No.	Size	
1942093	926 42	42	740
1942107	926 44	44	740
1942115	926 46	46	740
1942123	926 48	48	740
1942131	926 50	50	850
1942158	926 52	52	850
1942166	926 54	54	850
1942174	926 56	56	980
1942182	926 58	58	980
1942190	926 60	60	980
1942204	926 62	62	1170
1942212	926 64	64	1170
1942220	926 90	90	840
1942239	926 94	94	840
1942247	926 98	98	840
1942255	926 102	102	980
1942263	926 106	106	980
1942271	926 110	110	980

927

BIB OVERALL

- 2 inside hanging pockets with press-stud fasteners
- 2 outside Cordura knee pockets (black)
- Pocket slits (inside blue) and pocket flaps set off with stripes (light blue)
- Double rule pocket on right, single rule pocket on left (both set off in blue)
- Left thigh pocket with flap (both slate grey) and stripe (light blue) and with Velcro fastener
- Elasticated, size-adjustable waistband (blue) with concealed press-stud
- 2 seat pockets with flaps (both grey) and stripe (light blue)
- Left hammer loop (grey)
- Brass zipper
- High back with crossover braces
- Elasticated braces
- Safety snap fasteners on the braces



Code	No.	Size	
1942298	927 42	42	1010
1942301	927 44	44	1010
1942328	927 46	46	1010
1942336	927 48	48	1010
1942344	927 50	50	1170
1942352	927 52	52	1170
1942360	927 54	54	1170
1942379	927 56	56	1260
1942387	927 58	58	1260
1942395	927 60	60	1260
1942409	927 62	62	1320

Code	No.	Size	
1942417	927 64	64	1320
1942425	927 90	90	1080
1942433	927 94	94	1080
1942441	927 98	98	1080
1942468	927 102	102	1230
1942476	927 106	106	1230
1942484	927 110	110	1230

928

MEN'S WORK COAT

- 2 outside Cordura side pockets (black) with press stud fasteners
- 2 breast pockets (grey) with flaps and Velcro fastening
- Sleeve pocket (grey) on the left sleeve with Velcro fastener
- Adjustable sleeve band with Velcro fastener
- Covered buttons
- Turn-down collar (grey)
- 2 golf pleats in the back (blue visible)
- 1 left inside pocket



Code	No.	Size	
1942492	928 42	42	920
1942506	928 44	44	920
1942514	928 46	46	920
1942522	928 48	48	920
1942530	928 50	50	1130
1942549	928 52	52	1130
1942557	928 54	54	1130
1942565	928 56	56	1240
1942573	928 58	58	1240
1942581	928 60	60	1240
1942603	928 62	62	1310
1942611	928 64	64	1310
1942638	928 90	90	990
1942646	928 94	94	990
1942654	928 98	98	990
1942662	928 102	102	1020
1942670	928 106	106	1020
1942689	928 110	110	1020

929

WOMEN'S WORK COAT

- 2 outside Cordura side pockets (black) with press stud fasteners
- 1 left breast pocket (grey) with flaps and Velcro fastening
- Covered buttons
- Turn-down collar (grey)
- 2 golf pleats in the back (blue visible)
- 1 left inside pocket



Code	No.	Size	
1942697	929 36	36	670
1942700	929 38	38	670
1942719	929 40	40	760
1942727	929 42	42	760
1942735	929 44	44	760
1942743	929 46	46	760
1942751	929 48	48	760
1942778	929 50	50	870
1942786	929 52	52	870
1942794	929 54	54	870

930

WORK VEST

- 2 outside Cordura side pockets (black) with press stud fasteners
- 2 breast pockets (grey) with flaps and Velcro fastening
- Elasticated waist band (blue)
- Covered buttons
- Turn-down collar (grey)
- 2 golf pleats in the back (blue visible), 1 left inside pocket



Code	No.	Size	
1942808	930 XS	XS	610
1942816	930 S	S	610
1942824	930 M	M	610
1942832	930 L	L	660
1942840	930 XL	XL	660
1942859	930 XXL	XXL	660
1942867	930 XXXL	XXXL	730
1942875	930 XXXXL	XXXXL	730

Protective workwear Size table in heights

	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70
Normal build																	
1. Height	156	160	164	168	171	174	177	180	182	184	186	188	190	192	194	196	198
2. Chest	76	80	84	88	92	96	100	104	108	112	116	120	124	128	132	136	140
3. Waist	64	68	72	76	80	84	88	92	98	102	108	114	120	126	132	138	144
4. Inside leg	71	72	73	74	76	78	79	80	81	82	83	84	85	86	87	88	
5. Front sleeve length	40	41	42	43	44	45	46	47	47,5	48	48,5	49	49	49,5	50	50,5	51
Large build																	
1. Height	170	172	174	176	178	179	180	181	182	183							
2. Chest	100	104	108	112	116	120	124	128	132	136							
3. Waist	104	110	114	120	124	130	134	138	142	148							
4. Inside leg	74	75	76	78	79	80	81	82	83	84							
5. Front sleeve length	46	47	47,5	48	48,5	49	49	49,5	49,5	50							
Slim build																	
1. Height	177	180	183	186	188	190	192	194									
2. Chest	88	92	96	100	104	108	112	116									
3. Waist	76	80	84	88	92	96	100	104									
4. Inside leg	79	80	81	82	83	84	85	86									
5. Front sleeve length	46	47	48	49	49,5	50	50,5	51									
Stocky build																	
1. Height	168	171	174	176	178	180	182										
2. Chest	96	100	104	108	112	116	120										
3. Waist	88	92	96	100	106	110	114										
4. Inside leg	74	76	77	78	79	80	81										
5. Front sleeve length	44	45	45,5	46	46,5	47	47,5										

