



Worktables

Basic worktables

'Basic' worktables are standard tables that are suitable for a broad range of tasks and environments when fitted with accessories: testing, packing, repairing, inspecting. The Basic table is guaranteed for regular use with weights up to 300 kg. This degree of robustness is achieved by using a solid table structure.

The Basic upright table is ideal for lighter use, when some additional workspace is needed. The table top has smaller dimensions but the tube frame allows for the use of different accessories.



Stepless height adjustment

The height of worktables in our Basic range can be steplessly adjusted from 650 to 900 mm, which makes these tables suitable for work while sitting or standing. Packing is a typical example of work where the worktable height must be set correctly for the height of the worker.





Basic workstation examples

This page illustrate assembled workstations that are easy to adapt for individual needs through the use of accessories on pages 30-43.



Basic worktable

Order No C 120 41 105

Incl.

qty	name	size mm	order No
1	Frame	1500 x 750	120 35 022
1	Laminate table top	1500 x 750	860 029-66



Basic workstation

Order No C 120 41 101

Incl.

qty	name	size mm	order No
1	Frame	1500 x 750	120 35 022
1	Laminate table top	1500 x 750	860 029-66
3	Upright	30 x 60 x 790	860 142-35
1	Upper shelf	1500 x 370	924 41 003
1	Lower shelf	1500 x 370	924 41 008
2	Perforated back panel	718 x 389	860 258-35
1	Fixing set uprights		852 581-35

The Basic table can be equipped with wheels!

See page 103 for wheels.



Basic upright frame with table top

Order No C 123 35 102

Incl.

qty	name	size mm	order No
1	Frame	M900 x 1850	123 35 008
1	ESD table top	1200 x 600	860 477-63
1	Bracket pair		860 139-35



Basic packaging workstation

Order No C 120 41 103

Incl.

qty	name	size mm	order No
1	Frame	1800 x 900	120 35 038
1	Laminate table top	1806 x 900	860 032-66
2	Upright	30 x 60 x 1359	860 024-35
1	Upper shelf	1806 x 370	924 41 005
3	Divider	285 x 190	010 004-35
1	Cutting unit		852 606-00
1	Support tube brackets / fixing to uprights		852 605-35
1	Support tube brackets / under table top		852 604-35
1	Fixing set uprights		852 581-35
2	Round tube packing		852 603-51



Worktables

Three easy steps to design your own Basic workstation:

1. Select the table frame: Basic worktable or Basic upright table.
2. Select a table top to suit the frame.
3. Equip with accessories from pages 30-43.



1. Basic worktable frame

table frame size W x D mm	max load kg	order No
1200 x 750	300	120 35 021
1500 x 750	300	120 35 022
1500 x 900	300	120 35 037
1800 x 750	300	120 35 023
1800 x 900	300	120 35 038

The height is steplessly adjustable from 650 to 900 mm.

The Basic table frame has module sized spacing between mounting locations for the upright tubes.

Basic upright frame

size W x H mm	max load	order No
M750 x 1500	100	123 35 005
M750 x 1850	100	123 35 006
M900 x 1500	100	123 35 007
M900 x 1850	100	123 35 008

Table top & brackets for Basic upright frame

size W x H mm	table top max load kg	order No laminate table top	order No ESD table top
1200 x 600	60	860 027-66	860 477-63
Bracket pair		860 139-35	

2. Basic extension table frame (left)

table frame size W x D mm	max load kg	order No
1000 x 750	300	122 35 020
1500 x 750	300	122 35 022
1500 x 900	300	122 35 037

3. Basic corner table frame

table frame size W x D mm	max load kg	order No
1000 x 600	300	121 35 005



Lower shelves for the Basic table

name	size W x D mm	max load kg	order No
Lower shelf	1500 x 370	50	924 41 008
Lower shelf	1806 x 370	50	924 41 009

The lower shelves include a backstop.






Table tops

size W x D mm	order No laminate table top	order No ESD table top
1000 x 600	860 026-66	860 476-63
1000 x 750	860 590-66	860 590-63
1000 x 900	860 593-66	860 593-63
1200 x 600	860 027-66	860 477-63
1200 x 750	860 554-66	860 555-63
1200 x 900	860 594-66	860 594-63
1500 x 600	860 028-66	860 478-63
1500 x 750	860 029-66	860 479-63
1500 x 900	860 031-66	860 481-63
1806 x 600	860 580-66	860 581-63
1806 x 750	860 030-66	860 480-63
1806 x 900	860 032-66	860 482-63
2000 x 600	860 591-66	860 591-63
2000 x 750	860 592-66	860 592-63
2000 x 900	860 033-66	860 483-63



Laminate table top -66

Light-grey, speckled laminate surface
Plastic edges
Thickness of 23.5 mm

Modular size

The modular (M) size refers to the distance between two upright tubes from the middle of the tube.

The modular size is used to find the appropriate accessories.

