

1 | FACTORY AND WORKSHOP EQUIPMENT, SETS OF TOOLS

TOOL TROLLEYS, WORKBENCHES AND ACCESSORIES

→ PAGE 4

CONVERTA AND ACCESSORIES

→ PAGE 15

TOOL BOXES, TOOL CASES AND ACCESSORIES

→ PAGE 17

SETS OF TOOLS

→ PAGE 25

SALES AIDS AND ACCESSORIES

→ PAGE 72



1

More than just standard. Tool Trolley No 90.



Tool Trolley No 90 is the perfect, mobile storage system for your tools. Key features are the resilient worktop made of ABS plastic and drawers mounted in full-extension runners. The overall design and paint finish in RAL 7016 blend in harmoniously in any production or workshop environment.



	300 kg
	25 kg
	●●○
	100%
	912 mm

1

Particularly tough, oil and Skydrol resistant worktop made of ABS with compartments for small components.

2

Two-stage safety logic:

- Central locking with a cylinder lock and fold-down key.
- Individual locks prevent inadvertent opening in transit.

3

Sturdy push-bar.

4

Six locking, easily removable drawers mounted in full-extension runners. Can be enhanced with STAHLWILLE Standard and TCS inlays.

5

Oil and acid resistant wheels (Ø 100 mm) with one parking brake.


Robust. Compact. Safe.

Tool Trolley No 95.

1



Model 95 provides even greater security and durability. The stainless steel handle with reinforced connections to the main body and wrap-around bumpers make it extremely robust. A further feature is the three-stage safety logic with central and individual locking together with a topple-proof mechanism to ensure maximum safety.



1

Three-stage safety logic:

- Central locking with a lateral cylinder lock and fold-down key.
- Individual locks prevent inadvertent opening in transit.
- Topple-proof – it is not possible to pull out more than one drawer at a time.

2

Impact protection strips with wrap-around bumper.

3

Easily removable drawers mounted in full extension rails with bearing cage guidance.

4

Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.

5

Oil and acid resistant wheels (Ø 125 mm) with two parking brakes. Carpet protection prevents the ingress of dirt and threads into the bearings.

Individual needs

Five colour shades and options for 6, 7 or 8 drawers are available for Tool Trolleys 95, 95VA and 98VA.



1

Good is now better. Tool Trolley 95VA.



Using Model 95 as a starting point, we have enhanced many aspects of the design to produce Tool Trolley 95 VA. The worktop and lower protective base strip made of stainless steel are particularly durable and resistant to scratching. Being able to label the drawers also makes it that much easier to locate tools quickly.




1



2



3



1

Wear and scratch-resistant worktop and ribbed protective base strip made of stainless steel.

2

Stainless steel handle with reinforced connection to body.

3

Drawers can be identified with several stickers per drawer (sheet of stickers included in delivery).



Professional tidiness

With capacities of approx. 9 l (AB 95) and 14 l (AB 98) respectively, these convenient containers provide ample room for waste. Optional for Models 95, 95 VA (AB 95) and 98 VA (AB 98).



The definitive version.

Tool Trolley No 98VA.

1




If you need a larger worktop and more space for storing tools and parts, the 98 VA trolley will fit the bill. With twice the drawer capacity compared with Models 95 & 95 VA, and a much more generous worktop made of stainless steel, this model provides plenty of room. The TCS compatible drawers are particularly high-grade and can take loads of up to 40 kg each.



Drawer sizes



90, 95 and 95VA



98VA

1

In comparison with Models 90, 95 and 95 VA, this model offers 100% more drawer volume.

2

Drawer loads of up to 40 kg, static load capacity of 1400 kg.

3

All feature of Model 95 VA are included.

4

Five standard colour shades allow the trolleys to be individually adapted to your workshop or production needs (Models 95, 95 VA and 98 VA).



Everything within reach.

Spray-can holders SDH 95 and 98 ensure rapid access to spray cans and screwdrivers.


Model SDH 95 for 95, 95 VA: 4 spray cans, 5 screwdrivers.

Model SDH 98 for 98 VA: 6 spray-cans and 7 screwdrivers.

Ready for anything. Mobile Workbench WB620



STAHLWILLE's Mobile Workbench WB620 – state-of-the-art, sturdy and versatile, based on the highly successful Tool Trolley 95VA. The working height of 103 cm is ideal for professional work, the worktop is generously dimensioned and the unit is equipped with seven fully extendible drawers. The three-stage safety concept protects against unauthorised removal of tools and prevents toppling since only one drawer can be opened at any time.



1

Secure – the drawer central locking system and the lock on the cabinet section – all using the same keys – prevent unauthorised tool removal.

2

Ergonomic – the worktop (115 x 50 cm) made of sturdy multiplex withstands even tough use and the working height of 103 cm is ideal for strain-free working.

3

Well thought-out – seven removable drawers mounted in full extension rails with bearing cage guidance and integrated topple-proof mechanism.

4

Generous – seven drawers and the spacious cabinet section provide plenty of storage space. A nice touch: the shelves in the cabinet section are adjustable in 5-cm steps. Additional shelves available on request.

5

High-grade – the sturdy construction and such sophisticated features as the protective base strip made of stainless steel ensure the legendary durability STAHLWILLE is famous for. Made in Germany.


6

Versatile – Perforated grid for attaching bulky tools and accessories (compatible with Tool Trolley 95). Integrated as standard: the paper-roll holder.

Tool trolleys, Tool boxes, Workbenches and accessories

90/6A Tool trolley

- 6 locking, easily removable drawers mounted in full-extension runners.
- Two-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
- Sturdy push-bar.
- Particularly tough, oil and Skydrol resistant worktop made of ABS with compartments for small components.
- Oil and acid resistant wheels (Ø 100 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with one parking brake.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see page 42-71).



Code	Colour	Δ kg
81 20 0000	charcoal grey, RAL 7016	53.2

SCH 90 Drawers



Code	size	Dimensions mm	for No	Δ kg
81 49 00 80	80SI	530 x 350 x 80	90/6A	2.95
81 49 01 20	120SI	530 x 350 x 120	90/6A	3.55
81 49 01 65	165SI	530 x 350 x 165	90/6A	4.5

R 90 Set of wheels


Set consists of 2 fixed wheels and 2 pivoting, 100 mm Ø.
1 wheel with locking brake.



Code	for No	Δ kg
81 49 0000	90/6A	2.75

95/6 Tool trolleys TTS

- 6 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit
 - Topple-proof - it is not possible to pull out more than one drawer at a time.
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Particularly tough, oil and Skydrol resistant worktop made of ABS with compartments for small components.
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42-71).



	STAHLWILLE green		RAL 2703035		RAL 9010
	RAL 3020		RAL 7016		

Code	No	Colour	Δ kg
81 20 00 10	95/6G	green	65.5
81 20 00 11	95/6R	red, RAL 3020	65.5
81 20 00 12	95/6B	blue, RAL 2703035	65.5
81 20 00 13	95/6A	charcoal grey, RAL 7016	65.5
81 20 00 14	95/6W	white, RAL 9010	65.5


SCH 95 Drawers



Code	size	Dimensions mm	for No	Δ kg
81 49 10 80	80SI	530 x 350 x 80	WB620; 95/6; 95/7; 95/8	2.8
81 49 11 20	120SI	530 x 350 x 120	WB620; 95/6; 95/7	3.05
81 49 11 60	160SI	530 x 350 x 160	WB620; 95/6; 95/7; 95/8	4.05

95/7 Tool trolleys TTS

- 7 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Particularly tough, oil and Skydrol resistant worktop made of ABS with compartments for small components.
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).




■ STAHLWILLE green
■ RAL 3020
■ RAL 2703035
■ RAL 7016
 RAL 9010

Code	No	Colour	⚖ kg
81 20 00 15	95/7G	green	69,5
81 20 00 16	95/7R	red, RAL 3020	69,5
81 20 00 17	95/7B	blue, RAL 2703035	69,5
81 20 00 18	95/7A	charcoal grey, RAL 7016	69,5
81 20 00 19	95/7W	white, RAL 9010	69,5

95/8 Tool trolleys TTS

- 8 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Particularly tough, oil and Skydrol resistant worktop made of ABS with compartments for small components.
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).



■ STAHLWILLE green
■ RAL 3020
■ RAL 2703035
■ RAL 7016
 RAL 9010

Code	No	Colour	⚖ kg
81 20 00 20	95/8G	green	74
81 20 00 21	95/8R	red, RAL 3020	74
81 20 00 22	95/8B	blue, RAL 2703035	74
81 20 00 23	95/8A	charcoal grey, RAL 7016	74
81 20 00 24	95/8W	white, RAL 9010	74

R 95 Set of wheels

Set consists of 2 fixed wheels and 2 pivoting, 125 mm Ø.
2 wheels with locking brake.



Code	for No	⚖ kg
81 49 00 01	WB620; 95; 95VA	3,9

913/4 Cover

Oil and Skydrol resistant.



Code	for No	mm	⚖ g
81 49 00 04	95	565 x 490 x 23	1250

910 Non-slip mat GRIPMAT


protects the tools,
prevents them sliding and rattling.



Code	Length mm	Width mm	⚖ g
89 01 00 03	3800	370	680

95VA/6 Tool trolleys TTS

- 6 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Drawers can be identified with multiple stickers per drawer (sheet of stickers included in delivery).
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Wear and scratch-resistant worktop and ribbed protective base strip in stainless steel.
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).



	STAHLWILLE green		RAL 2703035		RAL 9010
	RAL 3020		RAL 7016		

Code	No	Colour	⚖ kg
81 20 00 55	95VA/6G	green	68.5
81 20 00 56	95VA/6R	red. RAL 3020	68.5
81 20 00 57	95VA/6B	blue. RAL 2703035	68.5
81 20 00 58	95VA/6A	charcoal grey. RAL 7016	68.5
81 20 00 59	95VA/6W	white. RAL 9010	68.5


SCH 95VA Drawers



Code	size	Dimensions mm	for No	⚖ kg
81 49 30 80	80SI	530 x 350 x 80	95VA/6; 95VA/7; 95VA/8	2.9
81 49 31 20	120SI	530 x 350 x 120	95VA/6; 95VA/7	3.25
81 49 31 60	160SI	530 x 350 x 160	95VA/6; 95VA/7; 95VA/8	4.35

95VA/7 Tool trolleys TTS

- 7 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Drawers can be identified with multiple stickers per drawer (sheet of stickers included in delivery).
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Wear and scratch-resistant worktop and ribbed protective base strip in stainless steel.
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).



	STAHLWILLE green		RAL 2703035		RAL 9010
	RAL 3020		RAL 7016		

Code	No	Colour	⚖ kg
81 20 00 60	95VA/7G	green	72.5
81 20 00 61	95VA/7R	red. RAL 3020	72.5
81 20 00 62	95VA/7B	blue. RAL 2703035	72.5
81 20 00 63	95VA/7A	charcoal grey. RAL 7016	72.5
81 20 00 64	95VA/7W	white. RAL 9010	72.5

SDH 95 Spray-can holder


for 4 spray-cans and
5 screwdrivers.



Code	for No	⚖ kg
81 49 00 03	WB620; 95; 95VA	1.5

95VA/8 Tool trolleys TTS

- 8 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Drawers can be identified with multiple stickers per drawer (sheet of stickers included in delivery).
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Wear and scratch-resistant worktop and ribbed protective base strip in stainless steel.
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).




STAHlwILLE green	RAL 2703035	RAL 9010
RAL 3020	RAL 7016	

Code	No	Colour	kg
81 20 00 65	95VA/8G	green	77
81 20 00 66	95VA/8R	red, RAL 3020	77
81 20 00 67	95VA/8B	blue, RAL 2703035	77
81 20 00 68	95VA/8A	charcoal grey, RAL 7016	77
81 20 00 69	95VA/8W	white, RAL 9010	77

98VA/6 Tool trolleys TTS

- In comparison with the 90, 95 and 95VA models, this model offers 100% more drawer volume.**
- 6 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Drawers can be identified with multiple stickers per drawer (sheet of stickers included in delivery).
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Wear and scratch-resistant worktop and ribbed protective base strip in stainless steel.
- Oil and acid resistant ball-bearing mounted low-friction wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).



STAHlwILLE green	RAL 2703035	RAL 9010
RAL 3020	RAL 7016	

Code	No	Colour	kg
81 20 00 99	98VA/6G	green	98
81 20 01 00	98VA/6R	red, RAL 3020	98
81 20 01 01	98VA/6B	blue, RAL 2703035	98
81 20 01 02	98VA/6A	charcoal grey, RAL 7016	98
81 20 01 03	98VA/6W	white, RAL 9010	98

AB 95 Rubbish bin

Capacity approx. 9 l.



Code	for No	mm	kg
89010052	WB620; 95, 95VA	302 x 133 x 320	2.1


SCH 98VA Drawers



Code	size	Dimensions mm	for No	kg
81 49 20 80	80SI	700 x 530 x 80	98VA/6; 98VA/7; 98VA/8	5.0
81 49 21 20	120SI	700 x 530 x 120	98VA/6; 98VA/7	6.0
81 49 21 60	160SI	700 x 530 x 160	98VA/6; 98VA/7; 98VA/8	6.5

98VA/7 Tool trolleys TTS

- In comparison with the 90, 95 and 95VA models, this model offers **100% more drawer volume**.
- 7 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Drawers can be identified with multiple stickers per drawer (sheet of stickers included in delivery).
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Wear and scratch-resistant worktop and ribbed protective base strip in stainless steel.
- Oil and acid resistant ball-bearing mounted low-friction wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).



■ STAHLWILLE green ■ RAL 2703035 RAL 9010
■ RAL 3020 ■ RAL 7016

Code	No	Colour	Δ kg
81 20 01 04	98VA/7G	green	100
81 20 01 05	98VA/7R	red, RAL 3020	100
81 20 01 06	98VA/7B	blue, RAL 2703035	100
81 20 01 07	98VA/7A	charcoal grey, RAL 7016	100
81 20 01 08	98VA/7W	white, RAL 9010	100

R 98 Set of wheels


Set consists of 2 fixed and 2 pivoting ball-bearing mounted low-friction wheels, 125 mm Ø.
2 wheels with locking brake.



Code	for No	Δ kg
81 49 00 05	WB620, 95, 95VA, 98VA	4.2

98VA/8 Tool trolleys TTS

- In comparison with the 90, 95 and 95VA models, this model offers **100% more drawer volume**.
- 8 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
 - Topple-proof – it is not possible to pull out more than one drawer at a time.
- Drawers can be identified with multiple stickers per drawer (sheet of stickers included in delivery).
- Stainless steel handle with reinforced connection to body.
- Impact protection strips with wrap-around bumper.
- Wear and scratch-resistant worktop and ribbed protective base strip in stainless steel.
- Oil and acid resistant ball-bearing mounted low-friction wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Paper-roll holder.
- 5 Standard colour shades, drawers in two colours (silver with black full-width handle).
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42–71).



■ STAHLWILLE green ■ RAL 2703035 RAL 9010
■ RAL 3020 ■ RAL 7016

Code	No	Colour	Δ kg
81 20 01 09	98VA/8G	green	102
81 20 01 10	98VA/8R	red, RAL 3020	102
81 20 01 11	98VA/8B	blue, RAL 2703035	102
81 20 01 12	98VA/8A	charcoal grey, RAL 7016	102
81 20 01 13	98VA/8W	white, RAL 9010	102

AB 98 Rubbish bin

Capacity approx. 14 l.



Code	for No	mm	Δ kg
89 01 00 53	98VA	456 x 150 x 370	3

Factory and workshop equipment, sets of tools

1

R 95/98S Set of wheels

consists of:
4 ball-bearing mounted,
smooth-running swivelling castors
(Ø 125 mm),
2 with parking brakes,
2 with directional locks.



Code	for No	Δ kg
89 48 00 03	WB620; 95; 95VA; 98VA	5

SDH 98 Spray-can holder


for 6 spray-cans and 7 screwdrivers.



Code	for No	Δ kg
89 01 00 49	98VA	1.9

912 Empty tray for small components

with compartments for small parts
such as screws, nuts etc.
Oil and Skydrol resistant.
8 compartments each 60 x 80 mm or
80 x 80 mm,
2 compartments each 100 x 165 mm or
50 x 330 mm.



Code	for No	mm	Δ g
83 81 20 70	WB620; 95; 95VA; 98; 920; 922N	520 x 340 x 30	330

VE 50-150 Drawer separators

allow you to divide up the drawer
the way you need it.
Consisting of: one each galvanised
steel front and back piece and three
separators.



Code	for No	mm	Δ kg
81 48 40 01	WB620; 90/6A; 95; 95VA; 98VA; 920; 922N	530 x 350 x 40	0.8

KH 91 Cable holder

for storing cable and hoses.



Code	for No	mm	Δ kg
89 01 00 40	WB620; 95; 95VA; 98VA	200 x 153 x 170	0.86


913/95, 913/98 Multiplex beechwood worktop



Code	No	for No	mm	Δ kg
89 01 00 31	913/95	95VA	563 x 415 x 15	2.8
89 01 00 32	913/98	98VA	741 x 570 x 15	4.8

WB620 Mobile workbench

- 7 easily removable drawers mounted in full extension rails with bearing cage guidance.
- Three-stage safety logic:
 - Central locking with a cylinder lock and fold-down key.
 - Individual locks prevent inadvertent opening in transit.
 - Topple-proof - it is not possible to pull out more than one drawer at a time.
- Large worktop with multiplex beechwood worktop, 1150 x 500 mm.
- Ribbed protective base strip made of stainless steel.
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.
- Roomy storage area with an adjustable shelf in the cabinet
- Paper-roll holder.
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be combined with accessories range for Tool Trolley 95.
- Can be enhanced with STAHLWILLE Standard and TCS inlays (see pages 42-71).



Code	Colour	Δ kg
85 01 06 20	charcoal grey, RAL 7016	87.0

WB620 FB Compartment shelf


Additional shelf for Mobile
Workbench WB620



Code	Colour	mm	Δ kg
85 11 06 20	silver, RAL 9006	452 x 394 x 8	1.36

96/3 Mobile workbench


with chassis and retractable tool panel. 5 ball-bearing mounted steel
drawers with slotted liners for partitioning drawers.
Aluminium handle. Automatic catches on all drawers prevent them
opening in transit. Lockup cabinet with height-adjustable shelf.
Worktop is 50 mm thick, warp- and water resistant, multilayer bonded
beech wood with clear varnish finish.
Front edge has hardwood edging strip.



Code	Δ kg
85 03 00 03	166.5

920 Magazine case


with 5 drawers and 5 magazines. **Converts to tool trolley with undercarriage No R 920.** Features two removable spray can holders on the end pieces of the case and two integrated lifting handles. Drawers for mounting magazines are removable and lockable in fully extended position. The magazines can be replaced with standard drawers. The worktop of the case is fitted with an oil and Skydrol resistant plastic mat with compartments for small components.



Code	Colour	Can be combined with No	Δ kg
81 48 00 00	red RAL 3020	920; 922N	53.6

922N Wheely box with drawers

With 4 wheels Ø 125 mm (2 pivoting castors, one wheel with parking brake). With 5 silver-coloured drawers (sizes: 4 drawers 60 mm high, 1 x 80 mm). Drawers are removable and lockable in fully extended position. The worktop of the case is fitted with an oil and Skydrol resistant plastic mat with compartments for small components. Spray can holders No SDH 921 can be retrofitted to the sides (please order separately).



Code	Colour	Can be combined with No	Δ kg
96 48 00 02	red RAL 3020	920	39.5

Accessories CONVERTA

SCH 60-80 Drawers

coated with environmentally friendly silver-coloured textured powder-coat.



Code	No	Dimensions mm	Can be combined with No	Δ kg
81 48 20 60	SCH 60	530 x 350 x 60	922N	2.4
81 48 20 80	SCH 80	530 x 350 x 80	920; 922N	2.8

913 Cover

Oil and Skydrol resistant.



Code	for No	mm	Δ g
89 01 00 11	920; 922N	680 x 450 x 20	936

920 C-SCH Magazine drawer

Coated with environmentally friendly silver-coloured textured powder-coat. For mounting tool magazines No 920 C.



Code	Δ kg
81 48 10 00	2.64

920 C Tool magazines

Coated with environmentally friendly silver-coloured textured powder-coat. For use with magazine drawers No 920 C-SCH



Code	No	Dimensions mm	Can be combined with No	Δ kg
81 48 10 60	920 C 60	530 x 350 x 48	920; 922N	3.2
81 48 10 80	920 C 80	530 x 350 x 68	920; 922N	3.3

R 920 Set of wheels

Set consists of 2 fixed wheels and 2 pivoting, 125 mm Ø.
2 wheels with locking brake.



Code	for No	Δ kg
89 48 00 01	920; 922N	4.3

SDH 921 Spray can and paper roll holder



coated with environmentally friendly silver-coloured textured powder-coat.



Code	for No	Δ kg
81 48 30 01	920; 922N	0.35

Accessories Tool Trolley, Tool Box and Mobile Workbench


1

		No 90/6A	No 95/6	No 95/7	No 95/8	No 95VA/6	No 95VA/7	No 95VA/8	No 98VA/6	No 98VA/7	No 98VA/8	No 920	No 922N	No WB620
	Drawers													
	SCH 90-80SI	•												
	SCH 90-120SI	•												
	SCH 90-165SI	•												
	SCH 95-80SI		•	•	•									•
	SCH 95-120SI		•	•										•
	SCH 95-160SI		•	•	•									•
	SCH 95VA-80SI					•	•	•						
	SCH 95VA-120SI					•	•							
	SCH 95VA-160SI					•	•	•						
	SCH 98VA-80SI								•	•	•			
	SCH 98VA-120SI								•	•	•			
	SCH 98VA-160SI								•	•	•			
	SCH 60											•	•	
	SCH 80											•	•	
	Drawers separators													
	VE 50-150	•	•	•	•	•	•	•	•	•	•	•	•	•
	Magazine drawer													
	920C-SCH											•	•	
	Tool magazines													
	920 C 60											•	•	
	920 C 80											•	•	
	920 C 120													
	Empty tray for small components													
	912		•	•	•	•	•	•	•	•	•	•	•	•
	Worktops													
	913											•	•	
	913/4		•	•	•									
	Wooden worktops													
	913/95					•	•	•						
	913/98								•	•	•			
	Cable holder													
	KH 91		•	•	•	•	•	•	•	•	•			•
	Spray can holders													
	SDH 95		•	•	•	•	•	•						•
	SDH 98								•	•	•			
	SDH 921											•	•	
	Rubbish bins													
	AB 95		•	•	•	•	•	•						•
	AB 98								•	•	•			
	Sets of wheels													
	R90	•												
	R95		•	•	•	•	•	•						•
	R98		•	•	•	•	•	•	•	•	•			•
	R95/98S		•	•	•	•	•	•	•	•	•			•
	R920											•	•	

Tool boxes

13217 Tool trolleys

- Extremely sturdy, tool trolley resilient to loads and made of polypropylene for professional use.
- 5 easily removed lockable drawers with transparent covers, with endstops for the extendible rails, 3 different drawer heights.
- Drawers can be inserted in any order.
- With one top cover and one front cover, both folding.
- The top cover is fitted with napped foam to hold tools firmly in place.
- One removable tray with 2 handles and 2 transparent drawer covers under the top cover.
- Drawers can be used as separate tool boxes using the transparent cover.
- Tool case and drawers can be individually marked.
- 2 smooth-running twin castors on the telescopic-handle side
- Adaptable for vertical transport using 4 castors, R 13217 Set of castors (please order separately).
- Extendible telescopic handle facilitates transport.
- 2 carrying handles at the sides.
- Resistant to Skydrol, acetone, petrol and hydraulic fluids.
- Carrying capacity 60 kg.
- 3 locking positions with padlock.
- Also available as IP67 version (6 drawers, 4 x 30 mm, 2 x 60 mm). Additional catches and seals protect against water and dust. Special valve for pressure relief.**
- Also available with all-round high-visibility reflecting surface (5 drawers, 2 x 30 mm, 3 x 60 mm), for increased safety when working in dark surroundings.**
- Individually tailored trolleys are available on request**



13217 TS IP67



13217 TS RF



Delivery without tools



luminous yellow

luminous red

jet black

Code	No	Colour	kg
8109 1301	13217 LGE	luminous yellow	15
8109 1304	13217 LR	luminous red	15
8109 1306	13217 TS	jet black	15
8109 1322	13217 TS IP67 NEW	jet black	15
96 89 48 09	13217 TS RF NEW	jet black (with reflecting film)	15

Factory and workshop equipment, sets of tools

805/4 WT TCS Tool set for Tool Trolley No 13217




89 Tools, in TCS inlays (Tool Control System see page 53).
Additional sets of tools with Tool Trolley No 13217 on pages 34, 37, 39, 40.

Code	kg
97 84 28 03	9.2



96 83 43 15



96 83 43 16



96 83 43 17



96 83 43 18

	No 13	sizes 6; 7; 8; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 22; 24 mm
	No 17	sizes 8; 10; 13; 17; 19 mm
	No 40	1/4" sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
	No 400	1/4" 150 mm
	No 405/2	1/4" 54 mm
	No 405/6	1/4" 150 mm
	No 407	1/4" 38 mm
	No 412	1/4"
	No 415	1/4"
	No 52	1/2" sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
	No 509/3	1/2" 75 mm
	No 509/5	1/2" 130 mm
	No 509/10	1/2" 255 mm
	No 510	1/2" 71 mm
	No 512	1/2"
	No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm)
	No 4628	size 1 (0.4 x 2.5 x 60 mm)
	No 4630	sizes 1; 2; 3
	No 4734	size 2
	No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
	No 10771/8	sizes T9; T10; T15; T20; T25; T27; T30; T40



No 65 01 5 180



No 65 29 5 200



No 65 51 6 240



No 66 02 5 160

R 13217 Set of wheels

optional extra castors allowing upright travel on four wheels, consists of: 4 swivelling castors, 2 of which with parking brakes.



Code	for No	kg
96 89 48 05	13217	0.63

13217 TA Transparent cover

The cover is fitted to the top lid and provides additional storage space, e.g. for documents.
Delivery includes fixing materials.



Code	for No	kg
89 01 01 00	13217	0.63

TR-SCH Drawers

for Tool Trolley No 13217, black



Code	size	Dimensions mm	kg
81 48 32 30	30 SC	467.5 x 255 x 30	0.56
81 48 32 60	60 SC	467.5 x 255 x 60	0.78
81 48 32 95	95 SC	467.5 x 255 x 95	0.9



806/6 WT TCS Tool set for Tool Trolley No 13217



104 Tools, in TCS inlays (Tool Control System see page 53).

Additional sets of tools with Tool Trolley No 13217 on pages 34, 37, 39, 40.

Code	kg
97 83 02 07	14.2



96 83 00 94



96 83 00 95




96 83 00 96




96 83 00 97



96 83 00 98



96 83 00 99

	No 10	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 24 x 27; 30 x 32 mm
	No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm
	No 17	sizes 8; 10; 13; 17; 19 mm
	No 40	1/4"  sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 400	1/4"  150 mm
	No 404	1/4"  116 mm
	No 405/2	1/4"  54 mm
	No 405/6	1/4"  150 mm
	No 407	1/4"  38 mm
	No 412	1/4"  
	No 415	1/4" 
	No 10760CV	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10; 12 mm
	No 52	1/2"  sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
	No 506	1/2"  300 mm
	No 509/2	1/2"  52 mm

	No 509/5	1/2"  130 mm
	No 509/10	1/2"  255 mm
	No 510	1/2"  71 mm
	No 512	1/2" 
	No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm)
	No 4630	sizes 1; 2; 3
	No 65 01 5 180	
	No 65 29 5 200	
	No 65 43 4 002	
	No 65 45 4 002	
	No 65 51 6 240	
	No 65 64 2 250	
	No 66 02 5 160	
	No 102	175 mm
	No 108	150 x 6; 175 x 6 mm
	No 109	size 6; 100 x 3.4 mm
	No 10956	Ø 35 mm
	No 10960	500 g

TCS inlays for Tool Trolley No 13217

TCS WT 10/10, 6-32 mm



for the drawers of Tool Trolley No 13217, 460 x 250 x 30 mm, 10 pieces




Code	g
96 83 01 20	1550

	No 10	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 20 x 22; 24 x 27; 30 x 32 mm
---	--------------	---

TCS WT 10a/9



for the drawers of Tool Trolley No 13217, 460 x 250 x 30 mm, 9 pieces



Code	g
96 83 01 24	1600

	No 10a	sizes 1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16; 19/32 x 11/16; 5/8 x 3/4; 3/4 x 7/8; 25/32 x 13/16; 15/16 x 1; 1 1/8 x 1 5/16"
---	---------------	--

TCS WT 13/18, 6-24 mm



for the drawers of Tool Trolley
No 13217, 460 x 250 x 60 mm,
18 pieces



Code	ΔΔ g
96830121	1880
No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm

TCS WT 13a/22



for the drawers of Tool Trolley
No 13217, 460 x 250 x 60 mm,
22 pieces



Code	ΔΔ g
96830125	2440
No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16"

TCS WT 17/12



for the drawers of Tool Trolley
No 13217, 460 x 250 x 30 mm,
12 pieces




Code	ΔΔ g
96830128	1490
No 17	sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm

TCS WT 240/10



for the drawers of Tool Trolley
No 13217, 460 x 250 x 30 mm,
10 pieces



Code	ΔΔ g
96830130	2005
No 240	sizes 8; 10; 11; 12; 13; 14; 16; 17; 18; 19 mm

TCS WT 40/4008/10/9



for the removable tray of
Tool Trolley No 13217, cannot be
combined with transparent cover
13217 TA, 460 x 250 x 30 mm,
39 pieces




Code	ΔΔ g
96830132	1120
No 40	1/4" ○ sizes 4; 4.5; 5; 6; 7; 8; 10; 11; 12; 13 mm
No 405QR/2	1/4" ■ ○ 54 mm
No 405QR/6	1/4" ■ ○ 150 mm
No 407QR	1/4" ■ ○ 38 mm
No 412	1/4" ○ ○
No 415QR N	1/4" ■
No 1204/21-1	4 x ⊕; 4 x ⊕; 9 x ⊕; 3 x ○
No 3115/1	1/4" ■ ●
No 4008	sizes 1; 2

TCS WT 40/45/46/37/14



for the removable tray of
Tool Trolley No 13217, cannot be
combined with transparent cover
13217 TA, 455 x 240 x 30 mm,
51 pieces




Code	ΔΔ g
96830123	2500
No 40aD	1/4" ○ sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
No 402a	1/4" ○ sizes 1/4; 5/16; 3/8; 7/16; 1/2"
No 40aDL	3/8" ○ sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
No 45a	3/8" ○ sizes 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 15/16; 1"
No 46a	3/8" ○ sizes 5/8; 11/16; 3/4; 7/8"
No 405QR/2	1/4" ■ ○ 54 mm
No 405QR/6	1/4" ■ ○ 150 mm
No 407QR	1/4" ■ ○ 38 mm
No 409M	3/8" ■ 1/4" ○
No 415QR N	1/4" ■
No 415SGB N	1/4" ○
No 412	1/4" ○ ○
No 427QR/3	3/8" ■ ○ 76 mm
No 427QR/10	3/8" ■ ○ 240 mm
No 428QR	3/8" ■ ○ 46 mm
No 431	1/4" ■ 3/8" ○
No 432M	1/2" ■ 3/8" ○
No 435QR N	3/8" ■
No 443	5/16" ○ 3/8" ○

TCS WT 40/52/27/13

TCS

for the removable tray of Tool Trolley No 13217, cannot be combined with transparent cover 13217 TA, 455 x 240 x 30 mm, 40 pieces



Code		Δ g
96830117		4000
	No 40	1/4" ○ sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 52	1/2" ○ sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
	No 400	1/4" ■ 150 mm
	No 404	1/4" ■ 116 mm
	No 405/2	1/4" ■ ○ 54 mm
	No 405/6	1/4" ■ ○ 150 mm
	No 407	1/4" ■ ○ 38 mm
	No 412	1/4" ○ ○
	No 415QR N	1/4" ■
	No 506	1/2" ■ 300 mm
	No 509/2	1/2" ■ 52 mm
	No 509/5	1/2" ■ ○ 130 mm
	No 509/10	1/2" ■ ○ 255 mm
	No 510	1/2" ■ ○ 71 mm
	No 512QR N	1/2" ■

TCS WT 4622-4650

TCS

for the drawers of Tool Trolley No 13217, 460 x 250 x 60 mm, 20 pieces



Code		Δ g
96830122		1500
	No 4622SK	size 1 (0.8 x 4.0 x 90 mm) size 2 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 6.5 x 125 mm)
	No 4632SK	sizes 1; 2; 3
	No 4650	sizes T10; T15; T20; T25; T30
	No 10767H/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

TCS WT 4622-4650-1

TCS

for the drawers of Tool Trolley No 13217, 460 x 250 x 60 mm, 24 pieces



Code		Δ g
96830126		1610
	No 4622SK	size 1 (0.8 x 4.0 x 90 mm) size 2 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 6.5 x 125 mm)
	No 4632SK	sizes 1; 2; 3
	No 4650	sizes T10; T15; T20; T25; T30
	No 10767a/13	sizes 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"

TCS WT 4650-4665-1

TCS

for the drawers of Tool Trolley No 13217, 460 x 250 x 60 mm, 20 pieces



Code		Δ g
96830129		1320
	No 4650	sizes T10; T15; T20; T25; T30
	No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm) size 3 (0.6 x 3.5 x 100 mm) size 5 (1.0 x 5.5 x 125 mm)
	No 4665 VDE	sizes 1; 2; 3
	No 10767H/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

TCS WT 4650-4665

TCS

for the drawers of Tool Trolley No 13217, 460 x 250 x 60 mm, 24 pieces



Code		Δ g
96830127		1400
	No 4650	sizes T10; T15; T20; T25; T30
	No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm) size 3 (0.6 x 3.5 x 100 mm) size 5 (1.0 x 5.5 x 125 mm)
	No 4665 VDE	sizes 1; 2; 3
	No 10767a/13	sizes 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"

Factory and workshop equipment, sets of tools

1

TCS WT 6501-6602/7



for the drawers of Tool Trolley
No 13217, 460 x 250 x 30 mm,
7 pieces

Code	g
96 8301 18	1880
No 65 01 5 180	
No 65 29 5 200	
No 65 43 4 002	
No 65 45 4 002	
No 65 51 6 240	
No 65 64 2 250	
No 66 02 5 160	

TCS WT 6501-6602/7-1



for the drawers of Tool Trolley
No 13217, 460 x 250 x 30 mm,
7 pieces

Code	g
96 8301 31	1660
No 65 01 5 180	
No 65 29 5 200	
No 65 43 4 002	
No 65 45 4 002	
No 65 51 6 240	
No 65 75 1 220	
No 66 02 5 160	

Tool Control System

The safety inlay system

- Designed to fit our Tool Trolleys and Tool Boxes
- With yellow signal cut-outs to show whether all tools are in their places



TCS WT 102-109/16



for the drawers of Tool Trolley
No 13217, 460 x 250 x 30 mm,
16 pieces

Code	g
96 8301 19	1790
No 102	175 mm
No 105	120 x 12 mm
No 108	115 x 2; 150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
No 109	size 6; 100 x 3.4 mm
No 10956	∅ 27 mm
No 10960	300 g
No 12320	
No 12921M	∅ 32 mm
No 12935/3	3 m
No 13110	300 mm
No 13126-2	



13216/2 Tool box

with 2 drawers and one compartment under the lid, safety lock and dip-coated carrying handle on the lid. Wide, spring-mounted dip-coated carrying handles on the sides. High-grade, fully extendible sturdy rails. Easily removable drawers. The perforated panel can be arranged as required using spring loaded clips No 8050 (page 24, please order separately).



Code	⚖ kg
8109 1002	10.3

13216/3 Tool box

with 3 drawers and one compartment under the lid, safety lock and dip-coated carrying handle on the lid. Wide, spring-mounted dip-coated carrying handles on the sides. High-grade, fully extendible sturdy rails. Easily removable drawers. The perforated panel can be arranged as required using spring loaded clips No 8050 (page 24, please order separately).



Code	⚖ kg
8109 1003	11

83/010 Tool box, 3 trays

lockable by padlock.



Code	Width mm	Height mm	Depth mm	⚖ kg
8106 0000	420	150	200	3.7

82/013 Tool box

with lift out tray.
Lockable by padlock.



Code	Width mm	Height mm	Depth mm	⚖ kg
8108 0000	545	225	180	6.9

13216/4 Tool box

with 4 drawers, a compartment under the lid, safety lock and sturdy textured aluminium sheeting on the lid. Wide, spring-mounted dip-coated carrying handles on the sides. High-grade, fully extendible sturdy rails. Easily removable drawers. The perforated panel can be arranged as required using spring loaded clips No 8050 (page 24, please order separately).



Code	⚖ kg
8109 1004	14

TBT13216 Tool box trolley

for tool boxes No 13216/2, 13216/3, 13216/4.

- Safe tool box locking system with quick-release mechanism.
 - Unrestricted access to all tool box functions.
 - Sturdy steel-sheet construction.
 - 2 fixed wheels and 2 castors (Ø 75 mm) with parking brakes.
 - Convenient, fold-away push-handle with endstop.
 - Maximum static load capacity: 150 kg
- Supplied without tool box.



Code	Width mm	Height mm	Depth mm	⚖ kg
8109 1009	570	216 (914 open)	328	7.5

83/09 Tool box, 5 trays

lockable by padlock.



Code	Width mm	Height mm	Depth mm	⚖ kg
8105 0000	420	200	200	4.7

446/08 Tool box, 5 trays

lockable by padlock.



Code	Width mm	Height mm	Depth mm	⚖ kg
8107 0000	530	200	200	5.59

Perforated panels, hooks and holding devices

8002 Perforated panel

Perforation 9 x 9 mm, made of sturdy, 1 mm thick sheet steel, with 2 strengthening ribs at rear. These ribs carry the holes for wall mounting panel.

For the individual mounting of tools, on a variety of hooks and clips No 8031-8041.



Code	Width mm	Height mm	Depth mm	△ kg
80020001	500	1000	15	4

8031 Single hook

for perforated panel No 8002, Mobile workbench No WB620 and Tool trolleys No 95, 95VA, 98VA.



Code	size	mm	△ g	△ kg
80310030	1	30	13	5
80310060	2	60	17	5
80310090	3	90	21	5

8032 Twin hook

for perforated panel No 8002, Mobile workbench No WB620 and Tool trolleys No 95, 95VA, 98VA.



Code	size	mm	△ g	△ kg
80320030	1	30	19	3
80320060	2	60	26	3

8034 Twin hook

for perforated panel No 8002, Mobile workbench No WB620 and Tool trolleys No 95, 95VA, 98VA.



Code	size	mm	△ g	△ kg
80340040	1	40 x 35	30	3
80340050	2	50 x 40	30	3

8035 Square lug

for perforated panel No 8002, Mobile workbench No WB620 and Tool trolleys No 95, 95VA, 98VA.



Code	size	mm	△ g	△ kg
80350017	1	17 x 35	23	3
80350020	2	20 x 55	26	3

8036 Spring clip

for perforated panel No 8002, Mobile workbench No WB620 and Tool trolleys No 95, 95VA, 98VA.



Code	size	mm	△ g	△ kg
80360012	1	12	9	6
80360018	2	18	10	6
80360024	3	24	14	6

8038 Container

for perforated panel No 8002, Mobile workbench No WB620 and Tool trolleys No 95, 95VA, 98VA.



Code	mm	△ g	△ kg
80380030	30 x 72	15	4

8041 Holding device for spanners

for perforated panel No 8002, Mobile workbench No WB620 and Tool trolleys No 95, 95VA, 98VA.



Code	mm	△ g	△ kg
80410235	235 x 144 x 47	62	1

8050 Spring clip

for perforated panel No 8002, Mobile workbench No WB620, Tool trolleys No 95, 95VA, 98VA and Tool boxes No 13216/2, 13216/3, 13216/4.



Code	size	mm	△ g	△ kg
81485006	6	6	28	5
81485012	12	12	35	5

Tool cases, hard shell

13209/1
**Tool case, hard shell,
base model**

sturdy aluminium frame, 2 locks, ergonomically shaped carrying handle, robust jointed lid-prop, tool-holder panel for storing tools from both sides, with 21 pockets and integrated document pouch. ABS insert can be subdivided and includes cover with 6 pockets.



Code	Width mm	Height mm	Depth mm	⚖ kg
81 62 0002	460	310	160	4.46

13209/2
**Tool case, hard shell,
medium model**

as for No 13209/1, but with an additional combination lock, tool-holder panel with 13 pockets and 26 rubber-loop holders, separate document pouch in the lid, ABS inlay tray with 13 pockets and 8 rubber-loop holders.



Code	Width mm	Height mm	Depth mm	⚖ kg
81 62 0003	460	310	180	5.1

13209
**Tool case, hard shell,
premium model**

as for No 13209/1, but with an additional combination lock, tool-holder panel with 13 pockets and 26 rubber-loop holders, additional tool-holder panel with 11 pockets and a smaller components pouch, separate document pouch in the lid, ABS inlay tray with 13 pockets and 8 rubber-loop holders.






Code	Width mm	Height mm	Depth mm	⚖ kg
81 62 0001	460	310	180	6

Workshop sets

801N
Large tool set

127 Tools

Code		⚖ kg
9784 12 10		28.6
 No 10/12	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 21 x 23; 24 x 27; 25 x 28; 30 x 32 mm	
 No 12/10	sizes 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11 mm	
 No 20/12	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 21 x 23; 24 x 27; 25 x 28; 30 x 32 mm	
 No 29	sizes 10 x 11; 12 x 13; 14 x 15; 16 x 18; 17 x 19; 21 x 23 mm	
 No 35c Pkw	sizes 17; 19; 22; 1/2" ■	
 No 39	400 mm (2x)	
 No 39/1	600 mm (2x)	
 No 50	1/2" ○ sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm	
 No 51	1/2" ○ sizes 13; 16 mm-5/8"; 17; 18; 19 mm; 20.8 mm-13/16"; 22; 24; 27; 30; 32 mm	
 No 54	1/2" ○ sizes 4; 5; 6; 8; 10; 12; 14 mm	
 No 501	1/2" ■ 433 mm	
 No 504/15	1/2" ■ 397 mm	
 No 506	1/2" ■ 300 mm	
 No 509/2	1/2" ■ ○ 52 mm	
 No 509/5	1/2" ■ ○ 130 mm	
 No 509/10	1/2" ■ ○ 255 mm	
 No 510	1/2" ■ ○ 71 mm	
 No 512	1/2" ■	
 No 100/8	200 mm	
 No 103	150 mm	
 No 104	120 x 4 mm	
 No 105	100 x 10 mm	
 No 4622	size 2 (1.2 x 6.5 x 125 mm) size 3 (1.2 x 8.0 x 150 mm) size 5 (2.0 x 12.0 x 200 mm)	
 No 4628	size 2 (0.6 x 3.5 x 75 mm) size 4 (0.8 x 4.0 x 125 mm)	
 No 4630	sizes 1; 2; 3	
 No 4724	size 2 (1.0 x 5.5 x 25 mm)	
 No 65 01 6 180		
 No 65 29 6 200		
 No 65 30 6 200		
 No 65 43 4 002		
 No 65 45 4 002		
 No 65 54 4 250		
 No 65 64 2 250		
 No 66 02 6 160		

Continuation see next page

Factory and workshop equipment, sets of tools


1

	No 10670	310 mm
	No 10676	85 x 12 x 315 mm
	No 10960	500 g
	No 11095/13	0.05-1 mm
	No 12025	210 mm
	No 12030	260 mm
	No 12035	210 mm
	No 12050	300 mm
	No 12150	200 mm
	No 12200	145 mm
	No 12250	
	No 12320	
	No 12375	
	No 12935/3	3 m

802N Large tool set


129 Tools


Code		Δ kg
97 84 03 12		28.1
	No 12/10	sizes 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11 mm
	No 13/26	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32 mm
	No 29	sizes 10 x 11; 12 x 13; 14 x 15; 16 x 18; 17 x 19; 21 x 23 mm
	No 35c Pkw	sizes 17; 19; 22; 1/2" ■
	No 39	400 mm (2x)
	No 39/1	600 mm (2x)
	No 50	1/2" ○ sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
	No 51	1/2" ○ sizes 13; 16 mm-5/8"; 17; 18; 19 mm; 20.8 mm-13/16"; 22; 24; 27; 30; 32 mm
	No 54	1/2" ○ sizes 4; 5; 6; 8; 10; 12; 14 mm
	No 501	1/2" ■ 433 mm
	No 504/15	1/2" ■ 397 mm
	No 506	1/2" ■ 300 mm
	No 509/2	1/2" ■ ○ 52 mm
	No 509/5	1/2" ■ ○ 130 mm
	No 509/10	1/2" ■ ○ 255 mm
	No 510	1/2" ■ ○ 71 mm
	No 512	1/2" ■
	No 100/8	200 mm
	No 103	150 mm
	No 104	120 x 4 mm
	No 105	100 x 10 mm
	No 4622	size 2 (1.2 x 6.5 x 125 mm) size 3 (1.2 x 8.0 x 150 mm) size 5 (2.0 x 12.0 x 200 mm)
	No 4628	size 2 (0.6 x 3.5 x 75 mm) size 4 (0.8 x 4.0 x 125 mm)
	No 4630	sizes 1; 2; 3

	No 4724	size 2 (1.0 x 5.5 x 25 mm)
	No 65 01 6 180	
	No 65 29 6 200	
	No 65 30 6 200	
	No 65 43 4 002	
	No 65 45 4 002	
	No 65 54 4 250	
	No 65 64 2 250	
	No 66 02 6 160	
	No 10670	310 mm
	No 10676	85 x 12 x 315 mm
	No 10960	500 g
	No 11095/13	0.05-1 mm
	No 12025	210 mm
	No 12030	260 mm
	No 12035	210 mm
	No 12050	300 mm
	No 12150	200 mm
	No 12200	145 mm
	No 12250	
	No 12320	
	No 12375	
	No 12935/3	3 m

803N Large tool set

164 Tools

Code		Δ kg
97 84 26 13		17.8
	No 10/12	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 21 x 23; 24 x 27; 25 x 28; 30 x 32 mm
	No 10a	sizes 1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16; 5/8 x 11/16; 3/4 x 7/8; 15/16 x 1"
	No 12/10	sizes 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11 mm
	No 12a/13	sizes 5/32; 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 13	sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
	No 13a	sizes 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4"
	No 21	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 17 x 19 mm
	No 20a	sizes 1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16; 3/4 x 7/8; 15/16 x 1"
	No 23/8	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22 mm
	No 230a	sizes 3/8 x 7/16; 1/2 x 9/16; 9/16 x 5/8; 11/16 x 3/4; 13/16 x 7/8; 15/16 x 1"
	No 50	1/2" ○ sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 27; 30; 32 mm
	No 50a	1/2" ○ sizes 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8; 1 3/16; 1 1/4"



	No 501	1/2" ■ 433 mm
	No 504/15	1/2" ■ 397 mm
	No 506	1/2" ■ 300 mm
	No 509/2	1/2" ■ ○ 52 mm
	No 509/5	1/2" ■ ○ 130 mm
	No 509/10	1/2" ■ ○ 255 mm
	No 510	1/2" ■ ○ 71 mm
	No 512	1/2" ■
	No 100	150 mm
	No 105	120 x 12 mm
	No 108	150 x 4; 150 x 6 mm
	No 4620	size 3 (1.0 x 5.5 x 100 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm) size 6 (1.6 x 10.0 x 200 mm)
	No 4628	size 2 (0.6 x 3.5 x 75 mm)
	No 4630	sizes 1; 2; 3
	No 4724	size 2 (1.0 x 5.5 x 25 mm)
	No 65 01 6 200	
	No 65 09 5 160	
	No 65 51 6 240	
	No 66 02 6 160	
	No 10760CV/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
	No 10760aCV/10T	sizes 1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"
	No 10970	1 lb.
	No 12050	300 mm



Made in
Germany

804N Large tool set

106 Tools


Code	kg
9784 27 14	12.7
 No 12/10	sizes 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11 mm
 No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm
 No 40/13/6	1/4" ○ No 40 sizes 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm; No 400; 404; 405/2; 405/6; 407; 415
 No 50	1/2" ○ sizes 10; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm
 No 51	1/2" ○ sizes 16 mm-5/8"; 20.8 mm-13/16"
 No 506	1/2" ■ 300 mm
 No 509/5	1/2" ■ ○ 130 mm
 No 509/10	1/2" ■ ○ 255 mm
 No 510	1/2" ■ ○ 71 mm
 No 512	1/2" ■
 No 100/8	200 mm
 No 103	200 mm
 No 105-8/6 K	No 105/120 x 10 mm No 108/150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6 mm
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm)
 No 4628	size 1 (0.4 x 2.5 x 60 mm)
 No 4630	size 1; size 2
 No 65 01 6 180	
 No 65 29 6 200	
 No 65 51 6 240	
 No 65 64 2 250	
 No 66 02 6 160	
 No 10760CV/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 10955	35 mm Ø
 No 10960	500 g
 No 11095/20	0.05-1 mm
 No 12251	
 No 12321	
 No 12375	

Factory and workshop equipment, sets of tools

811N

Car tool set




84 Tools

Code	kg
97841311	16.3
 No 10/12	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 21 x 23; 24 x 27; 25 x 28; 30 x 32 mm
 No 20/12	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 21 x 23; 24 x 27; 25 x 28; 30 x 32 mm
 No 39	400 mm (2x)
 No 50	1/2"  sizes 10; 11; 12; 13; 14; 15; 16; 17; 19; 21; 22; 23; 24; 26; 27; 30; 32 mm
 No 51	1/2"  sizes 16 mm-5/8"; 20.8 mm-13/16"
 No 54	1/2"  sizes 4; 5; 6; 8; 10; 12; 14 mm
 No 504/15	1/2"  397 mm
 No 506	1/2"  300 mm
 No 509/2	1/2"  52 mm
 No 509/5	1/2"  130 mm
 No 509/10	1/2"  255 mm
 No 510	1/2"  71 mm
 No 512	1/2" 
 No 100/8	200 mm
 No 103	150 mm
 No 104	120 x 4 mm
 No 105	100 x 10 mm
 No 4622	size 2 (1.2 x 6.5 x 125 mm) size 3 (1.2 x 8.0 x 150 mm) size 5 (2.0 x 12.0 x 200 mm)
 No 4628	size 2 (0.6 x 3.5 x 75 mm) size 4 (0.8 x 4.0 x 125 mm)
 No 4630	sizes 1; 2; 3
 No 4724	size 2 (1.0 x 5.5 x 25 mm)
No 65 01 6 180	
No 65 29 6 200	
No 65 30 6 200	
No 65 43 4 002	
No 65 45 4 002	
No 65 54 4 250	
No 65 64 2 250	
No 66 02 6 160	
No 10670	310 mm
No 10676	85 x 12 x 315 mm
No 10960	500 g
No 12375	

3027



Electrician tool set

85 Tools

Code	kg
97843101	6.3
 No 13 No 13/9	sizes 6; 7 mm sizes 9; 10; 11; 12; 13; 14; 17; 19; 22 mm
 No 40/23/6N	1/4"  No 40 sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm No 41K sizes 0.6 x 3.5; 1 x 5.5; 1.2 x 8 mm No 44K: 3; 4; 5; 6; 8 mm No 44P: sizes 1; 2; 3; 4 No 400; 404; 405/2; 405/6; 407; 415
 No 46	3/8"  sizes 12; 20.8 mm
 No 4600	3/8"  size 16 mm
 No 425	3/8"  165 mm
 No 428	3/8"  46 mm
 No 427/6	3/8"  160 mm
 No 4628	size 2 (0.6 x 3.5 x 75 mm) size 4 (0.8 x 4.0 x 125 mm) size 6 (1.0 x 5.5 x 200 mm)
 No 4630	size 1; size 2
 No 4724	size 2 (1.0 x 5.5 x 25 mm)
 No 4734	size 2
 No 10546	size 3
 No 10551	size 1 x 2
 No 10760CV/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 7756	3-48 Volt
 No 65 01 5 180	
 No 65 29 5 160	
 No 65 30 5 160	
 No 65 51 6 240	
 No 66 02 6 140	
 No 66 22 5 160	
No 6638	
No 10956	Ø 35 mm
No 1551	for contact sizing 2.8 mm
No 1552	for contact sizing 5.8 mm
No 1560	Content: 1 Piece No 1501 ejection tool for contact sizing Ø 1.5 mm 1 Piece No 1502 ejection tool for contact sizing Ø 3.5 mm 1 Piece No 1503 ejection tool for contact sizing Ø 4.0 mm ABS (trucks) resp. mounting bush No 1523 2 Pieces No 1511 dismounting bush Ø 1.5 mm (1 Piece assembled) 2 Pieces No 1512 dismounting bush Ø 3.5 mm (1 Piece assembled) 2 Pieces No 1513 dismounting bush Ø 4.0 mm 1 Piece No 1523 mounting bush (ABS)

841N Construction machinery set

129 tools


Code	⚖ kg
97 84 14 18	35.9
 No 10/9	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 21 x 24 mm
 No 14	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32; 34; 36 mm
 No 40/13/6	1/4"  No 40 sizes 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm; No 400; 404; 405/2; 405/6; 407; 415
 No 50/16/6	1/2"  No 50: sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm No 506; 509/5; 509/10; 506; 510; 512
 No 504/15	1/2"  397 mm
 No 514	3/4"  1/2" 
 No 55/9/6N	3/4"  No 55: sizes 32; 34; 36; 38; 41; 46; 50; 55; 60 mm No 552; 554; 556; 558; 559/8; 559/16
 No 568	1/2"  3/4" 
 No 102-5/6T	No 104/120 x 2; 120 x 4 mm No 105/120 x 10 mm No 106/125 mm; 150 mm No 107/125 mm
 No 4840	sizes 1; 2
 No 4891	⊖ 4820: 0.6 x 3.5 x 75 mm 0.8 x 4.0 x 100 mm 1.0 x 5.5 x 125 mm 1.2 x 6.5 x 150 mm ⊕ 4830: sizes 1; 2
 No 10760CV/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 65 01 5 180	
 No 65 31 5 170	
 No 65 63 2 250	
 No 65 67 2 280	
 No 65 72 6 240	
 No 66 00 5 160	
 No 10956	∅ 35 mm
 No 10960	300; 500 g
 No 11095/20	20 blades 0.05–1 mm
 No 12050	300 mm
 No 12050R	10 blades
 No 12374	
 No 12600	1800 g
 No 12935/3	3 m

Tool sets for aerospace industry

13200a

Basic tool set for aircraft mechanics (piston engine)

178 Tools

Code	⚖ kg
97 84 60 11	15
 No 12a/13	sizes 5/32; 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
 No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1"
 No 230a	sizes 1/4 x 5/16; 5/16 x 11/32; 3/8 x 7/16; 7/16 x 1/2; 1/2 x 9/16; 9/16 x 5/8; 11/16 x 3/4; 13/16 x 7/8; 15/16 x 1"
 No 4025	size 4
 No 40aD/30/7QR	1/4"  No 40a: sizes 1/8" No 40aD: sizes 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16" No 40aDL: sizes 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16" No 402a: sizes 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2" No 400QR; 405/2QR (2x); 405/6QR; 407QR; 412; 415 SG-QR
 No 409	3/8"  1/4" 
 No 415SGB N	1/4" 
 No 46a	3/8"  sizes 7/16; 1/2; 9/16; 5/8"
 No 427/18	3/8"   455 mm
 No 431	1/4"  3/8" 
 No 45a/22/8QR	3/8"  No 45a: sizes 1/4; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1" No 47a: sizes 5/16; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4" No 427/10QR; 427/6QR; 427/3QR; 428QR; 435SG-QR; 442; 443; 453
 No 1220	size 0
 No 1221	size 1
 No 1222	size 2
 No 1223	size 3
 No 13010	sizes 0; 1; 2; 3; 4; 5; 6; 8; 10
 No 4006/1	1/4" 
 No 12503	1/4" 
 No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm) size 4 (1.6 x 10.0 x 175 mm)
 No 4632	sizes 1; 2; 3
 No 10760aCV/13	sizes 0.028; 0.035; 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4"
 No 65 01 5 180	
 No 65 10 5 190	
 No 65 31 5 170	
 No 65 51 6 240	
 No 65 75 1 280	
 No 66 00 5 180	

Continuation see next page

Factory and workshop equipment, sets of tools

1

	No 105-8/6 K	No 105/120 x 10 mm; No 108/150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6 mm
	No 10670	215 mm
	No 10955	∅ 27 mm
	No 10960	300 g
	No 12320	
	No 12321	
	No 12600	500 g
	No 12900	
	No 12921N	∅ 50 mm
	No 12922E	∅ 6 mm
	No 12935/3	3 m
	No 13110	300 mm
	No 13126-1	
	No 13148	

13205a Standard aircraft maintenance tool set

131 Tools



Code	ΔΔ kg
978460 12	7.8
 No 12a/13	sizes 5/32; 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
 No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4"
 No 230a	sizes 5/16 x 11/32; 3/8 x 7/16; 7/16 x 1/2; 1/2 x 9/16; 9/16 x 5/8; 11/16 x 3/4"
 No 4025	size 4
 No 409	3/8" ■ 1/4" ○
 No 40aD/30/7QR	1/4" ○ No 40a: sizes 1/8" No 40aD: sizes 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16" No 40aDL: sizes 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16" No 402a: sizes 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2" No 400QR; 405/2QR (2x); 405/6QR; 407QR; 412; 415 SG-QR
 No 1161-1166	0.5 x 4; 0.6 x 3.5; 0.6 x 4.5; 0.8 x 4; 0.8 x 5.5; 1 x 5.5 mm
 No 1220-1223	sizes 0; 1; 2; 3
 No 13008	sizes 0; 1; 2; 3; 4; 5
 No 13010	sizes 0; 1; 2; 3; 4; 5; 6; 8; 10
 No 4006/1	1/4" ○
 No 12503	1/4" ○
 No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm) size 4 (1.6 x 10.0 x 175 mm)
 No 4632	sizes 1; 2; 3
 No 65 01 5 180	
 No 65 10 5 190	
 No 65 31 5 170	
 No 65 51 6 240	
 No 65 75 1 220	
 No 66 00 5 180	

	No 105-8/6 K	No 105/120 x 10 mm No 108/150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6 mm
	No 10955	∅ 27 mm
	No 10960	300 g
	No 12025	210 mm
	No 12030	260 mm
	No 12035	210 mm
	No 12036	250 mm
	No 12053	
	No 12321	
	No 12900N	
	No 12921N	∅ 40 mm
	No 13110	300 mm
	No 13126-1	

13207a Electricians set in tool case No 13209


111 Tools

Code	ΔΔ kg
988103 22	12.5
 No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4"
 No 12a/13	sizes 5/32; 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
 No 40a	1/4" ○ sizes 1/8; 5/32"
 No 400QR	1/4" ■ 150 mm
 No 40aD/12/7QR	1/4" ○ No 40a: sizes 1/8" No 40aD: sizes 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16" No 400QR; 405/2QR (2x); 405/6QR; 407QR; 412; 415SG-QR
 No 4006/1	1/4" ○
 No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm) size 3 (0.6 x 3.5 x 100 mm) size 5 (1.0 x 5.5 x 125 mm) size 6 (1.2 x 6.5 x 150 mm)
 No 4665 VDE	sizes 0; 1; 2
 No 10760aCV/13	sizes 0.028; 0.035; 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4"
 No 65 01 5 160. No 65 01 5 180	
 No 65 24 5 160	
 No 65 29 5 200	
 No 65 30 5 200	
 No 65 31 5 170	
 No 65 15 6 125	
 No 65 76 5 231	
 No 66 00 5 130	
 No 66 02 5 180	
 No 66 23 5 160	

	No 105-8/6 K	No 105/120 x 10 mm No 108/150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6 mm
	No 10960	300 g
	No 12053	
	No 12320	
	No 12600	500 g
	No 12921N	Ø 40 mm
	No 12922E	Ø 6 mm
	No 12941	
	No 13008	sizes 0; 1; 2; 3; 4; 5
	No 13010	sizes 0; 1; 2; 3; 4; 5
	No 13126-1	
	No 13130	
	No 13131	
	No 13209	



13208a Board case for aircraft in tool case No 13209

57 Tools

Code		kg
98 81 03 23		8.9
	No 13a	sizes 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2"
	No 4025	sizes 4; 6; 8
	No 1220	size 0
	No 1221	size 1
	No 1222	size 2
	No 1223	size 3
	No 13008	sizes 0; 1; 2; 3; 4; 5; 6
	No 13010	sizes 0; 1; 2; 3; 4; 5; 6; 8; 10
	No 4006/1	1/4" ○
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm) size 4 (1.6 x 10.0 x 175 mm)
	No 4632	sizes 1; 2; 3
	No 10760aCV/13	sizes 0.028; 0.035; 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4"
	No 65 01 5 180	
	No 65 10 5 190	
	No 65 51 6 240	
	No 65 76 5 231	
	No 66 00 5 180	
	No 12320	
	No 13126-1	
	No 13209	

13210 Electronics set in tool case No 13209

101 Tools

Code		kg
98 81 03 01		10.7
	No 13	sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 13a	sizes 3/16; 7/32; 1/4; 3/8; 1/2"
	No 16	sizes 3.2; 3.5; 4; 4.5; 5 mm
	No 4025	size 4
	No 4621	size 5 (1.2 x 8.0 x 160 mm)
	No 4630	sizes 0; 1; 2
	No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm) size 4 (0.8 x 4.0 x 100 mm) size 6 (1.2 x 6.5 x 150 mm)
	No 4724	size 1 (0.6 x 3.5 x 25 mm) size 2 (1.0 x 5.5 x 25 mm)
	No 4753	● sizes 0.7; 0.9; 1.3 mm
	No 4797	⊖ 4751: 0.3 x 1.5; 0.4 x 2; 0.4 x 2.5; 0.5 x 3 mm ⊕ 4752: No 00. No 0; No 1
	No 10546	size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm)
	No 10554	220-250 Volt
	No 10760aCV/13	sizes 0.028; 0.035; 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4"
	No 10765	sizes 2; 2.5; 3; 4 mm
	No 12500N	sizes 6; 7 mm
	No 018/3	
	No 109	sizes 1; 2; 3; 4; 5; 6; 7; 8
	No 65 01 5 160	
	No 65 11 5 135	
	No 65 32 5 170	
	No 65 36 5 160	
	No 66 04 6 110	
	No 66 06 6 130	
	No 66 23 5 160	
	No 12900	
	No 10971	
	No 12921N	Ø 50 mm
	No 13100	
	No 13148	
	Drip oiler	
	Magnetic lifter	
	Electronics tweezers	
	Electronics tweezers	
	Extractor hook set	

Continuation see next page

Factory and workshop equipment, sets of tools

1

	Test equipment set for safety applications
	Universal soldering iron
	Solder
	Solder removing pump, antistatic
	Blade holders with blades
	Lamp extractor
	Magnifying glass
	2 Screw-holding screwdrivers
	Tweezers
	Stripper
	Set of soldering tools
	Solder removing wire
	Hand vice
	Inspection mirror, insulated, Ø 40 mm
	No 13209

13211a Sheetmetal set

53 Tools

Code	kg
97846008	9
No 10a	sizes 1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16"
No 13a	sizes 7/32; 11/32"
No 230a	sizes 1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16"
No 4025	size 8
No 442	1/4" ○ 3/8" ○
No 443	5/16" ○ 3/8" ○
No 453	3/8" ■
No 103	150 mm
No 104-5/6D	No 104/120 x 2; 120 x 3; 120 x 4; 120 x 5; 120 x 6 mm No 105/120 mm
No 104	120 x 8 mm
No 108/6D	No 108/150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm) size 4 (1.6 x 10.0 x 175 mm) size 6 (2.5 x 14.0 x 250 mm)
No 4630	sizes 1; 2; 3
No 4734	size 2
No 65 01 6 180	
No 65 64 2 175	
No 66 02 6 160	
No 10670	265 mm
No 10955	32 mm Ø

No 10970	3/4; 1 1/2 lb.
No 12025	210 mm
No 12030	260 mm
No 12035	210 mm
No 12036	260 mm
No 12050	465 mm
No 12200	145 mm
No 12378	
No 12752R	
No 12800	
No 12900N	
No 12935/3	3 m
No 13110	300 mm

13213a Engine mechanics set

129 Tools

Code	kg
97846010	12.1
No 13a	sizes 19/32; 5/8; 11/16; 3/4"
No 130a	sizes 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
No 24	sizes 1/4 x 5/16; 5/16 x 3/8; 3/8 x 7/16; 1/2 x 9/16; 5/8 x 3/4"
No 230a	sizes 1/4 x 5/16; 5/16 x 3/8; 3/8 x 7/16; 7/16 x 1/2; 9/16 x 5/8; 5/8 x 3/4; 11/16 x 3/4"
No 405	1/4" ■ ○ sizes 10; 14
No 413	1/4" ■
No 415SGB N	1/4" ○
No 40aD/30/7QR	1/4" ○ No 40a: sizes 1/8" No 40aD: sizes 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16" No 40aDL: sizes 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16" No 402a: sizes 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2" No 400QR; 405/2QR (2x); 405/6QR; 407QR; 412; 415 SG-QR
No 45a/22/8QR	3/8" ○ No 45a: sizes 1/4; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1" No 47a: sizes 5/16; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4" No 427/10QR; 427/6QR; 427/3QR; 428QR; 435SG-QR; 442; 443; 453
No 109	sizes 1; 2; 3; 4; 5
No 4622	size 1 (1.0 x 5.5 x 100 mm) size 2 (1.2 x 6.5 x 125 mm) size 4 (1.6 x 10.0 x 175 mm) size 5 (2.0 x 12.0 x 200 mm)
No 4631	sizes 1; 2
No 4632	sizes 1; 2; 3
No 10760aCV/10T	sizes 1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"
No 65 16 5 200	
No 65 31 5 170	
No 65 51 6 240	

	No 65 75 1 220	
	No 66 00 5 160	
	No 10960	300 g
	No 11097/22	4-25/1000"
	No 12600	500 g
	No 12900N	
	No 12921N	Ø 50 mm

13214

Line maintenance set in tool box No 13216/4

TCS QR

for maintenance
on aeroplanes
and helicopters,
122 Tools



Code 50
kg
98 81 48 03 27.5


96 83 08 04

96 83 08 06

96 83 17 94

96 83 07 95

96 83 08 05

	No 13	sizes 5.5; 6; 7; 8; 9; 10; 12; 13; 14; 15; 17; 19; 20; 21; 22; 24; 27; 30 mm
	No 16	sizes 3.2; 3.5; 4; 4.5; 5 mm
	No 25	sizes 7 x 8; 9 x 10; 12 x 13; 17 x 19 mm
	No 40	1/4" ○ sizes 4; 4.5 mm
	No 40D	1/4" ○ sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 40L No 40DL	1/4" ○ size 4.5 mm 1/4" ○ sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 402	1/4" ○ sizes 6; 7; 8; 9; 10 mm

	No 405QR/2	1/4" ■ ○ 54 mm
	No 405QR/6	1/4" ■ ○ 150 mm
	No 407QR	1/4" ■ ○ 38 mm
	No 409M	3/8" ■ 1/4" ○
	No 415QR N	1/4" ■
	No 415SGB N	1/4" ○
	No 412	1/4" ○ ○
	No 45	3/8" ○ sizes 15; 17; 19; 21; 22; 24 mm
	No 46	3/8" ○ sizes 15; 17; 19; 21 mm
	No 427QR/3	3/8" ■ ○ 76 mm
	No 427QR/10	3/8" ■ ○ 240 mm
	No 428QR	3/8" ■ ○ 46 mm
	No 431	1/4" ■ 3/8" ○
	No 432M	1/2" ■ 3/8" ○
	No 435QR N	3/8" ■
	No 443	5/16" ○ 3/8" ○
	No 453	3/8" ■
	No 4000	
	No 1163	0.6 x 4.5 mm
	No 104	120 x 2; 120 x 3; 120 x 4; 120 x 5 mm
	No 109	sizes 2; 5
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm)
	No 4632	sizes 1; 2; 3
	No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
	No 65 16 5 200	
	No 65 32 5 170	
	No 65 51 6 240	
	No 65 64 2 175	
	No 65 75 1 220	
	No 66 00 5 160	
	No 10956	Ø 35 mm
	No 10960	500 g
	No 11095/20	0.05-1 mm
	No 12053	
	No 12320	
	No 12321	
	No 12600	270 g
	No 12900	
	No 12921N	Ø 50 mm
	No 12922E	Ø 6 mm
	No 12935/3	3 m
	No 13126-1	
	No 8050	size 6 (4x); size 12 (6x)
	No 13216/4	

Factory and workshop equipment, sets of tools

13214 WT/LR Line maintenance set in tool trolley No 13217



for maintenance on aeroplanes and helicopters, 121 Tools. Tool Trolley No 13217 and accessories see pages 17, 18.



Code	⚖ kg
98814900	26.5



96 83 01 00



96 83 01 01



96 83 01 02



96 83 01 03



96 83 01 04



96 83 01 05

	No 13	sizes 5.5; 6; 7; 8; 9; 10; 12; 13; 14; 15; 17; 19; 20; 21; 22; 24; 27; 30 mm
	No 16	sizes 3.2; 3.5; 4; 4.5; 5 mm
	No 25	sizes 7 x 8; 9 x 10; 12 x 13; 17 x 19 mm
	No 40	1/4" ○ sizes 4; 4.5 mm
	No 40D	1/4" ○ sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 40L No 40DL	1/4" ○ size 4.5 mm 1/4" ○ sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm

	No 402	1/4" ○ sizes 6; 7; 8; 9; 10 mm
	No 405QR/2	1/4" ■ ○ 54 mm
	No 405QR/6	1/4" ■ ○ 150 mm
	No 407QR	1/4" ■ ○ 38 mm
	No 409M	3/8" ■ 1/4" ○
	No 415QR N	1/4" ■
	No 415SGB N	1/4" ○
	No 412	1/4" ○ ○
	No 45	3/8" ○ sizes 15; 17; 19; 21; 22; 24 mm
	No 46	3/8" ○ sizes 15; 17; 19; 21 mm
	No 427QR/3	3/8" ■ ○ 76 mm
	No 427QR/10	3/8" ■ ○ 240 mm
	No 428QR	3/8" ■ ○ 46 mm
	No 431	1/4" ■ 3/8" ○
	No 432M	1/2" ■ 3/8" ○
	No 435QR N	3/8" ■
	No 443	5/16" ○ 3/8" ○
	No 453	3/8" ■
	No 4008-1	
	No 104	120 x 2; 120 x 3; 120 x 4; 120 x 5 mm
	No 109	sizes 2; 5
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm)
	No 4632	sizes 1; 2; 3
	No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
	No 65 16 5 200	
	No 65 32 5 170	
	No 65 51 6 240	
	No 65 64 2 175	
	No 65 75 1 220	
	No 66 00 5 160	
	No 10956	∅ 35 mm
	No 10960	500 g
	No 11095/20	0.05-1 mm
	No 12053	
	No 12320	
	No 12321	
	No 12600	270 g
	No 12900	
	No 12921M	∅ 57 mm
	No 12922E	∅ 6 mm
	No 12935/3	3 m
	No 13126-2	
	No 13217-1 LR	

13214 WW Line maintenance set



for maintenance on aeroplanes and helicopters,
121 Tools, in TCS inlays (Tool Control System see page 53-71),
4x3/3 inlays for 4 drawers (No 98VA for 2 drawers),
suitable for Workbench No WB620, Tool trolleys 90, 95, 95VA, 98VA;
Magazine case No 920 and Wheely box No 922N.


Code	ΔΔ kg
97 83 08 03	12.2




96 83 08 88




96 83 22 06




96 83 22 07



96 83 22 08

	No 13	sizes 5.5; 6; 7; 8; 9; 10; 12; 13; 14; 15; 17; 19; 20; 21; 22; 24; 27; 30 mm
	No 16	sizes 3.2; 3.5; 4; 4.5; 5 mm
	No 25	sizes 7 x 8; 9 x 10; 12 x 13; 17 x 19 mm
	No 40	1/4"  sizes 4; 4.5 mm
	No 40D	1/4"  sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 40L	1/4"  size 4.5 mm
	No 40DL	1/4"  sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 402	1/4"  sizes 6; 7; 8; 9; 10 mm
	No 405QR/2	1/4"   54 mm
	No 405QR/6	1/4"   150 mm
	No 407QR	1/4"   38 mm
	No 409M	3/8"  1/4" 
	No 415QR N	1/4" 
	No 415SGB N	1/4" 
	No 412	1/4"  
	No 45	3/8"  sizes 15; 17; 19; 21; 22; 24 mm
	No 46	3/8"  sizes 15; 17; 19; 21 mm
	No 427QR/3	3/8"   76 mm
	No 427QR/10	3/8"   240 mm
	No 428QR	3/8"   46 mm
	No 431	1/4"   3/8" 
	No 432M	1/2"  3/8" 
	No 435QR N	3/8" 
	No 443	5/16"   3/8" 
	No 453	3/8" 

	No 4000	
	No 104	120 x 2; 120 x 3; 120 x 4; 120 x 5 mm
	No 109	sizes 2; 5
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm)
	No 4632	sizes 1; 2; 3
	No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
	No 65 16 5 200	
	No 65 32 5 170	
	No 65 51 6 240	
	No 65 64 2 175	
	No 65 75 1 220	
	No 66 00 5 160	
	No 10956	Ø 35 mm
	No 10960	500 g
	No 11095/20	0.05-1 mm
	No 12053	
	No 12320	
	No 12321	
	No 12600	270 g
	No 12900	
	No 12921N	Ø 50 mm
	No 12922E	Ø 6 mm
	No 12935/3	3 m
	No 13126-1	



Factory and workshop equipment, sets of tools

13214a

Line maintenance set in tool box No 13216/4



for maintenance
on aeroplanes
and helicopters,
123 Tools




Code

kg

98814801

27.2



96835692



96831793



96831794



96830795



96830796

	No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8"
	No 25a	sizes 1/4 x 5/16; 5/16 x 11/32; 3/8 x 7/16; 1/2 x 9/16"
	No 40aD	1/4" sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 40aDL	1/4" sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 402a	1/4" sizes 1/4; 5/16; 3/8; 7/16; 1/2"
	No 405QR/2	1/4" 54 mm
	No 405QR/6	1/4" 150 mm
	No 407QR	1/4" 38 mm
	No 409M	3/8" 1/4"
	No 415QR N	1/4"
	No 415SGB N	1/4"
	No 412	1/4"

	No 45a	3/8" sizes 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 15/16; 1"
	No 46a	3/8" sizes 5/8; 11/16; 3/4; 7/8"
	No 427QR/3	3/8" 76 mm
	No 427QR/10	3/8" 240 mm
	No 428QR	3/8" 46 mm
	No 431	1/4" 3/8"
	No 432M	1/2" 3/8"
	No 435QR N	3/8"
	No 443	5/16" 3/8"
	No 453	3/8"
	No 4000	
	No 1163	0.6 x 4.5 mm
	No 104	120 x 2; 120 x 3; 120 x 4; 120 x 5 mm
	No 109	sizes 2; 5
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm)
	No 4632	sizes 1; 2; 3
	No 10767a/13	sizes 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"
	No 65 16 5 200	
	No 65 32 5 170	
	No 65 51 6 240	
	No 65 64 2 175	
	No 65 75 1 220	
	No 66 00 5 160	
	No 10956	Ø 35 mm
	No 10960	500 g
	No 11095/20	0.05-1 mm
	No 12053	
	No 12320	
	No 12321	
	No 12600	270 g
	No 12900	
	No 12921N	Ø 50 mm
	No 12922E	Ø 6 mm
	No 12935/3	3 mm
	No 13126-1	
	No 8050	size 6 (4x); size 12 (6x)
	No 13216/4	

13214a WT/LR

Line maintenance set in tool trolley No 13217



for maintenance
on aeroplanes
and helicopters,
122 Tools.
Tool Trolley
No 13217 and
accessories
see pages 17, 18.



Code	80
98 81 49 05	kg
	27



96 83 01 06



96 83 01 02



96 83 01 03



96 83 01 07



96 83 01 08



96 83 01 09

	No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8"
	No 25a	sizes 1/4 x 5/16; 5/16 x 11/32; 3/8 x 7/16; 1/2 x 9/16"
	No 40aD	1/4"  sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 40aDL	1/4"  sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"

	No 402a	1/4"  sizes 1/4; 5/16; 3/8; 7/16; 1/2"
	No 405QR/2	1/4"  54 mm
	No 405QR/6	1/4"  150 mm
	No 407QR	1/4"  38 mm
	No 409M	3/8"  1/4" 
	No 415QR N	1/4" 
	No 415SGB N	1/4" 
	No 412	1/4" 
	No 45a	3/8"  sizes 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 15/16; 1"
	No 46a	3/8"  sizes 5/8; 11/16; 3/4; 7/8"
	No 427QR/3	3/8"  76 mm
	No 427QR/10	3/8"  240 mm
	No 428QR	3/8"  46 mm
	No 431	1/4"  3/8" 
	No 432M	1/2"  3/8" 
	No 435QR N	3/8" 
	No 443	5/16"  3/8" 
	No 453	3/8" 
	No 4008-1	
	No 104	120 x 2; 120 x 3; 120 x 4; 120 x 5 mm
	No 109	sizes 2; 5
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm)
	No 4632	sizes 1; 2; 3
	No 10767a/13	sizes 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"
	No 65 16 5 200	
	No 65 32 5 170	
	No 65 51 6 240	
	No 65 64 2 175	
	No 65 75 1 220	
	No 66 00 5 160	
	No 10956	Ø 35 mm
	No 10960	500 g
	No 11095/20	0.05-1 mm
	No 12053	
	No 12320	
	No 12321	
	No 12600	270 g
	No 12900	
	No 12921M	Ø 57 mm
	No 12922E	Ø 6 mm
	No 12935/3	3 m
	No 13126-2	
	No 13217-1 LR	


Factory and workshop equipment, sets of tools

13214a WW Line Maintenance Set




for maintenance on aeroplanes and helicopters,
122 Tools, in TCS inlays (Tool Control System see page 53-71),
4x3/3 inlays for 4 drawers (No 98VA for 2 drawers), suitable for
Workbench No WB620, Tool trolleys 90, 95, 95VA, 98VA,
Magazine case No 920 and Wheely box No 922N.

Code	kg
97830802	12.5



96 83 08 85



96 83 08 86



96 83 08 87



96 83 08 88

	No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8"
	No 25a	sizes 1/4 x 5/16; 5/16 x 11/32; 3/8 x 7/16; 1/2 x 9/16"
	No 40aD	1/4" sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 40aDL	1/4" sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 402a	1/4" sizes 1/4; 5/16; 3/8; 7/16; 1/2"
	No 405QR/2	1/4" 54 mm
	No 405QR/6	1/4" 150 mm
	No 407QR	1/4" 38 mm
	No 409M	3/8" 1/4"
	No 415QR N	1/4"
	No 415SGB N	1/4"
	No 412	1/4"
	No 45a	3/8" sizes 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 15/16; 1"
	No 46a	3/8" sizes 5/8; 11/16; 3/4; 7/8"
	No 427QR/3	3/8" 76 mm
	No 427QR/10	3/8" 240 mm
	No 428QR	3/8" 46 mm
	No 431	1/4" 3/8"
	No 432M	1/2" 3/8"
	No 435QR N	3/8"
	No 443	5/16" 3/8"
	No 453	3/8"
	No 4000	
	No 104	120 x 2; 120 x 3; 120 x 4; 120 x 5 mm

	No 109	sizes 2; 5
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 8.0 x 150 mm)
	No 4632	sizes 1; 2; 3
	No 10767a/13	sizes 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"
	No 65 16 5 200	
	No 65 32 5 170	
	No 65 51 6 240	
	No 65 64 2 175	
	No 65 75 1 220	
	No 66 00 5 160	
	No 10956	Ø 35 mm
	No 10960	500 g
	No 11095/20	0.05-1 mm
	No 12053	
	No 12320	
	No 12321	
	No 12600	270 g
	No 12900	
	No 12921N	Ø 50 mm
	No 12922E	Ø 6 mm
	No 12935/3	3 m
	No 13126-1	



→ 11

The STAHLWILLE **Tool trolley 95VA**
is equipped with a three-stage safety concept -
for maximum safety in the respective application.

13221 WT/TS AOG-Kit for aeroplanes in tool trolley No 13217

TCS

163 Tools,
in TCS inlays
(Tool Control System
see page 53).
Tool Trolley No 13217
and accessories see
pages 17, 18.



Code	kg
98 81 49 15	29



96 83 01 33



96 83 01 34




96 83 01 35




96 83 01 36



96 83 01 37



96 83 01 38



96 83 01 39



96 83 01 40

	No 10	sizes 4 x 5; 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22; 27 x 32 mm
	No 13a	sizes 3/8; 7/16; 1/2; 9/16; 5/8; 11/16"
	No 17	sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
	No 23	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22 mm

	No 40D	1/4"  sizes 5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 40DL No 40aDL	1/4"  sizes 5; 6; 7; 8; 10; 11; 12; 13 mm 1/4"  sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 405QR/2	1/4"  54 mm
	No 405QR/6	1/4"  150 mm
	No 407QR	1/4"  45 mm
	No 409	3/8"  1/4" 
	No 412	1/4"  
	No 415QR N	1/4" 
	No 415B	1/4" 
	No 45	3/8"  sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
	No 45a	3/8"  sizes 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 15/16; 1"
	No 427QR/3	3/8"  76 mm
	No 427QR/6	3/8"  160 mm
	No 428QR	3/8"  46 mm
	No 431	1/4"  3/8" 
	No 435QR N	3/8" 
	No 3115	1/4"  
	No 13010	sizes 4; 5; 6; 8; 10
	No 4008-1	
	No 4622SK	size 1 (0.8 x 4.0 x 90 mm) size 3 (1.2 x 6.5 x 125 mm)
	No 4632SK	sizes 1; 2; 3
	No 4636	No 4; 8
	No 4724	size 2 (1.0 x 5.5 x 25 mm)
	No 4744	size 1
	No 4751	size 4 (0.3 x 1.5 mm) size 6 (0.4 x 2.0 mm) size 7 (0.4 x 2.5 mm) size 8 (0.5 x 3.0 mm)
	No 4752	sizes 0; 1
	No 10767H/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
	No 10767a/8	sizes 5/64; 3/32; 1/8; 5/32; 3/16; 7/32; 1/4; 5/16"
	No 65 01 5 180	
	No 65 18 5 130	
	No 65 35 5 200	
	No 65 51 5 240	
	No 65 71 2 165	
	No 65 75 1 220	
	No 65 76 5 231	
	No 66 07 6 110	
	No 90432513	
	No 105	120 x 10 mm
	No 108	150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6 mm
	No 10956	Ø 27 mm
	No 10960	300 g

Continuation see next page

Factory and workshop equipment, sets of tools

1

	No 11095/20	0.05-1 mm
	No 12320	
	No 12321	
	No 12375	
	No 12600	270 g
	No 12800	
	No 12900N	
	No 12921M	Ø 57 mm
	No 12922E	Ø 6 mm
	No 12935/3	3 m
	No 13110	300 mm
	No 13128	
	No 13130	
	No 13217-3 TS	

**13224a
WT/TS**

**AOG-Kit for aeroplanes in tool trolley
No 13217**

TCS QR

154 Tools, in TCS inlays
(Tool Control System
see page 53).
Tool Trolley No 13217
and accessories see
pages 17, 18.



Code	ΔΔ kg
9881 49 10	28.4



96 83 01 10




96 83 01 11



96 83 01 12




96 83 01 13



96 83 01 14





96 83 01 15



96 83 01 16

	No 12a	sizes 5/32; 7/32; 1/4"
	No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8"
	No 25a	sizes 1/4 x 5/16; 5/16 x 11/32; 3/8 x 7/16; 1/2 x 9/16"
	No 40aD	1/4" ○ sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 40aDL	1/4" ○ sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"
	No 402a	1/4" ○ sizes 1/4; 5/16; 3/8; 7/16; 1/2"
	No 402aK	1/4" ○ size 9/16"
	No 405W/2	1/4" ■ ○ 54 mm
	No 405QR/2	1/4" ■ ○ 54 mm
	No 405QR/6	1/4" ■ ○ 150 mm
	No 407QR	1/4" ■ ○ 45 mm
	No 409M	3/8" ■ 1/4" ○
	No 412	1/4" ○ ○
	No 415QR	1/4" ■
	No 415B	1/4" ○
	No 45a	3/8" ○ sizes 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 15/16; 1"
	No 46a	3/8" ○ sizes 5/8; 11/16; 3/4; 7/8"
	No 427W/3	1/4" ■ ○ 76 mm
	No 427QR/3	3/8" ■ ○ 76 mm
	No 427QR/10	3/8" ■ ○ 240 mm
	No 428QR	3/8" ■ ○ 46 mm
	No 431	1/4" ■ 3/8" ○
	No 432M	1/2" ■ 3/8" ○
	No 435QR N	3/8" ■
	No 443	5/16" ○ 3/8" ○
	No 453	3/8" ■
	No 1204/21-1	4 x ⊕; 4 x ⊕; 9 x ⊗; 3 x ●
	No 4000	
	No 4622SK	size 1 (0.8 x 4.0 x 90 mm) size 3 (1.2 x 6.5 x 125 mm)
	No 4632SK	sizes 1; 2; 3
	No 4724	size 2 (1.0 x 5.5 x 25 mm)
	No 4734	size 2

	No 10767a/13	sizes 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"
	No 65 16 5 200	
	No 65 32 5 170	
	No 65 64 2 175	
	No 65 72 6 240	
	No 65 75 1 220	
	No 65 76 5 231	
	No 66 00 5 160	
	No 104	120 x 2; 120 x 3; 120 x 4; 120 x 5 mm
	No 109	sizes 2; 5
	No 10956	∅ 27 mm
	No 10960	300 g

	No 11095/20	0.05-1 mm
	No 12053	
	No 12320	
	No 12321	
	No 12600	270 g
	No 12800	
	No 12900N	
	No 12921M	∅ 57 mm
	No 12922E	∅ 6 mm
	No 12935/3	3 m
	No 13110	300 mm
	No 13126-1	
	No 13217-2 TS	



1



The modular tool tray system. **Standard – the perfectly organised workshop.**

Tool trays from STAHLWILLE ensure perfect tool management within the Tool Trolley or Tool Box. All the tools are neatly arranged and instantly at hand, and always securely held in the same place. The Tool Trolley or Tool Box can be equipped as required with 1/6, 1/3, 2/3 or 3/3 inlays.

Wherever large numbers of tools are in constant use and rapid, unhindered access is paramount, the inlays in this tried-and-tested modular STAHLWILLE system provide the security and efficiency required for smooth workflows and reliable quality. The drawers of the Tool Trolleys can be optimally used if a number of spare inlays are kept in store to enable the perfect “for task” combination of tools. In addition, these inlays are made of skydrol resistant and permanently oil resistant engineering plastic and the sculpted cut-outs protect your high-grade, expensive tools.




The perfectly organised workshop

Tool sets in plastic inlays for Workbench No WB620, Tool trolleys No 90, 95, 95VA, 98VA; Magazine case No 920 and Wheely box No 922N (Modular system)

806/10 Tool set

99 Tools, in plastic inlays (modular system see page 42-52), 9x1/3 and 1x3/3 inlays for 4 drawers (No 98VA for 2 drawers), suitable for Workbench No WB620, Tool trolleys No 90, 95, 95VA, 98VA, Magazine case No 920 and Wheely box No 922N

Code	kg
98 83 0001	13,35



96 83 81 26



96 83 81 27



96 83 81 28



96 83 81 10



96 83 81 12



96 83 81 13



96 83 82 37



96 83 81 21




96 83 81 23



96 83 81 25

	No 10	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 24 x 27; 30 x 32 mm
	No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm
	No 40	1/4"  sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm

	No 400	1/4"  150 mm
	No 404	1/4"  116 mm
	No 405/2	1/4"  54 mm
	No 405/6	1/4"  150 mm
	No 407	1/4"  38 mm
	No 412	1/4"  
	No 415	1/4" 
	No 10760CV	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10; 12 mm
	No 52	1/2"  sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
	No 506	1/2"  300 mm
	No 509/2	1/2"  52 mm
	No 509/5	1/2"  130 mm
	No 509/10	1/2"  255 mm
	No 510	1/2"  71 mm
	No 512	1/2" 
	No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm)
	No 4630	sizes 1; 2; 3
	No 65 01 5 180	
	No 65 29 5 200	
	No 65 43 4 002	
	No 65 45 4 002	
	No 65 51 6 240	
	No 65 64 2 250	
	No 66 02 5 160	
	No 102	175 mm
	No 108	150 x 6; 175 x 6 mm
	No 109	size 6; 100 x 3.4 mm
	No 10956	∅ 35 mm
	No 10960	500 g

 Made in Germany

Factory and workshop equipment, sets of tools


808/9 Tool set

102 Tools, in plastic inlays (modular system see page 42-52),
9x1/3 and 1x3/3 inlays for 4 drawers (No 98VA for 2 drawers),
suitable for Workbench No WB620, Tool trolleys No 90, 95, 95VA, 98VA;
Magazine case No 920 and Wheely box No 922N.

Code	kg
98 83 00 02	11.7



96 83 81 30



96 83 81 05



96 83 81 06



96 83 81 10



96 83 81 11



96 83 82 38



96 83 81 32



96 83 81 24



96 83 81 31

	No 10	sizes 5.5 x 7; 8 x 10; 10 x 12; 11 x 13; 12 x 14; 14 x 17; 17 x 19; 18 x 21; 19 x 22; 22 x 24 mm
	No 14	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm
	No 40	1/4" sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 400	1/4" 150 mm
	No 404	1/4" 116 mm
	No 405/2	1/4" 54 mm
	No 405/6	1/4" 150 mm
	No 407	1/4" 38 mm
	No 412	1/4"
	No 415	1/4"
	No 10760CV	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10; 12 mm
	No 456	3/8" sizes 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm

	No 425	3/8" 165 mm
	No 427/3	3/8" 76 mm
	No 427/6	3/8" 160 mm
	No 427/10	3/8" 240 mm
	No 428	3/8" 46 mm
	No 435	3/8"
	No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm)
	No 4622	size 1 (1.0 x 5.5 x 100 mm) size 2 (1.2 x 6.5 x 125 mm) size 3 (1.2 x 8.0 x 150 mm)
	No 4632	sizes 1; 2; 3
	No 65 01 5 200	
	No 65 29 5 160	
	No 65 43 4 002	
	No 65 45 4 002	
	No 65 51 6 240	
	No 65 64 2 250	
	No 66 02 5 160	
	No 102	175 mm
	No 105	120 x 12 mm
	No 108	150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
	No 10956	Ø 35 mm
	No 10970	1 lb.

The modular tool tray system

	1/6 tray (175 x 175 mm)		1/3 tray (175 x 350 mm)
	2/3 tray (350 x 350 mm)		3/3 tray (530 x 350 mm)

ES 10/10, 5.5x7-22x24 mm



175 x 350 x 60 mm, 10 pieces

Code	g
9683 81 30	1100
 No 10	sizes 5.5 x 7; 8 x 10; 10 x 12; 11 x 13; 12 x 14; 14 x 17; 17 x 19; 18 x 21; 19 x 22; 22 x 24 mm
8381 20 33 Empty tray	106


ES 13/5, 27-32 mm



530 x 350 x 30 mm, 5 pieces

Code	g
9683 81 04	2280
 No 13	sizes 27; 28; 29; 30; 32 mm
8381 20 40 Empty tray	287



ES 10/10, 6x7-30x32 mm



175 x 350 x 70 mm, 10 pieces

Code	g
9683 81 26	1515
 No 10	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 24 x 27; 30 x 32 mm
8381 20 22 Empty tray	112


ES 14/10, 6-15 mm



175 x 350 x 39 mm, 10 pieces

Code	g
9683 81 05	700
 No 14	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15 mm
8381 20 34 Empty tray	110

ES 13/10, 6-15 mm



175 x 350 x 40 mm, 10 pieces

Code	g
9683 81 27	525
 No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15 mm
8381 20 23 Empty tray	105

ES 14/8, 16-24 mm



175 x 350 x 51 mm, 8 pieces

Code	g
9683 81 06	1820
 No 14	sizes 16; 17; 18; 19; 20; 21; 22; 24 mm
8381 20 35 Empty tray	112

ES 13/8, 16-24 mm



175 x 350 x 54 mm, 8 pieces

Code	g
9683 81 28	1440
 No 13	sizes 16; 17; 18; 19; 20; 21; 22; 24 mm
8381 20 24 Empty tray	112

ES 20/8, 6x7-19x22 mm



175 x 350 x 30 mm, 8 pieces

Code	g
9683 81 67	1266
 No 20	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22 mm
8381 20 83 Empty tray	103

Factory and workshop equipment, sets of tools

1

ES 20/10, 6x7-30x32 mm



530 x 350 x 44 mm, 10 pieces

Code	ΔΔ g
96838107	2620

No 20	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 24 x 27; 30 x 32 mm
--------------	---

83812044 Empty tray	309
----------------------------	-----

ES 24/7, 8x10-19x22 mm



175 x 350 x 30 mm, 7 pieces

Code	ΔΔ g
96838171	835

No 24	sizes 8 x 10; 10 x 11; 11 x 13; 12 x 14; 14 x 17; 17 x 19; 19 x 22 mm
--------------	---

83812086 Empty tray	103
----------------------------	-----

ES 25/7, 7x8-17x19 mm



175 x 350 x 30 mm, 7 pieces

Code	ΔΔ g
96838108	1040

No 25	sizes 7 x 8; 9 x 10; 10 x 11; 12 x 13; 14 x 15; 16 x 18; 17 x 19 mm
--------------	---

83812038 Empty tray	111
----------------------------	-----

ES 29/6, 8x9-18x19 mm



175 x 350 x 30 mm, 6 pieces

Code	ΔΔ g
96838109	1185

No 29	sizes 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19 mm
--------------	---

83812041 Empty tray	105
----------------------------	-----

ES 10750/10, 6x7-20x22 mm



175 x 350 x 30 mm, 10 pieces

Code	ΔΔ g
96838168	1132

No 10750	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22 mm
-----------------	---

No 10750 1/2	sizes 6; 7
---------------------	------------

83812084 Empty tray	103
----------------------------	-----

ES TX/32



175 x 350 x 40 mm, 32 pieces

Code	ΔΔ g
96838166	931

No 21TX	sizes E6 x E8; E10 x E12; E14 x E18; E20 x E24
----------------	--

No 45TX	3/8" ○ sizes E8; E10; E12; E14
----------------	--------------------------------

No 50TX	1/2" ○ sizes E16; E18; E20
----------------	----------------------------

No 412	1/4" ○ ○
---------------	----------

No 442	1/4" ○ 3/8" ○
---------------	---------------

No 543	5/16" ○ 1/2" ○
---------------	----------------

No 1440	size T10
No 1441	size T15
No 1442	size T20
No 1443	size T25
No 1444	size T27
No 1445	size T30

No 1432	size T40
No 1433	size T45
No 1434	size T50

No 10766/9	sizes T8; T9; T10; T15; T20; T25; T27; T30; T40
-------------------	---


83812082 Empty tray	103
----------------------------	-----

Made in Germany

ES 1/4" + 10760CV




175 x 350 x 41 mm, 27 pieces

Code		Δ g
96838110		1035
 No 40	1/4" ○ sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm	
 No 400	1/4" ■ 150 mm	
 No 404	1/4" ■ 116 mm	
 No 405/2	1/4" ■ ○ 54 mm	
 No 405/6	1/4" ■ ○ 150 mm	
 No 407	1/4" ■ ○ 38 mm	
 No 412	1/4" ○ ○	
 No 415	1/4" ■	
 No 10760CV	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10; 12 mm	
83812028	Empty tray	107

ES 456/16/6



175 x 350 x 40 mm, 22 pieces

Code		Δ g
96838111		1555
 No 456	3/8" ○ sizes 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm	
 No 425	3/8" ■ 165 mm	
 No 427/3	3/8" ■ ○ 76 mm	
 No 427/6	3/8" ■ ○ 160 mm	
 No 427/10	3/8" ■ ○ 240 mm	
 No 428	3/8" ■ ○ 46 mm	
 No 435	3/8" ■	
83812032	Empty tray	103

ES 52/17






175 x 350 x 47 mm, 17 pieces

Code		Δ g
96838112		1760
 No 52	1/2" ○ sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm	
83812030	Empty tray	107

ES 1/2" - 512/6



175 x 350 x 35 mm, 6 pieces

Code		Δ g
96838113		1915
 No 506	1/2" ■ 300 mm	
 No 509/2	1/2" ■ ○ 52 mm	
 No 509/5	1/2" ■ ○ 130 mm	
 No 509/10	1/2" ■ ○ 255 mm	
 No 510	1/2" ■ ○ 71 mm	
 No 512	1/2" ■	
83812029	Empty tray	110


ES 54/54KK



175 x 350 x 38 mm, 14 pieces

Code		Δ g
96838114		1630
 No 54	1/2" ○ sizes 4; 5; 6; 7; 8; 10; 12; 14; 17; 19 mm	
 No 54KK	1/2" ○ sizes 5; 6; 8; 10 mm	
83812046	Empty tray	108

ES 54KK/5



175 x 175 x 30 mm, 5 pieces

Code		Δ g
96838165		505
 No 54KK	1/2" ○ sizes 5; 6; 7; 8; 10 mm	
83812051	Empty tray	55

1

ES 1054/2054



175 x 175 x 30 mm, 6 pieces

Code	g
96 83 81 64	900
No 1054 No 2054	1/2" sizes 8; 10; 12 mm 1/2" sizes 5; 6; 14 mm
83 81 20 81 Empty tray	55


ES 54X/54TX



175 x 350 x 38 mm, 16 pieces

Code	g
96 83 81 15	1600
No 54X	1/2" sizes M5; M6; M8; M10; M12; M14; M16
No 54TX	1/2" sizes T20; T25; T27; T30; T40; T45; T50; T55; T60
83 81 20 45 Empty tray	111

ES 1054/2054TX/6



175 x 175 x 30 mm, 6 pieces

Code	g
96 83 81 63	950
No 1054TX No 2054TX	1/2" sizes T30; T50; T55; T60 1/2" sizes T40; T45
83 81 20 81 Empty tray	55

ES 55/6/4



530 x 350 x 83 mm, 10 pieces

Code	g
96 83 81 74	7875
No 55	3/4" sizes 34; 36; 41; 46; 50; 55 mm
No 552	3/4"
No 556	3/4"
No 558	510 mm
No 559/8	3/4" 200 mm
83 81 20 89 Empty tray	298

ES 2309/4



175 x 175 x 40 mm, 4 pieces

Code	g
96 83 81 62	1145
No 2309	1/2" sizes 17; 19; 21; 22 mm
83 81 20 80 Empty tray	55

ES 2309K/3



175 x 175 x 40 mm, 3 pieces

Code	g
96 83 82 60	800
No 2309K	1/2" sizes 17; 19; 21 mm
83 81 20 80 Empty tray	55

STAHLWILLE »AS-Drive«



STAHLWILLE sockets are equipped with the AS Drive* profile: this permits high transmission of forces to the lands of nuts and bolts without damaging them. No longer will you have to worry about stripping the corners off nuts and bolts.

*Anti-Slip-Drive




ES 721/15/3/2




530 x 350 x 40 mm, 6 pieces

Code	g
9683 81 72	5060
 No 2309K	1/2"  sizes 17; 19; 21 mm
 No 721/15 Quick	30-150 N·m
 No 35c cars	17; 19; 22;  1/2"
 No 10599/2	245 mm
8381 2087	Empty tray 299

ES 4620/4628/4630/7



175 x 350 x 39 mm, 7 pieces

Code	g
9683 82 36	530
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm)
 No 4628	size 1 (0.4 x 2.5 x 60 mm)
 No 4630	sizes 1; 2
8381 2101	Empty tray 98

ES 4620/4630/8



175 x 350 x 39 mm, 8 pieces

Code	g
9683 82 37	770
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm)
 No 4630	sizes 1; 2; 3
8381 2102	Empty tray 111

ES 4620/4622/4632/8




175 x 350 x 39 mm, 8 pieces

Code	g
9683 82 38	770
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm)
 No 4622	size 1 (1.0 x 5.5 x 100 mm) size 2 (1.2 x 6.5 x 125 mm) size 3 (1.2 x 8.0 x 150 mm)
 No 4632	sizes 1; 2; 3
8381 2102	Empty tray 111

ES 4622-4734/9



175 x 350 x 39 mm, 9 pieces

Code	g
9683 82 34	865
 No 4622	size 1 (1.0 x 5.5 x 100 mm) size 2 (1.2 x 6.5 x 125 mm) size 3 (1.2 x 8.0 x 150 mm) size 4 (1.6 x 10.0 x 175 mm)
 No 4628	size 1 (0.4 x 2.5 x 60 mm)
 No 4632	sizes 1; 2
 No 4724	size 2 (1.0 x 5.5 x 25 mm)
 No 4734	size 2
8381 2103	Empty tray 100

ES 4622SK/4632SK/6



175 x 350 x 39 mm, 6 pieces

Code	g
9683 82 19	770
 No 4622SK	size 1 (0.8 x 4.0 x 90 mm) size 2 (1.0 x 5.5 x 100 mm) size 3 (1.2 x 6.5 x 125 mm) size 4 (1.2 x 8.0 x 150 mm)
 No 4632SK	sizes 1; 2
8381 2106	Empty tray 111

Factory and workshop equipment, sets of tools

1


ES 4650/9



175 x 350 x 39 mm, 9 pieces

Code	Δφ g
96838217	645
 No 4650	sizes T8; T9; T10; T15; T20; T25; T27; T30; T40
83812104 Empty tray	100


ES 4656/9



175 x 350 x 39 mm, 9 pieces

Code	Δφ g
96838218	645
 No 4656	sizes T8; T9; T10; T15; T20; T25; T27; T30; T40
83812104 Empty tray	100

ES 4660/4665 VDE/6



175 x 350 x 39 mm, 6 pieces

Code	Δφ g
96838235	525
 No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm) size 3 (0.6 x 3.5 x 100 mm) size 5 (1.0 x 5.5 x 125 mm) size 6 (1.2 x 6.5 x 150 mm)
 No 4665 VDE	sizes 1; 2
83812105 Empty tray	99


ES 4820/4830/6



175 x 350 x 33 mm, 6 pieces

Code	Δφ g
96838134	480
 Nr. 4820	0.6 x 3.5 x 75 mm 0.8 x 4.0 x 100 mm 1.0 x 5.5 x 125 mm 1.2 x 6.5 x 150 mm
 Nr. 4830	sizes 1; 2
83812066 Empty tray	111

ES 4820/4830/8



175 x 350 x 30 mm, 8 pieces

Code	Δφ g
96838135	735
 No 4820	0.6 x 3.5 x 75 mm 0.8 x 4.0 x 100 mm 1.0 x 5.5 x 125 mm 1.2 x 6.5 x 150 mm 1.6 x 8.0 x 175 mm
 No 4830	sizes 1; 2; 3
83812068 Empty tray	110

ES 4856/9



175 x 350 x 30 mm, 9 pieces

Code	Δφ g
96838136	705
 No 4856	sizes T8; T9; T10; T15; T20; T25; T27; T30; T40
83812067 Empty tray	110

ES 12500N/7



175 x 350 x 39 mm, 7 pieces

Code	Δφ g
96838300	1060
 No 12500N	sizes 7; 8; 9; 10; 11; 12; 13 mm
83813085 Empty tray	103

ES 10768/6



350 x 350 x 37 mm, 6 pieces

Code	Δφ g
96838119	780
 No 10768	sizes 3; 4; 5; 6; 8; 10 mm
83812042 Empty tray	209

ES 10769/7



175 x 350 x 35 mm, 7 pieces

Code	Δ g
96 83 81 20	450
 No 10769	sizes T10; T15; T20; T25; T27; T30; T40
83 81 20 43	Empty tray 116

ES 10769B/7



175 x 350 x 35 mm, 7 pieces

Code	Δ g
96 83 81 29	450
 No 10769B	sizes T10; T15; T20; T25; T27; T30; T40
83 81 20 43	Empty tray 116

ES 6501-6602/7A



530 x 350 x 40 mm, 7 pieces

Code	Δ g
96 83 81 21	2085
 No 65 01 5 180	
 No 65 29 5 200	
 No 65 43 4 002	
 No 65 45 4 002	
 No 65 51 6 240	
 No 65 64 2 250	
 No 66 02 5 160	
83 81 20 21	Empty tray 307

ES 6501-6602/7B



530 x 350 x 40 mm, 7 pieces

Code	Δ g
96 83 81 32	2055
 No 65 01 5 200	
 No 65 29 5 160	
 No 65 43 4 002	
 No 65 45 4 002	
 No 65 51 6 240	
 No 65 64 2 250	
 No 66 02 5 160	
83 81 20 21	Empty tray 307

ES 6543-6546/4




175 x 350 x 30 mm, 4 pieces

Code	Δ g
96 83 81 22	700
 No 65 43 4 002	
 No 65 44 4 021	
 No 65 45 4 002	
 No 65 46 4 021	
83 81 20 37	Empty tray 109

ES 102/108/109/4



175 x 350 x 30 mm, 4 pieces

Code	Δ g
96 83 81 23	555
 No 102	175 mm
 No 108	150 x 6; 175 x 6 mm
 No 109	size 6; 100 x 3.4 mm
83 81 20 27	Empty tray 115

Factory and workshop equipment, sets of tools

1

ES 102/105/108/8



175 x 350 x 33 mm, 8 pieces

Code	g
96838124	900
No 102	175 mm
No 105	120 x 12 mm
No 108	150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
83812036 Empty tray	114

ES 10670-13110/11



530 x 350 x 35 mm, 11 pieces

Code	g
96838173	2120
No 10670	265 mm
No 12025	210 mm
No 12030	260 mm
No 12035	210 mm
No 12036	260 mm
No 12050	465 mm
No 12320	
No 12321	
No 12377	
No 12935/3	3 m
No 13110	300 mm
83812088 Empty tray	301

ES 10956/10960/2



175 x 350 x 45 mm, 2 pieces

Code	g
96838125	1130
No 10956	∅ 35 mm
No 10960	500 g
83812025 Empty tray	114


ES 10956/10970/2



175 x 350 x 45 mm, 2 pieces

Code	g
96838131	1075
No 10956	∅ 35 mm
No 10970	1 lb.
83812025 Empty tray	114

Empty inlay



175 x 350 x 30 mm

Code	g
83812047	110


Empty inlay



175 x 175 x 28 mm

Code	g
83812080	55

The modular tool tray system



1/6 tray
(175 x 175 mm)



1/3 tray
(175 x 350 mm)



2/3 tray
(350 x 350 mm)



3/3 tray
(530 x 350 mm)



The modular tool tray system.

Tool Control System – built-in safety.


1



Initially, the TCS Tool Control System was developed by STAHLWILLE in conjunction with British Aerospace for the aerospace industry with a view to improving safety. Today, the system is appreciated by employees in the automotive industry and other fields of industry and the trades for its convincing benefits. The system guarantees a high level of organisation and security, protects high-grade, expensive tools from damage and is ideal wherever large numbers of tools are prone to “disappear” – in other words, a real value-for-money investment that will soon pay for itself.

The advantages at a glance:

- With our Tool Control System, the tools are arranged in chemical-resistant special foam inlays with milled three-dimensional cut-outs.
- The signal colour is yellow. A glance is enough to see whether all tools are in their correct places: if you can see yellow, there is something missing.



1 The milled cut-outs for each tool are individually shaped using computer technology to provide each tool with a secure place. Easy to remove thanks to additional recesses.

2 The milled cut-outs enable you to see at a glance where each tool goes. Saves time and money.

3 The inlays are chemical-resistant and extremely flexible.

4 Two-layer, two-colour plastic inlays: the upper half is black and the lower layer is yellow.

Tool sets in TCS inlays for Workbench No WB620, Tool trolleys No 90, 95, 95VA, 98VA; Magazine case No 920 and Wheely box No 922N

806/9 TCS TCS tool set



98 Tools, in TCS inlays (Tool Control System see page 53-71), 7x1/3, 1x2/3 and 1x3/3 inlays for 4 drawers (No 98VA for 2 drawers), suitable for Workbench No WB620, Tool trolleys No 90, 95, 95VA, 98VA; Magazine case No 920 and Wheely box No 922N.

Code	kg
96 83 00 04	12.53



96 83 81 75



96 83 81 76



96 83 81 77



96 83 82 78



96 83 81 79



96 83 81 80



96 83 81 81



96 83 81 83



96 83 81 82

	No 10	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 24 x 27; 30 x 32 mm
	No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm
	No 40	1/4" sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	No 400	1/4" 150 mm

	No 404	1/4" 116 mm
	No 405/2	1/4" 54 mm
	No 405/6	1/4" 150 mm
	No 407	1/4" 38 mm
	No 412	1/4"
	No 415	1/4"
	No 10760CV	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10; 12 mm
	No 52	1/2" sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
	No 506	1/2" 300 mm
	No 509/2	1/2" 52 mm
	No 509/5	1/2" 130 mm
	No 509/10	1/2" 255 mm
	No 510	1/2" 71 mm
	No 512	1/2"
	No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm)
	No 4630	sizes 1; 2; 3
	No 65 01 5 180	
	No 65 29 5 200	
	No 65 43 4 002	
	No 65 45 4 002	
	No 65 51 6 240	
	No 65 64 2 250	
	No 66 02 5 160	
	No 102	175 mm
	No 108	150 x 6; 175 x 6 mm
	No 109	size 6; 100 x 3.4 mm
	No 10956	Ø 35 mm
	No 10960	500 g



→ 11

STAHLWILLE's **Tool Trolley 95VA** now features even better safety and more sophisticated details.

TCS 10/10, 6x7-30x32 mm



TCS



350 x 350 x 30 mm, 10 pieces

Code	Δφ g
96838182	1550



No 10

sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13;
14 x 15; 16 x 17; 18 x 19; 20 x 22;
24 x 27; 30 x 32 mm

TCS 10/10, 6x7-30x32 mm MF



TCS



175 x 350 x 75 mm, 10 pieces


Code	Δφ g
96830353	1437



No 10

sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13;
14 x 15; 16 x 17; 18 x 21; 19 x 22;
24 x 27; 30 x 32 mm

TCS 10/10, 6x7-24x27 mm



TCS



175 x 350 x 66 mm, 10 pieces


Code	Δφ g
96838187	1287



No 10

sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13;
14 x 15; 16 x 17; 18 x 19; 20 x 22;
21 x 24; 24 x 27 mm

TCS 10/10, 6x7-24x27 mm MF



TCS



175 x 350 x 70 mm, 10 pieces


Code	Δφ g
96830358	1320



No 10

sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13;
14 x 15; 16 x 17; 18 x 19; 20 x 22;
21 x 24; 24 x 27 mm

TCS 10/11, 6x7-34x36 mm



TCS



175 x 350 x 82 mm, 11 pieces

Code	Δφ g
96830167	2056



No 10

sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13;
14 x 15; 16 x 17; 18 x 21; 19 x 22;
24 x 27; 30 x 32; 34 x 36 mm

TCS 10+13+24/30



TCS



530 x 350 x 75 mm, 30 pieces

Code	Δφ g
96830605	3724



No 10

sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13;
14 x 15; 16 x 17; 18 x 19; 20 x 22;
21 x 24 mm



No 13

sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16;
17; 18; 19; 21; 22; 24; 27; 30; 32 mm



No 24

size 10 x 11 mm

TCS 10a/9



TCS



175 x 350 x 70 mm, 9 pieces

Code	Δφ g
96838779	1555




No 10a

sizes 1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16;
19/32 x 11/16; 5/8 x 3/4; 3/4 x 7/8;
25/32 x 13/16; 15/16 x 1; 1 1/8 x 1 5/16"

TCS 13/18, 6-24 mm



TCS



530 x 350 x 35 mm, 18 pieces

Code	Δφ g
96838183	1850



No 13

sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15;
16; 17; 18; 19; 20; 21; 22; 24 mm

TCS 13/17, 6-24 mm



TCS



350 x 350 x 60 mm, 17 pieces

Code	ΔΔ g
96 83 01 64	1615
No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm

TCS 13/17, 6-24 mm MF



TCS



350 x 350 x 60 mm, 17 pieces

Code	ΔΔ g
96 83 03 51	1552
No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm

TCS 13/21, 6-34 mm



TCS



530 x 350 x 75 mm, 21 pieces

Code	ΔΔ g
96 83 01 74	3571
No 13	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 34 mm

TCS 13/25, 5.5-34 mm



TCS



530 x 350 x 80 mm, 25 pieces

Code	ΔΔ g
96 83 20 96	4550
No 13	sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 27; 29; 30; 32; 34 mm

TCS 12+13+14/29



TCS



530 x 350 x 80 mm, 29 pieces

Code	ΔΔ g
96 83 01 93	3752
No 12	sizes 5.5; 12; 14 mm (2x)
No 13	sizes 7; 11 mm (2x); sizes 6; 8; 9; 10; 12; 13; 14; 15; 16; 17; 18; 19; 20; 22; 24; 30; 32; 36 mm (1x)
No 14	size 17 mm

TCS 13a/19



TCS




350 x 350 x 55 mm, 19 pieces

Code	ΔΔ g
96 83 87 78	2000
No 13a	sizes 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1"

TCS 13a/23




TCS



530 x 350 x 35 mm, 23 pieces

Code	ΔΔ g
96 83 08 85	2726
No 13a	sizes 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8"

TCS 14/5, 17-21 mm




TCS



175 x 350 x 30 mm, 5 pieces

Code	ΔΔ g
96 83 81 88	1065
 No 14	sizes 17; 18; 19; 20; 21 mm

TCS 14/8, 8-16 mm



TCS



175 x 350 x 30 mm, 8 pieces

Code	ΔΔ g
96 83 81 89	660
 No 14	sizes 8; 10; 11; 12; 13; 14; 15; 16 mm

TCS 14/18, 6-24 mm



TCS



350 x 350 x 60 mm, 18 pieces

Code	ΔΔ g
96 83 87 50	2348
 No 14	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm

TCS 14/21, 6-36 mm




TCS



530 x 350 x 75 mm, 21 pieces

Code	ΔΔ g
96 83 87 71	4988
 No 14	sizes 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 36 mm

TCS 20/8, 6x7-19x22 mm



TCS



175 x 350 x 45 mm, 8 pieces

Code	ΔΔ g
96 83 81 92	1300
 No 20	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22 mm

TCS 20/8, 6x7-19x22 mm MF



TCS



175 x 350 x 45 mm, 8 pieces

Code	ΔΔ g
96 83 03 56	1323
 No 20	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22 mm

TCS 20/10, 6x7-30x32 mm



TCS



350 x 350 x 45 mm, 10 pieces

Code	ΔΔ g
96 83 01 66	2450
 No 20	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22; 24 x 27; 30 x 32 mm

TCS 24/7, 8x10-19x22 mm



TCS



175 x 350 x 35 mm, 7 pieces

Code	ΔΔ g
96 83 87 58	780
 No 24	sizes 8 x 10; 10 x 11; 11 x 13; 12 x 14; 14 x 17; 17 x 19; 19 x 22 mm

Factory and workshop equipment, sets of tools

1

TCS 240/6



TCS



175 x 350 x 35 mm, 6 pieces

Code	ΔΔ g
96838774	1163
No 240	sizes 10; 11; 13; 14; 17; 19 mm

TCS 17/12



TCS



175 x 350 x 45 mm, 12 pieces

Code	ΔΔ g
96830649	1460
No 17	sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm

TCS 25/7



TCS



175 x 350 x 30 mm, 7 pieces

Code	ΔΔ g
96838751	984
No 25	sizes 7 x 8; 9 x 10; 10 x 11; 12 x 13; 14 x 15; 16 x 18; 17 x 19 mm

TCS 29/6, 8x9-18x19 mm




TCS



175 x 350 x 35 mm, 6 pieces

Code	ΔΔ g
96838764	1079
No 29	sizes 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19 mm

TCS 29/7, 8x9-20x22 mm



TCS



175 x 350 x 40 mm, 7 pieces

Code	ΔΔ g
96830195	1520
No 29	sizes 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22 mm

TCS 4026/3




TCS



175 x 350 x 30 mm, 3 pieces

Code	ΔΔ g
96838765	1400
No 4026	sizes 8; 10; 12

TCS 10750/10, 6x7-20x22 mm




TCS



175 x 350 x 40 mm, 10 pieces

Code	ΔΔ g
96838756	1130
No 10750	sizes 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22 mm
No 10750 1/2	sizes 6; 7

TCS 1/4" + 10760CV




TCS



175 x 350 x 43 mm, 27 pieces

Code	ΔΔ g
96838176	987
No 40	1/4" ○ sizes 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
No 400	1/4" ■ 150 mm
No 404	1/4" ■ 116 mm
No 405/2	1/4" ■ ○ 54 mm
No 405/6	1/4" ■ ○ 150 mm
No 407	1/4" ■ ○ 38 mm
No 412	1/4" ○ ○
No 415	1/4" ■
No 10760CV	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10; 12 mm


TCS 40/41/44/8




TCS



175 x 350 x 45 mm, 33 pieces

Code		g
96 83 02 17		715
 No 40	1/4"  sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm	
 No 41K	1/4"  0.6 x 3.5; 1.0 x 5.5; 1.2 x 8 mm	
 No 44K	1/4"  3; 4; 5; 6; 8 mm	
 No 44P	1/4"  sizes 1; 2; 3; 4	
 No PZ1221 No PZ1222	1/4"  size 1 1/4"  size 2	
 No 400	1/4"  150 mm	
 No 404	1/4"  116 mm	
 No 405/2	1/4"  54 mm	
 No 405/6	1/4"  150 mm	
 No 407	1/4"  38 mm	
 No 409	3/8"  1/4" 	
 No 412	1/4" 	
 No 415	1/4" 	




TCS 40/35/9




TCS



175 x 350 x 40 mm, 44 pieces

Code		g
96 83 06 01		1045
 No 40	1/4"  sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm	
 No 40L	1/4"  sizes 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm	
 No 41K	1/4"  0.6 x 3.5; 1.0 x 5.5; 1.2 x 8 mm	
 No 44K	1/4"  3; 4; 5; 6; 8 mm	
 No 44P	1/4"  sizes 1; 2; 3; 4	
 No 400	1/4"  150 mm	
 No 404	1/4"  116 mm	
 No 405/2 No 405/4	1/4"  54 mm 1/4"  100 mm	
 No 405/6	1/4"  150 mm	
 No 407	1/4"  38 mm	
 No 412	1/4" 	
 No 415	1/4" 	
 No 409	3/8"  1/4" 	


TCS 4008/8/52



TCS



175 x 350 x 50 mm, 60 pieces

Code		g
96 83 87 73		665
 No 412	1/4" 	
 No 412/1	1/4"  10 mm 	
 No 442	1/4"  3/8" 	
 No 1200/1	1/4" 	
 No 3825/1	1/4" 	
 No 3115/1	1/4" 	
 No 4008-1	1/4" 	
 No 4008-2	1/4" 	
 No 1300 No 1301 No 1302 No 1303 No 1304	size 3 mm (2x) size 4 mm (2x) size 5 mm (2x) size 6 mm (2x) size 8 mm (2x)	
 No 1220 No 1221 No 1222 No 1223	size 0 (2x) size 1 (2x) size 2 (2x) size 3 (2x)	
 No PZ1221 No PZ1222 No PZ1223	size 1 (2x) size 2 (2x) size 3 (2x)	
 No 1414 No 1415 No 1416 No 1417 No 1419 No 1420	size T10 (2x) size T15 (2x) size T20 (2x) size T25 (2x) size T30 (2x) size T40 (2x)	
 No 1440 No 1441 No 1442 No 1443 No 1445 No 1446	size T10 (2x) size T15 (2x) size T20 (2x) size T25 (2x) size T30 (2x) size T40 (2x)	
 No 1161 No 1163 No 1165 No 1166/1	size 0.5 x 4.0 mm size 0.6 x 4.5 mm size 0.8 x 5.5 mm size 1.2 x 6.5 mm	

Tool Control System

The safety inlay system

- Designed to fit our Tool Trolleys and Tool Boxes
- With yellow signal cut-outs to show whether all tools are in their places



Factory and workshop equipment, sets of tools

1

TCS 456/16/6



TCS



175 x 350 x 45 mm, 22 pieces

Code		ΔΔ g
96 83 87 52		1500
No 456	3/8" ○ sizes 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm	
No 425	3/8" ■ 165 mm	
No 427/3	3/8" ■ ○ 76 mm	
No 427/6	3/8" ■ ○ 160 mm	
No 427/10	3/8" ■ ○ 240 mm	
No 428	3/8" ■ ○ 46 mm	
No 435	3/8" ■	

TCS 456/16/7



TCS



175 x 350 x 40 mm, 23 pieces

Code		ΔΔ g
96 83 02 18		1400
No 456	3/8" ○ sizes 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm	
No 427/3	3/8" ■ ○ 76 mm	
No 427/5	3/8" ■ ○ 125 mm	
No 427/10	3/8" ■ ○ 240 mm	
No 428	3/8" ■ ○ 46 mm	
No 431	1/4" ■ 3/8" ○	
No 432	1/2" ■ 3/8" ○	
No 435	3/8" ■	

TCS 456/16/4 MF



TCS



175 x 350 x 45 mm, 20 pieces

Code		ΔΔ g
96 83 03 57		1123
No 456	3/8" ○ sizes 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm	
No 427/5	3/8" ■ ○ 125 mm	
No 427/10	3/8" ■ ○ 240 mm	
No 428	3/8" ■ ○ 46 mm	
No 435	3/8" ■	

TCS 456/31/8




TCS



350 x 350 x 32 mm, 39 pieces

Code		ΔΔ g
96 83 06 02		2701
No 456	3/8" ○ sizes 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm	
No 46	3/8" ○ sizes 10; 11; 12; 13 mm	
No 47	3/8" ○ sizes 10; 11; 12; 13; 14; 15; 16 mm	
No 1049	3/8" ○ size 9 mm	
No 49X	3/8" ○ sizes M6; M8; M10	
No 427/3	3/8" ■ ○ 76 mm	
No 427/5	3/8" ■ ○ 125 mm	
No 427/10	3/8" ■ ○ 240 mm	
No 428	3/8" ■ ○ 46 mm	
No 431	1/4" ■ 3/8" ○	
No 432	1/2" ■ 3/8" ○	
No 435	3/8" ■	
No 452	3/8" ■	

TCS 49/1049/2049/45TX/49TX




TCS



175 x 350 x 40 mm, 24 pieces

Code		ΔΔ g
96 83 87 72		1200
No 49	3/8" ○ sizes 4; 5; 6; 7; 8; 10 mm	
No 1049	3/8" ○ size 7 mm	
No 2049	3/8" ○ sizes 4; 5; 6; 8; 10 mm	
No 45TX	3/8" ○ sizes E5; E6; E7; E8; E10; E12	
No 49TX	3/8" ○ sizes T10; T15; T20; T25; T30; T40	

TCS 1/2"-512/6




TCS



175 x 350 x 35 mm, 6 pieces

Code	Δ	g
96 83 81 75		1845
 No 506	1/2" ■	300 mm
 No 509/2	1/2" ■	52 mm
 No 509/5	1/2" ■	130 mm
 No 509/10	1/2" ■	255 mm
 No 510	1/2" ■	71 mm
 No 512	1/2" ■	

TCS 1/2"-512/9



TCS



175 x 350 x 40 mm, 9 pieces

Code	Δ	g
96 83 06 03		2364
 No 506	1/2" ■	300 mm
 No 509QR/2	1/2" ■	52 mm
 No 509/5	1/2" ■	130 mm
 No 509QR/10	1/2" ■	255 mm (2x)
 No 510	1/2" ■	71 mm
 No 512	1/2" ■	
 No 513	3/8" ■	1/2" ○
 No 514	3/4" ■	1/2" ○

TCS 52/14/4



TCS



175 x 350 x 50 mm, 18 pieces

Code	Δ	g
96 83 87 81		2510
 No 52	1/2" ○	sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 22; 24; 27; 30 mm
 No 509/5	1/2" ■	130 mm
 No 509/10	1/2" ■	255 mm
 No 510	1/2" ■	71 mm
 No 512	1/2" ■	

TCS 50/52/30/6 MF



TCS



350 x 350 x 70 mm, 36 pieces

Code	Δ	g
96 83 03 54		4604
 No 50	1/2" ○	sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 30 mm
 No 52	1/2" ○	sizes 12; 13; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32; 34 mm
 No 54	1/2" ○	sizes 5; 6; 7; 8; 10; 12 mm
 No 506	1/2" ■	300 mm
 No 509/5	1/2" ■	130 mm
 No 509/10	1/2" ■	255 mm
 No 510	1/2" ■	71 mm
 No 512	1/2" ■	
 No 513	3/8" ■	1/2" ○

TCS 50/51/52/32




TCS



175 x 350 x 50 mm, 32 pieces

Code	Δ	g
96 83 81 91		2950
 No 50	1/2" ○	sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 30 mm
 No 52	1/2" ○	sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
 No 51	1/2" ○	sizes 22; 27 mm


TCS 51/11



TCS




175 x 350 x 50 mm, 11 pieces

Code	Δ	g
96 83 87 76		2360
 No 51		sizes 10; 13; 15; 17; 18; 19; 22; 24; 27; 30; 32 mm

Factory and workshop equipment, sets of tools

1

TCS 52/17



TCS



175 x 350 x 40 mm, 17 pieces

Code	g
96 83 81 77	1605

	No 52	1/2" sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
--	--------------	---

TCS 52/18 MF



TCS




175 x 350 x 55 mm, 18 pieces

Code	g
96 83 03 59	1850

	No 52	1/2" sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32; 34 mm
--	--------------	---

TCS 50a/17



TCS



175 x 350 x 40 mm, 17 pieces

Code	g
96 83 87 80	1600

	No 50a	1/2" sizes 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8; 1 3/16; 1 1/4"
--	---------------	--

TCS 54/54TX/18



TCS



175 x 350 x 40 mm, 18 pieces

Code	g
96 83 87 82	1665

	No 54	1/2" sizes 4; 5; 6; 7; 8; 10; 12; 14; 17 mm
--	--------------	--

	Nr. 54TX	1/2" sizes T20; T25; T27; T30; T40; T45; T50; T55; T60
--	-----------------	---

TCS 40/456/52/78/19



TCS



530 x 350 x 60 mm, 97 pieces

Code	g
96 83 20 95	7000

	No 40	1/4" sizes 4; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
--	--------------	--

	No 44K	1/4" sizes 3; 4; 5; 6; 8 mm
--	---------------	------------------------------

	No 456	3/8" sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
--	---------------	---

	No 49	3/8" sizes 5; 6; 8 mm
--	--------------	------------------------

	No 52	1/2" sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 34 mm
--	--------------	---

	No 54	1/2" sizes 10; 12 mm
--	--------------	-----------------------

	No 40TX	1/4" sizes E8; E10
--	----------------	---------------------

	No 44KTXB	1/4" sizes T8; T10; T15; T20; T25; T27; T30; T40
--	------------------	---

	No 45TX	3/8" sizes E8; E10; E12; E14
--	----------------	-------------------------------

	No 49TX No 54TX	3/8" sizes T25; T45 1/2" sizes T40; T50; T55; T60
--	----------------------------------	--

	No 1054TX No 2054TX	1/2" sizes T50; T55 1/2" sizes T40; T45
--	--------------------------------------	--

	No 400	1/4" 150 mm
--	---------------	--------------

	No 404	1/4" 116 mm
--	---------------	--------------

	No 405/2 No 405/4	1/4" 54 mm 1/4" 100 mm
--	------------------------------------	-----------------------------

	No 407	1/4" 38 mm
--	---------------	-------------

	No 412	1/4" 38 mm
--	---------------	-------------

	No 415	1/4" 38 mm
--	---------------	-------------

	No 425	3/8" 165 mm
--	---------------	--------------

	No 427/3	3/8" 76 mm
--	-----------------	-------------

	No 427/10	3/8" 240 mm
--	------------------	--------------

	No 428	3/8" 46 mm
--	---------------	-------------

	No 431	1/4" 3/8"
--	---------------	------------

	No 432	1/2" 3/8"
--	---------------	------------

	No 435	3/8"
--	---------------	------

	No 506	1/2" 300 mm
--	---------------	--------------

	No 509/5	1/2" 130 mm
--	-----------------	--------------

	No 509/10	1/2" 255 mm
--	------------------	--------------

	No 510	1/2" 71 mm
--	---------------	-------------

	No 512	1/2"
--	---------------	------

	No 513	3/8" 1/2"
--	---------------	------------

TCS 40/45/50/89/19



TCS



530 x 350 x 70 mm, 108 pieces

Code	g
96 83 01 92	7770
 No 40	1/4"  sizes 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 No 44	1/4"  sizes 3; 4; 5; 6 mm
 No 400	1/4"  150 mm
 No 404	1/4"  116 mm
 No 405/6	1/4"   150 mm
 No 407	1/4"   38 mm
 No 409M	3/8"  1/4" 
 No 415	1/4" 
 No 45	3/8"  sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
 No 46	3/8"  size 20.8 mm-13/16"
 No 49	3/8"  sizes 4; 5; 6; 7; 8; 10 mm
 No 425	3/8"  165 mm
 No 427/3	3/8"   76 mm
 No 427/10	3/8"   240 mm
 No 428	3/8"   46 mm
 No 432M	1/2"  3/8" 
 No 435	3/8" 
 No 50	1/2"  sizes 19; 21; 22; 24; 27; 30; 32 mm
 No 52	1/2"  sizes 16; 17; 18; 19; 22; 24; 27; 30; 32 mm
 No 54	1/2"  sizes 6; 7; 8; 10 mm
 No 54X	1/2"  sizes M6; 8; 12; 14
 No 506	1/2"  300 mm
 No 509/5	1/2"   130 mm
 No 509/10	1/2"   255 mm
 No 510	1/2"   71 mm
 No 512	1/2" 
 No 514M	3/4"  1/2" 
 No 40TX	1/4"  sizes E4; E5; E6; E7; E8
 No 45TX	3/8"  sizes E10; E12; E14
 No 50TX	1/2"  sizes E11; E16; E18; E20; E24
 No 54TX	1/2"  sizes T45; T50; T55; T60
 No 1410	size T6
 No 1411	size T7
 No 1412	size T8
 No 1413	size T9
 No 1440	size T10
 No 1441	size T15
 No 1442	size T20
 No 1443	size T25
 No 1444	size T27
 No 1445	size T30
 No 1446	size T40
 No 1427	size T25 (65 mm)
 No 415SGB N	1/4" 

TCS 50TX/54TX/17



TCS



175 x 350 x 40 mm, 17 pieces

Code	g
96 83 87 63	1382
 No 50TX	1/2"  sizes E10; E11; E12; E14; E16; E18; E20; E24
 No 54TX	1/2"  sizes T20; T25; T27; T30; T40; T45; T50; T55; T60

TCS 54/2309K/12506



TCS



175 x 350 x 40 mm, 13 pieces

Code	g
96 83 01 63	1830
 No 54	1/2"  sizes 5; 6; 7; 8; 10; 12; 14; 17; 19 mm
 No 2309K	1/2"  sizes 17; 19 mm
 No 12506	sizes 6; 7 mm

TCS 54/54X/16



TCS



175 x 350 x 35 mm, 16 pieces

Code	g
96 83 87 62	1665
 No 54	1/2"  sizes 4; 5; 6; 7; 8; 10; 12; 14; 17 mm
 No 54X	1/2"  sizes M5; M6; M8; M10; M12; M14; M16

TCS 1054/2054/10



TCS



175 x 350 x 40 mm, 10 pieces

Code	g
96 83 87 60	1272
 No 1054	1/2"  sizes 8; 10; 12 mm
 No 2054	1/2"  sizes 5; 6 mm
 No 1054TX	1/2"  sizes T30; T50; T55
 No 2054TX	1/2"  sizes T40; T45

TCS 55/11/6



TCS



530 x 350 x 90 mm, 17 pieces

Code	Δg	
96 83 02 21	10100	
No 55	3/4" ○ sizes 22; 24; 27; 30; 32; 34; 36; 38; 41; 46; 50 mm	
No 552	3/4" ■	
No 556	3/4" ■	
No 558	510 mm	
No 559/8	3/4" ■ ○ 200 mm	
No 559/16	3/4" ■ ○ 400 mm	
No 568	1/2" ■ 3/4" ○	

TCS TX/57 MF N




TCS



350 x 350 x 75 mm, 57 pieces

Code	Δg	
96 83 04 50	2060	
No 21TX	sizes E6 x E8; E10 x E12; E14 x E18; E20 x E24	
No 40TX	1/4" ○ sizes E4; E5; E6; E7; E8	
No 45TX	3/8" ○ sizes E10; E12; E14	
No 49TX	3/8" ○ sizes T40; T45	
No 50TX	1/2" ○ sizes E16; E18; E20; E24	
No 54TX	1/2" ○ sizes T50; T55; T60	
No 415SGB N	1/4" ○	
No 412	1/4" ○ ○	
No 442	1/4" ○ 3/8" ○	
No 1410	size T6	
No 1411	size T7	
No 1412	size T8	
No 1413	size T9	
No 1440	size T10	
No 1441	size T15	
No 1442	size T20	
No 1443	size T25	
No 1444	size T27	
No 1445	size T30	
No 1446	size T40	
No 1427	size T25 (65 mm)	
No 4650	sizes T6; T7; T8; T9; T10; T15; T20; T25; T27; T30	
No 10766	sizes T6; T7	
No 10766/9	sizes T8; T9; T10; T15; T20; T25; T27; T30; T40	

TCS 50IMP/51IMP/19




TCS



170 x 350 x 50 mm, 19 pieces

Code	Δg	
96 83 87 77	3960	
No 50IMP	1/2" ○ sizes 10; 13; 15; 16; 17; 18; 19; 21; 22; 24; 27 mm	
No 51IMP	1/2" ○ sizes 13; 15; 17; 18; 19; 21; 22; 24 mm	

TCS 50IMP/19/2




TCS



175 x 350 x 50 mm, 21 pieces

Code	Δg	
96 83 87 91	3065	
No 50IMP	sizes 8; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 23; 24; 25; 27; 30; 32 mm	
No 509/5IMP	1/2" ■ ○ 125 mm	
No 510IMP	1/2" ■ ○ 68 mm	

TCS 54IMP/2307TX/15




TCS



175 x 350 x 40 mm, 15 pieces

Code	Δg	
96 83 87 92	1285	
No 54IMP	1/2" ○ sizes 5; 6; 7; 8; 10; 12; 14; 17; 19 mm	
No 2307TX	1/2" ○ sizes T30; T40; T45; T50; T55; T60	

TCS 4620/4630



TCS



175 x 350 x 35 mm, 7 pieces

Code	Δg	
96 83 82 78	590	
No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm)	
No 4630	sizes 1; 2; 3	

TCS 4620/4640



TCS



175 x 350 x 40 mm, 7 pieces

Code	Δ	g
96 83 87 84		410
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm)	
 No 4640	sizes PZ1; PZ2; PZ3	

TCS 4620/4660VDE+10767



TCS



530 x 350 x 35 mm, 27 pieces

Code	Δ	g
96 83 11 68		2080
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm) size 6 (1.6 x 10.0 x 200 mm) size 7 (2.0 x 12.0 x 200 mm)	
 No 4628	size 1 (0.4 x 2.5 x 60 mm)	
 No 4630	sizes 1; 2; 3	
 No 4632	size 4	
 No 4640	sizes 0; 1; 2	
 No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm)	
 No 4724	size 2 (1.0 x 5.5 x 25 mm)	
 No 4734 No 4744	size 2 size 1	
 No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm	

TCS 4620-4734/8



TCS



175 x 350 x 40 mm, 8 pieces

Code	Δ	g
96 83 87 69		503
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 3 (1.0 x 5.5 x 125 mm) size 4 (1.2 x 6.5 x 150 mm)	
 No 4628	size 1 (0.4 x 2.5 x 60 mm)	
 No 4630	sizes 1; 2	
 No 4724	size 2 (1.0 x 5.5 x 25 mm)	
 No 4734	size 2	

TCS 4620/4660VDE



TCS



530 x 350 x 40 mm, 18 pieces

Code	Δ	g
96 83 11 79		1689
 No 4620	size 1 (0.6 x 3.5 x 75 mm) size 2 (0.8 x 4.0 x 100 mm) size 4 (1.2 x 6.5 x 150 mm) size 5 (1.6 x 8.0 x 175 mm) size 6 (1.6 x 10.0 x 200 mm) size 7 (2.0 x 12.0 x 200 mm)	
 No 4628	size 1 (0.4 x 2.5 x 60 mm)	
 No 4630	sizes 1; 2; 3	
 No 4632	size 4	
 No 4640	sizes 0; 1; 2	
 No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm)	
 No 4724	size 2 (1.0 x 5.5 x 25 mm)	
 No 4734 No 4744	size 2 size 1	

TCS 4621/4734/16



TCS



530 x 350 x 40 mm, 16 pieces


Code	Δ	g
96 83 20 98		1490
 No 4621	size 0 (0.4 x 2.5 x 80 mm) size 1 (0.5 x 3.5 x 90 mm) size 2 (0.6 x 4.0 x 100 mm) size 4 (1.0 x 6.5 x 140 mm) size 5 (1.2 x 8.0 x 160 mm)	
 No 4631	sizes 1; 2	
 No 4632	sizes 1; 2; 3	
 No 4724	size 2 (1.0 x 5.5 x 25 mm)	
 No 4734	size 2	
 No 10506	0.8 x 4.0 x 300 mm	
 No 10518	1.0 x 5.5 x 410 mm	
 No 12600	500 g	
 No 12922E	Ø 6 mm	

 Made in Germany

Factory and workshop equipment, sets of tools

1

TCS 4622/4632



TCS



175 x 350 x 35 mm, 6 pieces

Code	g
96 83 87 83	845
 No 4622	size 1 (1.0 x 5.5 x 100 mm) size 2 (1.2 x 6.5 x 125 mm) size 3 (1.2 x 8.0 x 150 mm) size 4 (1.6 x 10.0 x 175 mm)
 No 4632	sizes 2; 3

TCS 4622/4650+10760+10766




TCS



530 x 350 x 40 mm, 36 pieces

Code	g
96 83 11 96	1895
 No 4622	size 1 (1.0 x 5.5 x 100 mm) size 2 (1.2 x 6.5 x 125 mm) size 4 (1.6 x 10.0 x 175 mm) size 5 (2.0 x 12.0 x 200 mm)
 No 4630	size 1
 No 4632	size 3
 No 4650	sizes T6; T7; T8; T9; T10; T15; T20; T25; T27; T30
 No 4724	size 2 (1.0 x 5.5 x 25 mm)
 No 4734	size 2
 No 10760CV/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 10766/9	sizes T8; T9; T10; T15; T20; T25; T27; T30; T40

TCS 4650



TCS



175 x 350 x 35 mm, 8 pieces

Code	g
96 83 87 67	350
 No 4650	sizes T8; T9; T10; T15; T20; T25; T27; T30

TCS 4660/4665 VDE




TCS



175 x 350 x 40 mm, 6 pieces

Code	g
96 83 87 66	400
 No 4660 VDE	size 1 (0.4 x 2.5 x 75 mm) size 3 (0.6 x 3.5 x 100 mm) size 5 (1.0 x 5.5 x 125 mm) size 6 (1.2 x 6.5 x 150 mm)
 No 4665 VDE	sizes 1; 2

TCS 4665/4670 VDE



TCS



175 x 350 x 40 mm, 7 pieces

Code	g
96 83 87 85	560
 No 4665 VDE No 4670 VDE	sizes PH0; PH1; PH2; PH3 sizes PZ0; PZ1; PZ2

TCS 4724/4840+10767




TCS



530 x 350 x 45 mm, 24 pieces

Code	g
96 83 07 06	1755
 No 4628	size 1 (0.4 x 2.5 x 60 mm)
 No 4724	size 2 (1.0 x 5.5 x 25 mm)
 No 4734 No 4744	size 2 size 1
 No 4820	0.6 x 3.5 x 75 mm 0.8 x 4.0 x 100 mm 1.2 x 6.5 x 150 mm 1.6 x 10.0 x 200 mm 2.0 x 12.0 x 250 mm
 No 4830 No 4840	sizes 1; 2; 3 size 1
 No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 7756	
 No 12922E	Ø 6 mm

TCS 4820/4830



TCS




175 x 350 x 35 mm, 7 pieces


Code	ΔΔ g
96 83 81 84	555

 No 4820	0.6 x 3.5 x 75 mm 0.8 x 4.0 x 100 mm 1.0 x 5.5 x 125 mm 1.2 x 6.5 x 150 mm
 No 4830	sizes 1; 2; 3

TCS 4856



TCS




175 x 350 x 40 mm, 7 pieces

Code	ΔΔ g
96 83 87 55	447

 No 4856	sizes T8; T9; T10; T15; T20; T25; T30
---	---------------------------------------

TCS 12500N/5



TCS



175 x 350 x 45 mm, 5 pieces

Code	ΔΔ g
96 83 87 57	730

 No 12500N	sizes 7; 8; 10; 12; 13 mm
---	---------------------------

TCS 12507-2K/5



TCS



175 x 350 x 40 mm, 5 pieces

Code	ΔΔ g
96 83 87 61	792

 No 12507-2K	sizes 7; 8; 10; 12; 13 mm
---	---------------------------

TCS 10768/8



TCS



350 x 350 x 40 mm, 8 pieces

Code	ΔΔ g
96 83 87 86	740

 No 10768	sizes 2; 2.5; 3; 4; 5; 6; 8; 10 mm
---	------------------------------------

TCS 10765/10768/12507/19



TCS



530 x 350 x 30 mm, 19 pieces

Code	ΔΔ g
96 83 06 21	1640

 No 10765/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
---	---

 No 10768	sizes 2.5; 3; 4; 5; 6; 8; 10 mm
---	---------------------------------

 No 12507-2K	sizes 8; 10; 13 mm
--	--------------------

TCS 10768-2K/6



TCS



350 x 350 x 40 mm, 6 pieces

Code	ΔΔ g
96 83 87 53	792

 No 10768-2K	sizes 3; 4; 5; 6; 8; 10 mm
--	----------------------------

Factory and workshop equipment, sets of tools

1

TCS 10769+10771/17




TCS



350 x 350 x 30 mm, 17 pieces

Code	ΔΔ g
96 83 20 99	940
 No 10769	sizes T9; T10; T15; T20; T25; T30; T40; T45; T50
 No 10771/8	sizes T9; T10; T15; T20; T25; T27; T30; T40

TCS 10760-10771/26




TCS



175 x 350 x 35 mm, 26 pieces

Code	ΔΔ g
96 83 87 88	990
 No 10760CV/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 10771/8	sizes T9; T10; T15; T20; T25; T27; T30; T40

TCS 1201/4000/10766/38



TCS



175 x 350 x 45 mm, 38 pieces

Code	ΔΔ g
96 83 87 68	880
 No 10767/9	sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
 No 10766/9	sizes T8; T9; T10; T15; T20; T25; T27; T30; T40
 No 4000	1/4" ○
 No 1201	1/4" ●, ⊖ sizes 0.6 x 4.5; 0.8 x 5.5; 1.2 x 6.5; 1/4" ●, ⊕ sizes 1; 2; 3; 1/4" ●, ⊕ sizes 1; 2; 3; 1/4" ●, ⊕ sizes T10; T15; T20; T25; T30; T40; 1/4" ●, ● sizes 4; 5; 6 mm; 1/4" ○, 1/4" ● bithoulder

TCS 4751/4752



TCS



175 x 350 x 35 mm, 9 pieces

Code	ΔΔ g
96 83 87 87	280
 No 4751	size 4 (0.3 x 1.5 x 40 mm) size 6 (0.4 x 2.0 x 60 mm) size 7 (0.4 x 2.5 x 75 mm) size 8 (0.5 x 3.0 x 75 mm)
 No 4752	sizes PH00; PH0; PH1
 No 65 40 6 120	
 No 66 04 6 110	

TCS 6501-6602/3




TCS



175 x 350 x 40 mm, 3 pieces

Code	ΔΔ g
96 83 87 75	1115
 No 65 01 5 200	
 No 65 51 6 300	
 No 66 02 5 180	

TCS 6501-6602/4




TCS



175 x 350 x 35 mm, 4 pieces

Code	ΔΔ g
96 83 81 79	1010
 No 65 01 5 180	
 No 65 29 5 200	
 No 65 51 6 240	
 No 66 02 5 160	

TCS 6501-6602/4N



TCS



175 x 350 x 35 mm, 4 pieces

Code	g
96 83 06 22	1080



No 65 01 5 180



No 65 29 5 200




No 65 72 6 240



No 66 02 5 160

TCS 6543-6564/3



TCS



175 x 350 x 30 mm, 3 pieces

Code	g
96 83 81 80	815



No 65 43 4 002



No 65 45 4 002



No 65 64 2 250

TCS 6543-6546/4



TCS



175 x 350 x 30 mm, 4 pieces

Code	g
96 83 06 08	626



No 65 43 4 002



No 65 44 4 021



No 65 45 4 002



No 65 46 4 021

TCS 6534-6545/6



TCS



350 x 350 x 30 mm, 6 pieces

Code	g
96 83 21 00	1070



No 65 34 5 280



No 65 35 5 200




No 65 43 4 001
No 65 43 4 002



No 65 45 4 001
No 65 45 4 002

TCS 6501-6600/3



TCS



175 x 350 x 40 mm, 3 pieces

Code	g
96 83 87 70	740



No 65 01 7 180




No 65 29 7 200



No 66 00 7 160

TCS 102-109/10956/10960/6



TCS



175 x 350 x 40 mm, 6 pieces

Code	g
96 83 81 81	1500



No 10956 Ø 35 mm



No 10960 500 g



No 102 175 mm



No 108 150 x 6; 175 x 6 mm




No 109 size 6; 100 x 3.4 mm

Factory and workshop equipment, sets of tools

1

TCS 102-108/10960/10



TCS



175 x 350 x 40 mm, 10 pieces

Code	g
96830361	1569
No 102	200 mm
No 105	120 x 12 mm
No 108	115 x 2; 150 x 3; 150 x 4; 150 x 5; 150 x 6; 175 x 4; 200 x 8 mm
No 10960	500 g

TCS 102-108/11



TCS




175 x 350 x 33 mm, 11 pieces

Code	g
96838754	1665
No 102	150; 200; 250 mm
No 105	120 x 10; 120 x 12 mm
No 108	150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm

TCS 102-108/10957/10960/16



TCS



530 x 350 x 45 mm, 16 pieces

Code	g
96830609	3715
No 102	200 mm
No 103	150 mm
No 105	120 x 10 mm
No 108	150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
No 10957	Ø 40 mm
No 10960	500 g
No 12373	
No 12600	500 g
No 12718	
No 12935/3	3 m
No 65 64 2 250	
No 39 Pkw	400 mm

TCS 102-108/10957/10960/13



TCS



530 x 350 x 60 mm, 13 pieces

Code	g
96830177	5540
No 102	200; 300 mm
No 103	175 mm
No 105	120 x 12 mm
No 108	150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
No 10957	Ø 50 mm
No 10960	500; 800; 1000 g

TCS 102-108/10957/10960 MF



TCS



530 x 350 x 40 mm, 12 pieces

Code	g
96830355	3343
No 102	200 mm
No 103	150 mm
No 105	120 x 10 mm
No 108	150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
No 10957	Ø 40 mm
No 10960	500; 800 g
No 12718	

TCS 102-108/10957/12718/13



TCS



530 x 350 x 40 mm, 13 pieces

Code	g
96830226	3730
No 102	200 mm
No 103	150 mm
No 105	120 x 10 mm
No 108	150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8; 200 x 8 mm
No 10957	Ø 40 mm
No 10960	500; 800 g
No 12718	

TCS 102-108/10956/10960/18



TCS



530 x 350 x 55 mm, 18 pieces

Code	g
96 83 06 20	3653
 No 102	150 mm
 No 103	150 mm
 No 105	120 x 10 mm
 No 108	150 x 2.5; 150 x 3; 150 x 4; 150 x 5; 150 x 6; 150 x 8 mm
 No 10956	Ø 50 mm
 No 10960	300; 500 g
 No 10356	
 No 10670	285 mm
 No 10672	20 x 315 mm
 No 12374	
 No 12900N	
 No 12965N	

TCS 11095-13110/8




TCS



175 x 350 x 40 mm, 8 pieces

Code	g
96 83 87 89	700
 No 12000	ISO
 No 11095/20	0.05 - 1.00 mm
 No 12935/3	3 m
 No 12321	
 No 12322	
 No 12665/52	0.25 - 6 mm
 No 12900	
 No 13110	300 mm

TCS 10356-12965/5



TCS



175 x 350 x 40 mm, 5 pieces

Code	g
96 83 87 90	610
 No 12053	158 mm
 No 10356	40 mm
 No 10356R	10 pieces
 No 12320	
 No 12965	

TCS 12025-13110/11




TCS



530 x 350 x 35 mm, 11 pieces

Code	g
96 83 87 59	2070
 No 12025	210 mm
 No 12030	260 mm
 No 12035	210 mm
 No 12036	260 mm
 No 12050	300 mm
 No 12320	
 No 12321	
 No 12718	
 No 12935/3	3 m
 No 12965N	
 No 13110	300 mm

TCS 1/3 MF



TCS



175 x 350 x 30 mm, empty inlay

Code	g
83 82 03 60	30

It's the first impression that counts. Point-of-sale system solutions.



When the new POS system was being developed, there was one main focal point: to generate the greatest possible benefit for the trade. The high-grade, visually appealing system features numerous sophisticated details designed to make life easier for the trade – and boost sales. Thanks to its modular construction, finely tuned down to the last detail, it can be individually adapted to any showroom arrangement. Efficient, high-quality, sophisticated. Typical for STAHLWILLE.

1 Good looking

The slanted top-mounted signs are effective eye-catchers and can be fitted and changed in seconds – thanks to the convenient magnetic construction.



You can find more details on the POS system in our special POS brochure – visit www.stahlwille.de/broschueren-und-flyer/en/stahlwille-pos.pdf

2 High-quality visual impact

All the base units of the POS system are in anthracite grey RAL 7016. This visual appearance emphasises the premium quality inherent in all STAHLWILLE tools. A further highlight (literally) is the integrated lighting.

3 Extensive range of accessories

The broad range of accessories available for the system makes it easy to fine-tune it on-site if needed. There are also specially designed holders for ratchets, extensions and many more items.


4 Quality round perforations

The perforated panels for attaching the product holders feature round holes. This avoids the visual distraction of the keyhole design found elsewhere.

5 Flexible storage space

Variable shelving and drawer elements are available to round off the presentation.





Quick change.

High-quality product and unique selling points (USP) panels – quickly interchangeable thanks to convenient magnetic backing.



Quickly assembled.

Step-by-step video guidance – to ensure uncomplicated, smooth assembly – visit www.stahlwille.de/videos/pos-assembly

Overview of the base modules.

