

E & G Tools (M) Sdn Bhd

Tel : 03-78044210/03-78044202

Fax : 03-78044212

Email : egtools@gmail.com



PNEUMATIC TOOLS

Sometimes imminent success is in the air.

DO YOU BELIEVE IN LIGHTWEIGHT OPERATION?

Of course! Especially with big jobs.

Thanks to the power of compressed air, Unior pneumatic tools enable a quick and simple, safe and efficient execution of various jobs. Dedicated tools facilitate work in car repair shops, and the construction and timber industries.

Unior air tools are distinguished by their high quality and safe operation meeting the highest safety standards. Their simple use makes the tools suitable for DIY as well as professional users, who can choose among various pneumatic ratchets, air hammers and sets containing different accessories and add-ons.

Unior air tools feature an ergonomic grip for easy handling, while their robust casing guarantees a long lifespan even under the toughest job-site conditions. The superior quality materials and the high-precision make of the drive mechanism vouches for its perfect operation at high torque, while the operating heads of the tool are heat-treated to withstand great loads and long use.



E & G Tools (M) Sdn Bhd

Tel : 03-78044210/03-78044202

Fax : 03-78044212


Email : egtools@gmail.com



3/8"

1531 3/8" PNEUMATIC REVERSIBLE RATCHET

free speed 250 revolution per minutes
 Max. Torque 27 Nm
 Maximum air pressure : 6,2 Bar
 AirConsumption 62 l/min
 Air Inlet 1/4"
 max bolt size M6




Code	EAN	A	L	Nm	Icon
615318	153186	37	165	27	520



1/2"

1551 1/2" PNEUMATIC REVERSIBLE RATCHET

free speed 160 revolution per minutes
 Max. Torque 81 Nm
 Maximum air pressure : 6,2 Bar
 AirConsumption 113 l/min
 Air Inlet 1/4"
 max bolt size M10



Code	EAN	A	L	Nm	Icon
615319	153193	45	254	81	1200



1535 PNEUMATIC RATCHET AND SOCKET SET 3/8" IN METAL BOX

Code	EAN	Icon	Icon
615513	155135	13	1182

Art.	Dim.
1531	3/8"
230.4	75, 125
230.8	6-22, 13-21
230	8,10,11,12,13,15,17
1374	50ml



1555 PNEUMATIC RATCHET AND SOCKET SET 1/2" IN METAL BOX

Code	EAN	Icon	Icon
615515	155159	14	2533

Art.	Dim.
1551	1/2"
231.4	125
231.5	75
231.8	10-14, 15,32
231	10,13,14,17,19,21,22,24
1374	50ml

E & G Tools (M) Sdn Bhd

Tel : 03-78044210/03-78044202

Fax : 03-78044212


Email : egtools@gmail.com



3/8"

1541 3/8" PNEUMATIC REVERSIBLE HAMMER

free speed 10000 revolution per minutes
 Max. Torque 271 Nm
 Maximum air pressure : 6,2 Bar
 AirConsumption 70 l/min
 Air Inlet 1/4"
 max bolt size M10




Code	EAN	A	L	Nm	Weight
615320	153209	175	139	271	1350



1/2"

1561 1/2" PNEUMATIC REVERSIBLE HAMMER

free speed 8000 revolution per minutes
 Max. Torque 542 Nm
 Maximum air pressure : 6,2 Bar
 AirConsumption 113 l/min
 Air Inlet 1/4"
 max bolt size M16



Code	EAN	A	L	Nm	Weight
615322	153223	175	139	542	1350



1545 PNEUMATIC HAMMER AND SOCKET SET 3/8" IN METAL BOX

Code	EAN	Box	Weight
615514	155142	13	2212


Art.	Dim.
1541	3/8"
230.4	75, 125
230.8	6-12, 13-21
230	8,10,11,12,13,15,17
1374	50ml



1/2"

1562 1/2" PNEUMATIC REVERSIBLE HAMMER

free speed 6500 revolution per minutes
 Max. Torque 813 Nm
 Maximum air pressure : 6,2 Bar
 AirConsumption 124 l/min
 Air Inlet 1/4"
 max bolt size M18




Code	EAN	A	L	Nm	Weight
615321	153216	200	200	813	2800



3/4"

1572 3/4" PNEUMATIC REVERSIBLE HAMMER

free speed 5500 revolution per minutes
 Max. Torque 1491 Nm
 Maximum air pressure : 6,2 Bar
 Air Consumption 269 l/min
 Air Inlet 3/8"
 max bolt size M30



1565 PNEUMATIC HAMMER AND SOCKET SET 1/2" IN METAL BOX

Code	EAN		
615516	155166	20	5600

Art.	Dim.
1561	1/2" 1/2"
231.4	1/2" 125
231.5	3/8" 75
231.8	10-14, 15-32
231	10,13,17,19,21,22,24,27
231L	17,19,21,22,24,27
1374	50ml


Code	EAN	A	L		
615323	153230	235	220	1491	5600



3/4"

1571 3/4" PNEUMATIC REVERSIBLE HAMMER

free speed 6500 revolution per minutes
 Max. Torque 1016 Nm
 Maximum air pressure : 6,2 Bar
 Air Consumption 198 l/min
 Air Inlet 1/4"
 max bolt size M24



Code	EAN	A	L		
615324	153247	240	236	1016	4550



1575 PNEUMATIC HAMMER AND SOCKET SET 3/4" IN BOX

Code	EAN		
617161	171616	7	8780


Art.	Dim.
1571	3/4" 3/4"
232	19,24,27,32,36,41



1"

1591 1" PNEUMATIC REVERSIBLE HAMMER

free speed 4000 revolution per minutes
 Max. Torque 2439 Nm
 Maximum air pressure : 6,2 Bar
 AirConsumption 255 l/min
 Air Inlet 1/2"
 max bolt size M36




Code	EAN	A	L	Nm	Weight
615325	153254	180	495	2439	12500



1,1/2"

1596 1.1/2" PNEUMATIC REVERSIBLE HAMMER

free speed 3000 revolution per minutes
 max. torque 3388 Nm
 Maximum air pressure : 6,2 Bar
 air consumption 410 l/min
 Air Inlet 1/2"
 max bolt size M45




Code	EAN	A	L	Nm	Weight
617690	176901	145	450	3388	15800



1"

1592 1" PNEUMATIC REVERSIBLE HAMMER

free speed 4000 revolution per minutes
 Max. Torque 2439 Nm
 Maximum air pressure : 6,2 Bar
 AirConsumption 255 l/min
 Air Inlet 1/2"
 max bolt size M36




Code	EAN	A	L	Nm	Weight
615326	153261	280	307	2439	10620



1,1/2"

1597 1.1/2" PNEUMATIC REVERSIBLE HAMMER

free speed 3000 revolution per minutes
 max. torque 4065 Nm
 Maximum air pressure : 6,2 Bar
 air consumption 435 l/min
 Air Inlet 1/2"
 max bolt size M52




Code	EAN	A	L	Nm	Weight
617691	176918	145	450	4065	19700

E & G Tools (M) Sdn Bhd
 Tel : 03-78044210/03-78044202
 Fax : 03-78044212
 Email : egtools@gmail.com



1514 STROKE PNEUMATIC HAMMER

used for cutting sheet, bolts and removing welding slags, rivets, plaster and tiles with spring, quick change retainer as spare parts



Code	EAN	L	A	D	
617714	177144	170	150	19	1600
617715	177151	225	150	19	2400

Opis/dim	170	225
Piston stroke length	67mm	92mm
bore diameter	9.1mm	9.1mm
stroke per minute:	3000	2100
air consumption	250	250
Air Inlet	1/4"	1/4"



1514.1 SPRING FOR 1514

Code	EAN	
617716	177168	65




1514.2 QUICK CHANGE RETAINER FOR 1514

Code	EAN	
617717	177175	340




1514A1 FLAT CHISEL



Code	EAN	L	B	D	
617718	177182	182	18	19	146




1514A2 POINTED CHISEL



Code	EAN	L	B	D	
617719	177199	180	2	19	122




1514A3 RIVET AND WELDING SLAG CHISEL



Code	EAN	L	B	D	
617720	177205	180	20	19	143




1514A4 SHEET CUTTING CHISEL



Code	EAN	L	B	D	
617721	177212	180	16,7	19	141




1514A5 V EDGE CHISEL




Code	EAN	L	B	D	
617722	177229	190	19,2	19	146



1514A6 SPADE CHISEL




Code	EAN	L	B	D	
617723	177236	178	32,8	19	150



1510 PNEUMATIC SANDER

free speed 10000 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 368 l/min
 Air Inlet 1/4"




Code	EAN	No.	L	A	D	Weight
617733	177335	2,5	220	105	150	1186
617713	177137	5	220	105	150	1186



1515 PNEUMATIC DRILL

reversible turning
 free speed 1800 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 113 l/min
 Air Inlet 1/4"
 chuck capacity 1,0 - 10 mm
 spindle thread 3/8", 24 UNF
 internal hose size 10 mm




Code	EAN	L	A	Weight
617726	177267	190	150	1150

E & G Tools (M) Sdn Bhd
 Tel : 03-78044210/03-78044202
 Fax : 03-78044212
 Email : egtools@gmail.com



1515 H PNEUMATIC DRILL WITH HANDLE

reversible turning
 free speed 800 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 113 l/min
 Air Inlet 1/4"
 chuck capacity 1,5 - 13 mm
 spindle thread 3/8", 24 UNF
 internal hose size 10 mm




Code	EAN	L	A	Weight
617727	177274	220	160	1570




1517 P PNEUMATIC ANGLE POPLISHER

free speed 2500 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 340 l/min
 Air Inlet 1/4"
 spindle thread 5/8"




Code	EAN	L	A	D	Weight
617728	177281	375	100	175	2165



1517 S PNEUMATIC ANGLE SANDER

free speed 4500 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 340 l/min
 Air Inlet 1/4"
 spindle thread 5/8"




Code	EAN	L	A	D	Weight
617729	177298	375	100	175	2165



1518 PNEUMATIC ANGLE GRINDER

free speed 11000 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 170 l/min
 Air Inlet 1/4"




Code	EAN	L	A	D	Weight
617730	177304	230	90	125	1920



1516 PNEUMATIC DIE GRINDER

free speed 20000 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 113 l/min
 Air Inlet 1/4"
 chuck capacity 6 mm
 internal hose size 8 mm




Code	EAN	L	A	Weight
617731	177311	155	60	390



1516 A PNEUMATIC ANGLE DIE GRINDER

free speed 22000 revolution per minutes
 Maximum air pressure : 6,2 Bar
 air consumption 113 l/min
 Air Inlet 1/4"
 chuck capacity 6 mm
 internal hose size 8 mm




Code	EAN	L	A	Weight
617732	177328	162	76	520



1508 A PNEUMATIC DUSTER

maximum air pressure : 10,9 Bar
 air consumption 220 l/min




Code	EAN	L	A	D	Weight
617767	177678	260	135	6	130



1508 B LONG PNEUMATIC DUSTER

maximum air pressure : 10,9 Bar
 air consumption 220 l/min




Code	EAN	L	A	D	Weight
617768	177680	420	135	6	145



1500 PNEUMATIC FILTER REGULATOR AND LUBRICATOR 1/4"

Air Inlet 1/4"
 maximum air pressure : 9,5 Bar
 air consumption 600 l/min
 working pressure 0,5 - 8,5 Bar
 working temperature 5 - 60 °C
 filtering grade 5µ
 filter capacity 15 ml
 lubricator capacity 25 ml




Code	EAN	L	A	Weight
617735	177358	90	155	415



1501 PNEUMATIC FILTER REGULATOR AND LUBRICATOR 3/8"

Air Inlet 3/8"
 maximum air pressure : 9,5 Bar
 air consumption 1800 l/min
 working pressure 0,5 - 8,5 Bar
 working temperature 5 - 60 °C
 filtering grade 5µ
 filter capacity 60ml
 lubricator capacity 90ml




Code	EAN	L	A	Icon
617736	177366	150	220	1195



1502 PNEUMATIC FILTER REGULATOR AND LUBRICATOR 1/2"

Air Inlet 1/2"
 maximum air pressure : 9,5 Bar
 working pressure 0,5 - 8,5 Bar
 working temperature 5 - 60 °C
 filtering grade 5µ
 air consumption 2300 l/min
 filter capacity 60ml
 lubricator capacity 90ml



Code	EAN	L	A	Icon
617737	177373	150	220	1395

1500 C CUPS SET FOR 1500



Code	EAN	Icon
617738	177380	70

1501 C CUPS SET FOR 1501 AND 1502



Code	EAN	Icon
617739	177397	165

1500PG PRESSURE GAUGE FOR 1500



Code	EAN	Icon
617741	177410	55

1501PG PRESSURE GAUGE FOR 1501 IN 1502



Code	EAN	Icon
617742	177427	20

1505 SPIRALE PNEUMATIC HOSES




Code	EAN	D	L (m)	Icon
617743	17743	6,5 x 10	9	800
617744	17744	8 x 12	9	1000
617745	17745	11 x 16	9	1500
617746	17746	6,5 x 10	12	1000
617747	17747	8 x 12	12	1200
617748	17748	11 x 16	12	2300



1506PZ COUPLING, FEMALE PART

*plastic housing
outside tread*




Code	EAN	inlet thread	mm	L	mm
617788	177885	R1/4"	19	72	124
617789	177892	R3/8"	19	70	136
617790	177908	R1/2"	22	75	340



1506KN COUPLING, FEMALE PART

*metal housing
inside tread*




Code	EAN	inlet thread	mm	L	mm
617795	177953	R1/4"	20	54.5	110
617796	177960	R3/8"	20	55	102



1506PN COUPLING, FEMALE PART

*plastic housing
inside tread*




Code	EAN	inlet thread	mm	L	mm
617791	177915	R1/4"	19	60.5	123
617792	177922	R3/8"	19	60.5	114



1507Z COUPLING, MALE PART

*inside hose diameter Ø 7mm
outside tread*




Code	EAN	inlet thread	mm	L	mm
617797	177977	R1/4"	14	34	18
617798	177984	R3/8"	19	36.5	28



1506KZ COUPLING, FEMALE PART

*metal housing
outside tread*




Code	EAN	inlet thread	mm	L	mm
617793	177939	R1/4"	20	58	103
617794	177946	R3/8"	20	54	94



1507N COUPLING, MALE PART

*inside hose diameter Ø 7mm
inside tread*



Code	EAN	inlet thread	mm	L	mm
617799	177991	R1/4"	15	37.5	24
617800	178004	R3/8"	19	39	30

E & G Tools (M) Sdn Bhd

Tel : 03-78044210/03-78044202

Fax : 03-78044212

Email : egtools@gmail.com